

```
2018-06-24 20:42:39,394 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-24 20:42:39,837 - octoprint.server.heartbeat - INFO - Starting
server heartbeat, 900.0s interval
2018-06-24 20:42:40,067 - octoprint.server - INFO - Intermediary server
started
2018-06-24 20:42:40,072 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-24 20:42:41,630 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-24 20:42:41,803 - octoprint.filemanager.storage - INFO -
Initializing the file metadata for /home/pi/.octoprint/uploads...
2018-06-24 20:42:49,882 - octoprint.filemanager.storage - INFO - ... file
metadata for /home/pi/.octoprint/uploads initialized successfully.
2018-06-24 20:42:50,789 - octoprint.plugins.softwareupdate - INFO -
Loaded version cache from disk
2018-06-24 20:43:02,555 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-24 20:43:13,964 - octoprint.util.pip - INFO - Version of pip is
9.0.1
2018-06-24 20:43:13,968 - octoprint.util.pip - INFO - pip installs to
/home/pi/oprint/lib/python2.7/site-packages (writable -> yes), --user
flag needed -> no, virtual env -> yes
2018-06-24 20:43:13,970 - octoprint.util.pip - INFO - ==> pip ok -> yes
2018-06-24 20:43:13,987 - octoprint.plugin.core - INFO - Initialized 17
plugin implementation(s)
2018-06-24 20:43:14,054 - octoprint.plugin.core - INFO - 17 plugin(s)
registered with the system:
| Announcement Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/announcements
| Core Wizard (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/corewizard
| CuraEngine (<= 15.04) (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/cura
| Discovery (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/discovery
| Dropbox Timelapse Plugin (0.1.2) =
/home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_dropbox_timelapse
| Enclosure Plugin (0.08) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_enclosure
| Fullscreen Plugin (0.0.4) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_fullscreen
| Logging (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/logging
| OctoPi Support Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/octopi_support
| OctoPrint Anywhere (0.6.3) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_anywhere
| Plugin Manager (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/pluginmanager
| Print History Plugin (1.2) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_printhistory
| Printer Safety Check (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/printer_safety_check
| Pushover (0.2.1) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_pushover
| Software Update (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate
| Virtual Printer (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/virtual_printer
| YouTube Live (0.4.0) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_youtubelive
2018-06-24 20:43:14,126 - octoprint.environment - INFO - Detected
environment is Python 2.7.9 under Linux (linux2). Details:
  hardware:
    cores: 1
    freq: 1000.0
    ram: 388681728
  os:
    id: linux
    platform: linux2
```

```
plugins:
  octoprint_support:
    model: Zero W
    revision: 9000c1
    version: 0.14.0
python:
  pip: 9.0.1
  version: 2.7.9
  virtualenv: /home/pi/oprint
2018-06-24 20:43:14,165 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/webassets...
2018-06-24 20:43:14,170 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/.webassets-cache...
2018-06-24 20:43:15,171 - octoprint.server - INFO - Shutting down
intermediary server...
2018-06-24 20:43:15,222 - octoprint.server - INFO - Intermediary server
shut down
2018-06-24 20:43:15,228 - octoprint.events - INFO - Processing startup
event, this is our first event
2018-06-24 20:43:15,240 - octoprint.events - INFO - Adding 1 events to
queue that were held back before startup event
2018-06-24 20:43:15,395 - octoprint.filemanager - INFO - Adding backlog
items from all storage types to analysis queue...
2018-06-24 20:43:18,015 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for _http_tcp
2018-06-24 20:43:18,261 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for _octoprint_tcp
2018-06-24 20:43:18,343 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for SSDP
2018-06-24 20:43:18,346 - octoprint.server - INFO - Listening on
http://127.0.0.1:5000
2018-06-24 20:43:18,698 - octoprint.plugins.announcements - INFO - Loaded
channel _important from https://octoprint.org/feeds/important.xml in 3.1s
2018-06-24 20:43:18,885 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin repository data from https://plugins.octoprint.org/plugins.json
2018-06-24 20:43:20,084 - octoprint.filemanager - INFO - Added 0 items
from storage type "local" to analysis queue
2018-06-24 20:43:20,587 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:43:21,142 - octoprint.plugins.enclosure - INFO - Setting
GPIO mode to BCM
2018-06-24 20:43:21,217 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:43:21,714 - octoprint.plugins.pushover - INFO - No user key
provided
2018-06-24 20:43:21,827 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:43:21,830 - octoprint.plugins.youtubelive - INFO -
OctoPrint-YouTubeLive loaded! Checking stream status.
2018-06-24 20:43:22,223 - octoprint.plugins.youtubelive - ERROR -
('Connection aborted.', error(2, 'No such file or directory'))
2018-06-24 20:43:22,923 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:43:23,773 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:43:24,484 - octoprint.plugins.announcements - INFO - Loaded
channel _important from https://octoprint.org/feeds/important.xml in 5.3s
2018-06-24 20:43:26,623 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin repository data from https://plugins.octoprint.org/plugins.json
2018-06-24 20:43:27,072 - octoprint.server.util.sockjs - INFO - New
connection from client: 127.0.0.1
2018-06-24 20:43:33,172 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin notices data from https://plugins.octoprint.org/notices.json
2018-06-24 20:43:33,679 - octoprint.plugins.pluginmanager - INFO - Loaded
notice data from disk, was still valid
2018-06-24 20:43:35,569 - octoprint.plugins.announcements - INFO - Loaded
channel _releases from https://octoprint.org/feeds/releases.xml in 3.5s
2018-06-24 20:43:37,476 - octoprint.plugins.announcements - INFO - Loaded
channel _releases from https://octoprint.org/feeds/releases.xml in 2.9s
2018-06-24 20:43:43,914 - octoprint.plugins.announcements - INFO - Loaded
channel _blog from https://octoprint.org/feeds/octoblog.xml in 5.2s
2018-06-24 20:43:44,512 - octoprint.plugins.announcements - INFO - Loaded
channel _blog from https://octoprint.org/feeds/octoblog.xml in 4.2s
2018-06-24 20:43:51,438 - octoprint.plugins.announcements - INFO - Loaded
channel _plugins from https://plugins.octoprint.org/feed.xml in 4.1s
2018-06-24 20:43:52,097 - octoprint.plugins.announcements - INFO - Loaded
channel _plugins from https://plugins.octoprint.org/feed.xml in 4.2s
2018-06-24 20:44:00,117 - octoprint.plugins.announcements - INFO - Loaded
channel _octopi from https://octoprint.org/feeds/octopi.xml in 3.2s
2018-06-24 20:44:00,285 - octoprint.plugins.announcements - INFO - Loaded
```

```
channel _octopi from https://octoprint.org/feeds/octopi.xml in 3.9s
2018-06-24 20:44:43,444 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-24 20:44:43,463 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-24 20:44:44,291 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-24 20:44:44,830 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-24 20:44:45,440 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-24 20:45:36,192 - octoprint.util.pip - INFO - pip installs to
/home/pi/oprint/lib/python2.7/site-packages/ (writable -> yes), --user
flag needed -> no, virtual env -> yes
2018-06-24 20:45:36,198 - octoprint.util.pip - INFO - ==> pip ok -> yes
2018-06-24 20:45:39,357 - octoprint.plugins.softwareupdate - INFO - Saved
version cache to disk
2018-06-24 20:46:03,528 - tornado.access - WARNING - 404 GET /apple-
touch-icon-120x120-precomposed.png (127.0.0.1) 26.55ms
2018-06-24 20:46:03,558 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.123
2018-06-24 20:46:04,128 - tornado.access - WARNING - 404 GET /apple-
touch-icon-120x120.png (127.0.0.1) 26.12ms
2018-06-24 20:46:08,936 - octoprint.plugins.youtubelive - INFO - Checking
stream status.
2018-06-24 20:47:10,299 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.123
2018-06-24 20:47:28,110 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.123
2018-06-24 20:48:27,117 - octoprint.plugins.softwareupdate - INFO -
Starting update of enclosure to 4.11...
2018-06-24 20:49:12,435 - octoprint.plugins.softwareupdate - INFO -
Update of enclosure to 4.11 successful!
2018-06-24 20:49:13,551 - octoprint.plugins.softwareupdate - INFO - Saved
version cache to disk
2018-06-24 20:49:13,563 - octoprint.plugins.softwareupdate - INFO -
Restarting...
2018-06-24 20:49:13,963 - octoprint.server - INFO - Shutting down...
2018-06-24 20:49:14,872 - octoprint.events - INFO - Processing shutdown
event, this will be our last event
2018-06-24 20:49:14,945 - octoprint.events - INFO - Event loop shut down
2018-06-24 20:49:14,970 - octoprint.server - INFO - Goodbye!
2018-06-24 20:49:27,519 - octoprint.startup - INFO -
*****
2018-06-24 20:49:27,522 - octoprint.startup - INFO - Starting OctoPrint
1.3.8
2018-06-24 20:49:27,524 - octoprint.startup - INFO -
*****
2018-06-24 20:49:27,672 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from offline to online
2018-06-24 20:49:29,756 - octoprint.startup - INFO - Blacklist processing
done
2018-06-24 20:49:29,924 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-24 20:49:41,877 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-24 20:49:42,278 - octoprint.server.heartbeat - INFO - Starting
server heartbeat, 900.0s interval
2018-06-24 20:49:42,400 - octoprint.server - INFO - Intermediary server
started
2018-06-24 20:49:42,402 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-24 20:49:43,986 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-24 20:49:44,153 - octoprint.filemanager.storage - INFO -
Initializing the file metadata for /home/pi/.octoprint/uploads...
2018-06-24 20:49:52,068 - octoprint.filemanager.storage - INFO - ... file
metadata for /home/pi/.octoprint/uploads initialized successfully.
2018-06-24 20:49:52,825 - octoprint.plugins.softwareupdate - INFO -
Loaded version cache from disk
2018-06-24 20:50:04,045 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-24 20:50:15,217 - octoprint.util.pip - INFO - Version of pip is
9.0.1
2018-06-24 20:50:15,221 - octoprint.util.pip - INFO - pip installs to
/home/pi/oprint/lib/python2.7/site-packages (writable -> yes), --user
flag needed -> no, virtual env -> yes
```

```
2018-06-24 20:50:15,224 - octoprint.util.pip - ==> pip ok -> yes
2018-06-24 20:50:15,240 - octoprint.plugin.core - INFO - Initialized 17
plugin implementation(s)
2018-06-24 20:50:15,269 - octoprint.plugins.enclosure - WARNING -
##### current settings version 4 target settings version 6 #####
2018-06-24 20:50:15,271 - octoprint.plugins.enclosure - WARNING -
##### migrating settings to v6 #####
2018-06-24 20:50:16,515 - octoprint.plugin.core - INFO - 17 plugin(s)
registered with the system:
| Announcement Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/announcements
| Core Wizard (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/corewizard
| CuraEngine (<= 15.04) (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/cura
| Discovery (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/discovery
| Dropbox Timelapse Plugin (0.1.2) =
/home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_dropbox_timelapse
| Enclosure Plugin (4.11) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_enclosure
| Fullscreen Plugin (0.0.4) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_fullscreen
| Logging (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/logging
| OctoPi Support Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/octopi_support
| OctoPrint Anywhere (0.6.3) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_anywhere
| Plugin Manager (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/pluginmanager
| Print History Plugin (1.2) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_printhistory
| Printer Safety Check (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/printer_safety_check
| Pushover (0.2.1) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_pushover
| Software Update (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate
| Virtual Printer (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/virtual_printer
| YouTube Live (0.4.0) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_youtubelive
2018-06-24 20:50:16,590 - octoprint.environment - INFO - Detected
environment is Python 2.7.9 under Linux (linux2). Details:
| hardware:
|   cores: 1
|   freq: 1000.0
|   ram: 388681728
| os:
|   id: linux
|   platform: linux2
| plugins:
|   octopi_support:
|     model: Zero W
|     revision: 9000c1
|     version: 0.14.0
| python:
|   pip: 9.0.1
|   version: 2.7.9
|   virtualenv: /home/pi/oprint
2018-06-24 20:50:16,628 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/webassets...
2018-06-24 20:50:16,759 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/.webassets-cache...
2018-06-24 20:50:17,654 - octoprint.server - INFO - Shutting down
intermediary server...
2018-06-24 20:50:17,662 - octoprint.server - INFO - Intermediary server
shut down
2018-06-24 20:50:17,668 - octoprint.events - INFO - Processing startup
event, this is our first event
2018-06-24 20:50:17,680 - octoprint.events - INFO - Adding 1 events to
queue that were held back before startup event
2018-06-24 20:50:17,776 - octoprint.filemanager - INFO - Adding backlog
items from all storage types to analysis queue...
2018-06-24 20:50:17,873 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin repository data from disk, was still valid
2018-06-24 20:50:19,370 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for _http_tcp
2018-06-24 20:50:19,525 - octoprint.plugins.pluginmanager - INFO - Loaded
```

notice data from disk, was still valid  
2018-06-24 20:50:19,548 - octoprint.plugins.discovery - INFO - Registered OctoPrint instance "PrusaPi" for \_octoprint.tcp  
2018-06-24 20:50:19,616 - octoprint.plugins.discovery - INFO - Registered OctoPrint instance "PrusaPi" for SSDP  
2018-06-24 20:50:19,615 - octoprint.server - INFO - Listening on http://127.0.0.1:5000  
2018-06-24 20:50:19,911 - octoprint.filemanager - INFO - Added 0 items from storage type "local" to analysis queue  
2018-06-24 20:50:20,054 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:50:20,238 - octoprint.plugins.enclosure - INFO - Setting GPIO mode to BCM  
2018-06-24 20:50:20,542 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:50:20,574 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid  
2018-06-24 20:50:20,722 - octoprint.plugins.pushover - INFO - No user key provided  
2018-06-24 20:50:20,818 - octoprint.plugins.youtubelive - INFO - OctoPrint-YouTubeLive loaded! Checking stream status.  
2018-06-24 20:50:21,171 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:50:21,223 - octoprint.plugins.youtubelive - ERROR - ('Connection aborted.', error(2, 'No such file or directory'))  
2018-06-24 20:50:21,740 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:50:22,856 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid  
2018-06-24 20:50:23,148 - octoprint.server.util.sockjs - INFO - New connection from client: 127.0.0.1  
2018-06-24 20:50:26,116 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123  
2018-06-24 20:50:39,641 - octoprint.util.pip - INFO - Using "/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-24 20:50:52,793 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.123  
2018-06-24 20:50:52,837 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123  
2018-06-24 20:51:10,813 - octoprint.util.pip - INFO - pip installs to /home/pi/oprint/lib/python2.7/site-packages/ (writable -> yes), --user flag needed -> no, virtual env -> yes  
2018-06-24 20:51:10,818 - octoprint.util.pip - INFO - ==> pip ok -> yes  
2018-06-24 20:51:11,906 - octoprint.plugins.softwareupdate - INFO - Saved version cache to disk  
2018-06-24 20:52:00,991 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.123  
2018-06-24 20:52:04,354 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123  
2018-06-24 20:52:07,070 - octoprint.plugins.youtubelive - INFO - Checking stream status.  
2018-06-24 20:52:20,459 - octoprint.util.comm - INFO - Changing monitoring state from "Offline" to "Detecting serial port"  
2018-06-24 20:52:20,624 - octoprint.util.comm - INFO - Changing monitoring state from "Detecting serial port" to "Opening serial port"  
2018-06-24 20:52:20,659 - octoprint.util.comm - INFO - Changing monitoring state from "Opening serial port" to "Detecting baudrate"  
2018-06-24 20:52:20,727 - octoprint.util.comm - INFO - M110 detected, setting current line number to 0  
2018-06-24 20:52:29,792 - octoprint.util.comm - INFO - Changing monitoring state from "Detecting baudrate" to "Operational"  
2018-06-24 20:52:31,299 - octoprint.util.comm - INFO - M110 detected, setting current line number to 0  
2018-06-24 20:52:31,344 - octoprint.util.comm - INFO - Printer reports firmware name "Marlin V1.0.2; Sprinter/grbl mashup for gen6"  
2018-06-24 20:53:12,187 - octoprint.filemanager.analysis - INFO - Starting analysis of local:hand\_stand.gcode  
2018-06-24 20:53:12,229 - octoprint.filemanager.analysis - INFO - Invoking analysis command: /home/pi/oprint/bin/python -m octoprint analysis gcode --speed-x=6000 --speed-y=6000 --max-t=10 --throttle=0.0 --throttle-lines=100 /home/pi/.octoprint/uploads/hand\_stand.gcode  
2018-06-24 20:53:24,613 - octoprint.util.comm - INFO - Changing monitoring state from "Operational" to "Printing"  
2018-06-24 20:53:24,747 - octoprint.util.comm - INFO - M110 detected, setting current line number to 0  
2018-06-24 20:53:24,825 - octoprint.plugins.pushover - INFO - Event triggered: PrintStarted  
2018-06-24 20:56:32,665 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-24 20:56:33,105 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:33,109 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:56:33,487 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:33,492 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:56:33,633 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:33,637 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:56:34,634 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:34,638 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:56:34,848 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:34,850 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:56:38,856 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:38,860 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:56:40,466 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:40,469 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:56:44,571 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:44,580 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:56:44,583 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 20:56:45,154 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:45,515 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:45,556 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:47,389 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:49,245 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:52,423 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:53,620 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:56,543 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:56,547 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-24 20:56:56,550 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 20:56:57,668 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:58,168 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:59,046 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:56:59,195 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:00,786 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:05,584 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:09,427 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:21,957 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:21,959 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)

2018-06-24 20:57:22,962 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 20:57:24,880 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:25,450 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:26,284 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:27,661 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:29,856 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:33,769 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:57:38,407 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:58:40,735 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:58:41,089 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:58:41,093 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:58:41,802 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:58:41,808 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:58:41,934 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:58:41,937 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:58:42,004 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:58:42,021 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:58:44,758 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:58:44,761 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:58:48,769 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:58:48,772 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:58:55,025 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:58:55,033 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 12.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:59:07,724 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:59:07,731 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 20:59:07,740 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 20:59:10,803 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:59:11,797 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:59:12,228 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:59:12,896 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:59:15,184 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:59:17,984 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:59:23,296 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:59:27,665 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 20:59:27,670 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-24 20:59:27,675 - octoprint.plugins.anywhere - WARNING - Reached

```
max backoff in waiting for server ws connection
2018-06-24 20:59:41,342 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:59:41,873 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:59:42,838 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:59:44,083 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:59:44,093 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:59:45,161 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 20:59:47,091 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:01:58,050 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.123
2018-06-24 21:02:00,045 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.6s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-24 21:02:00,603 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:00,606 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.2s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-24 21:02:00,790 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:00,794 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-24 21:02:01,737 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:01,742 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-24 21:02:02,624 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:02,628 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-24 21:02:05,481 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:05,484 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-24 21:02:05,602 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:05,605 - backoff - ERROR - Backing off
__forward_ws__(...) for 7.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-24 21:02:13,363 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:13,366 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-24 21:02:15,071 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:15,073 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-24 21:02:15,078 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-24 21:02:39,019 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:39,459 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:39,877 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:40,675 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:42,094 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:46,179 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 21:02:53,709 - octoprint.plugins.anywhere - WARNING - Not
```

connected to server ws or connection lost  
2018-06-24 21:02:56,513 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:02:56,515 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-24 21:02:56,519 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:03:24,274 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:03:24,476 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:03:24,798 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:03:26,717 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:04:13,707 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:04:14,167 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:04:14,176 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:04:14,553 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:04:14,565 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:04:14,720 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:04:14,722 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:04:16,715 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:04:16,718 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:04:19,051 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:04:19,054 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 4.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:04:23,266 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:04:23,279 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 6.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:04:29,918 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:04:29,922 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:04:30,730 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-24 21:04:33,816 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:04:33,819 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:04:33,822 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:04:42,289 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-24 21:05:16,756 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:05:17,070 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:05:17,153 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:05:18,782 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:05:21,008 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:04,882 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-24 21:09:05,172 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:05,175 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:09:05,478 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:05,481 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:09:05,738 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:05,742 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:09:06,232 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:06,234 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:09:07,663 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:07,669 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:09:11,511 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:11,515 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:09:17,422 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:17,425 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:09:28,796 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:28,799 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:09:28,802 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:09:57,446 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:57,497 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:58,291 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:58,576 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:59,029 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:09:59,928 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:10:06,805 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:15:00,169 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:15:00,352 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:15:00,362 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:15:00,652 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:15:00,659 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:15:01,362 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:15:01,365 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:15:01,908 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:15:01,912 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:15:03,243 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-24 21:15:03,246 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:15:05,288 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:15:05,304 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:15:12,406 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:15:12,411 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:15:22,070 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:15:22,075 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-24 21:15:22,091 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-24 21:16:46,828 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:16:47,138 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:16:47,624 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:16:48,165 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:16:50,396 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:16:55,132 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:16:56,056 - octoprint.server.util.sockjs - INFO - New  
connection from client: 192.168.0.123  
2018-06-24 21:16:58,447 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:17:07,433 - octoprint.server.util.sockjs - INFO - Client  
connection closed: 192.168.0.123  
2018-06-24 21:17:12,517 - octoprint.server.util.sockjs - INFO - New  
connection from client: 192.168.0.123  
2018-06-24 21:17:17,296 - octoprint.plugins.youtubelive - INFO - Checking  
stream status.  
2018-06-24 21:17:21,657 - octoprint.util.connectivity\_checker - INFO -  
Connectivity changed from offline to online  
2018-06-24 21:17:21,855 - octoprint.plugins.pluginmanager - INFO - Loaded  
plugin repository data from disk, was still valid  
2018-06-24 21:17:23,172 - octoprint.plugins.pluginmanager - INFO - Loaded  
notice data from disk, was still valid  
2018-06-24 21:18:41,792 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:18:41,945 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:18:41,948 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:18:42,767 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:18:42,770 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:18:43,016 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:18:43,020 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:18:43,245 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:18:43,248 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:18:45,571 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:18:45,575 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.2s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-24 21:18:48,799 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:18:48,803 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:18:50,439 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:18:50,442 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 8.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:18:59,063 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:18:59,068 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:18:59,075 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:19:11,150 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.123  
2018-06-24 21:19:33,800 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-24 21:19:42,293 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-24 21:20:29,631 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:20:30,166 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:20:30,389 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:20:31,920 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:20:32,067 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:20:35,692 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:20:37,242 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:20:42,078 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:20:42,080 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-24 21:20:42,084 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:23:21,982 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:23:22,239 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:23:23,126 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:23:24,697 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:23:26,089 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:23:26,358 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:25:32,250 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-24 21:25:32,937 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:25:32,942 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-24 21:25:33,355 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:25:33,359 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-24 21:25:33,811 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:25:33,814 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-24 21:25:33,921 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:25:33,924 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-24 21:25:34,338 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:25:34,341 - backoff - ERROR - Backing off forward\_ws(...) for 3.2s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-24 21:25:37,516 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:25:37,527 - backoff - ERROR - Backing off forward\_ws(...) for 6.9s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-24 21:25:44,474 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:25:44,476 - backoff - ERROR - Backing off forward\_ws(...) for 5.3s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-24 21:25:49,754 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:25:49,758 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-24 21:25:49,764 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:29:14,426 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:29:15,269 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:29:15,717 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:29:17,430 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:29:19,831 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:29:23,655 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:29:25,488 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:29:31,632 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:29:31,634 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (None)  
2018-06-24 21:29:31,638 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:30:38,419 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:30:38,480 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:30:38,494 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:30:40,164 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:30:41,171 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:30:41,394 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:30:44,095 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:30:49,291 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:30:49,301 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (None)  
2018-06-24 21:30:49,303 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:31:10,656 - octoprint.plugins.discovery - WARNING - Can't determine address to user for client ('192.168.0.130', 40945), not sending a M-SEARCH reply  
2018-06-24 21:31:10,759 - octoprint.plugins.discovery - WARNING - Can't determine address to user for client ('192.168.0.130', 40945), not sending a M-SEARCH reply  
2018-06-24 21:31:10,859 - octoprint.plugins.discovery - WARNING - Can't determine address to user for client ('192.168.0.130', 40945), not sending a M-SEARCH reply  
2018-06-24 21:31:14,770 - backoff - ERROR - Backing off stream\_up(...) for 0.6s (ConnectionError: timed out)  
2018-06-24 21:33:12,805 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:33:13,366 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:33:13,990 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:33:14,117 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-24 21:33:16,732 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:33:17,086 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:34:13,123 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:34:13,855 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:34:13,859 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:34:14,448 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:34:14,450 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:34:14,634 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:34:14,637 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:34:14,927 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:34:14,930 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:34:15,241 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:34:15,245 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:34:16,792 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:34:16,799 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:34:18,458 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:34:18,461 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:34:18,731 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:34:18,734 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:34:18,737 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:34:34,159 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from offline to online  
2018-06-24 21:34:34,355 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid  
2018-06-24 21:34:35,940 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid  
2018-06-24 21:34:42,296 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-24 21:35:32,653 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:35:32,744 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:35:33,263 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:35:33,616 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:38:50,536 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:38:50,787 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:38:50,789 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:38:50,914 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:38:50,916 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:38:51,121 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-24 21:38:55,123 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:38:51,278 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:38:51,281 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:38:52,195 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:38:52,204 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:38:55,369 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:38:55,373 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:38:58,256 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:38:58,265 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:39:07,451 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:39:07,456 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-24 21:39:07,459 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-24 21:40:45,097 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:40:45,415 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:40:46,385 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:40:46,441 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:40:48,738 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:40:52,135 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:41:53,848 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:41:54,721 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:41:54,767 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:41:54,994 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:41:54,998 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:41:55,502 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:41:55,505 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:41:57,101 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:41:57,124 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:41:58,925 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:41:59,068 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:42:02,354 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:02,358 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:42:04,024 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-24 21:42:04,139 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 8.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:42:12,410 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:12,413 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-24 21:42:12,417 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-24 21:42:37,222 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:38,200 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:38,755 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:39,968 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:40,800 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:41,001 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:45,496 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:55,374 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:42:55,379 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-24 21:42:55,383 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-24 21:43:41,864 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:43:42,593 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:43:43,353 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:43:43,943 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:43:46,094 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:43:48,961 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:43:49,299 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:43:52,535 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:43:52,544 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-24 21:43:52,547 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-24 21:45:07,491 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:45:08,132 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:45:08,686 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:45:10,289 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:45:13,284 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:45:16,031 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:46:22,393 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:46:22,945 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:46:22,948 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 21:46:23,030 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 21:46:23,033 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)

2018-06-24 21:46:23,123 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:46:23,126 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:46:23,148 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:46:23,151 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:46:23,160 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:46:23,163 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:46:26,397 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:46:26,401 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:46:32,742 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:46:32,753 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:46:39,871 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:46:39,874 - backoff - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:46:39,876 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:49:37,840 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:49:38,455 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:49:39,117 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:49:42,300 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-24 21:50:25,526 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:50:25,972 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:50:25,975 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:50:26,111 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:50:26,114 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:50:26,410 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:50:26,423 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:50:26,829 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:50:26,831 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:50:28,129 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:50:28,132 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:50:32,770 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:50:32,773 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:50:32,814 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:50:32,818 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:50:37,071 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-24 21:50:37,073 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:50:37,077 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:53:43,343 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:53:43,668 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:53:44,051 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:53:44,591 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:53:45,314 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:53:46,845 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:53:48,803 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:54:30,151 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:54:30,996 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:54:31,001 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:54:31,634 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:54:31,640 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:54:32,166 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:54:32,171 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:54:32,688 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:54:32,691 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:54:34,994 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:54:34,998 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:54:36,502 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:54:36,507 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:54:36,970 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:54:36,990 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:54:39,146 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:54:39,151 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 21:54:39,157 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 21:56:52,305 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:56:52,954 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:56:53,870 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:56:55,793 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:56:56,788 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:56:59,647 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:57:05,493 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 21:57:05,899 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-24 21:57:05,902 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-24 21:57:05,905 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 22:00:44,882 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:00:45,726 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:00:46,287 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:00:47,237 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:00:47,374 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:00:52,132 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:02:00,074 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:02:00,802 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:02:00,808 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:02:00,868 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:02:00,873 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:02:01,268 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:02:01,272 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:02:03,114 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:02:03,124 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:02:04,344 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:02:04,346 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:02:07,611 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:02:07,617 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:02:09,004 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:02:09,008 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:02:11,504 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:02:11,508 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:02:11,516 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 22:04:39,133 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:04:40,093 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:04:40,228 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:04:40,451 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:04:42,303 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-24 22:04:43,262 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:05:24,598 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-24 22:05:22,913 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:05:24,915 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:05:25,784 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:05:25,798 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:05:25,880 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:05:25,887 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:05:27,204 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:05:27,206 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:05:28,544 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:05:28,549 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:05:31,487 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:05:31,491 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:05:38,058 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:05:38,060 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:05:44,640 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:05:44,648 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:05:44,660 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 22:06:36,494 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:06:36,771 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:06:36,776 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:06:38,655 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:06:40,719 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:07:29,143 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:07:29,250 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:07:29,256 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:07:29,278 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:07:29,281 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:07:29,860 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:07:29,863 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:07:31,843 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:07:31,847 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:07:34,534 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:07:34,540 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-24 22:07:37,061 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:07:37,065 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:07:39,792 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:07:39,801 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:07:46,038 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:07:46,048 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:07:46,058 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 22:08:53,852 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:08:54,563 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:08:55,381 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:08:56,402 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:08:58,039 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:09:01,795 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:09:05,784 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:09:16,110 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:09:16,126 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-24 22:09:16,139 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 22:12:59,173 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:12:59,447 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:00,342 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:01,254 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:03,219 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:05,843 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:29,991 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:13:30,614 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:30,617 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:13:31,268 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:31,272 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:13:31,356 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:31,359 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:13:32,871 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:32,874 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:13:34,730 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:34,733 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-24 22:13:36,518 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:36,522 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:13:42,674 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:42,677 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:13:52,335 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:13:52,338 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:13:52,366 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 22:14:38,023 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:14:39,024 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:14:39,160 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:14:39,311 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:14:42,150 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:14:44,187 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:14:44,256 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:16:35,363 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123  
2018-06-24 22:16:54,926 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.123  
2018-06-24 22:17:01,442 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:17:01,726 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:17:01,737 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:17:02,181 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:17:02,254 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:17:02,625 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:17:02,628 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:17:03,624 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:17:03,644 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:17:04,608 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:17:04,613 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:17:06,796 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:17:06,801 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:17:13,329 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:17:13,332 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:17:25,189 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:17:25,218 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)

```
2018-06-24 22:17:25,236 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-24 22:18:39,830 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from online to offline
2018-06-24 22:18:40,684 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:18:40,747 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:18:41,148 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:18:41,291 - octoprint.plugins.softwareupdate - INFO - Saved
version cache to disk
2018-06-24 22:18:41,588 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:18:44,265 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:18:47,851 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:18:48,610 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.123
2018-06-24 22:18:49,746 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:18:53,050 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.123
2018-06-24 22:18:55,744 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:18:55,747 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-24 22:18:55,750 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-24 22:18:57,333 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.123
2018-06-24 22:19:01,633 - octoprint.plugins.youtubelive - INFO - Checking
stream status.
2018-06-24 22:19:08,337 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:19:08,813 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:19:09,055 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:19:10,797 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:19:12,268 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:19:16,195 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:19:18,631 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-24 22:19:37,765 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from offline to online
2018-06-24 22:19:37,883 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin repository data from disk, was still valid
2018-06-24 22:19:40,382 - octoprint.plugins.pluginmanager - INFO - Loaded
notice data from disk, was still valid
2018-06-24 22:19:42,307 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-24 22:19:50,822 - octoprint.plugins.softwareupdate - ERROR -
Could not check fullscreen for updates
Traceback (most recent call last):
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 305, in get_latest
    force_base=force_base)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
(3.05, 30))
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
```

```
resp = self.send(prepare, **send_kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPSConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-24 22:19:51,096 - octoprint.plugins.softwareupdate - ERROR -
Could not check pushover for updates
Traceback (most recent call last):
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 305, in get_latest
    force_base=force_base)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
(3.05, 30))
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPSConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-24 22:19:51,363 - octoprint.plugins.softwareupdate - ERROR -
Could not check octoprint for updates
Traceback (most recent call last):
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 305, in get_latest
    force_base=force_base)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
(3.05, 30))
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPSConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-24 22:19:51,430 - octoprint.plugins.softwareupdate - ERROR -
Could not check printhistory for updates
Traceback (most recent call last):
```

```
File "/home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
File "/home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins/softwareupdate/version_checks/github_release.py",
line 305, in get_latest
    force_base=force_base)
File "/home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins/softwareupdate/version_checks/github_release.py",
line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
(3.05, 30))
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPSConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-24 22:19:51,428 - octoprint.plugins.softwareupdate - ERROR -
Could not check dropbox_timelapse for updates
Traceback (most recent call last):
File "/home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
File "/home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins/softwareupdate/version_checks/github_release.py",
line 305, in get_latest
    force_base=force_base)
File "/home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins/softwareupdate/version_checks/github_release.py",
line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
(3.05, 30))
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPSConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-24 22:20:03,627 - backoff - ERROR - Backing off
__forward_ws__ (...) for 0.7s (error: [Errno 14] Bad address)
2018-06-24 22:20:04,332 - backoff - ERROR - Backing off
__forward_ws__ (...) for 0.1s (error: [Errno 14] Bad address)
2018-06-24 22:20:04,516 - backoff - ERROR - Backing off
__forward_ws__ (...) for 1.7s (error: [Errno 14] Bad address)
2018-06-24 22:20:05,849 - octoprint.plugins.softwareupdate - WARNING -
Could not check anywhere for updates due to a network error
2018-06-24 22:20:06,158 - octoprint.plugins.softwareupdate - WARNING -
Could not check enclosure for updates due to a network error
2018-06-24 22:20:06,155 - octoprint.plugins.softwareupdate - WARNING -
Could not check youtubealive for updates due to a network error
2018-06-24 22:20:06,231 - backoff - ERROR - Backing off
__forward_ws__ (...) for 1.6s (error: [Errno 14] Bad address)
2018-06-24 22:20:06,680 - octoprint.plugins.softwareupdate - INFO - Saved
version cache to disk
```

2018-06-24 22:20:00,844 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:20:07,847 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (error: [Errno 14] Bad address)  
2018-06-24 22:20:08,755 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:20:08,758 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (error: [Errno 14] Bad address)  
2018-06-24 22:20:09,553 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:20:09,558 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (error: [Errno 14] Bad address)  
2018-06-24 22:20:10,444 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:20:10,446 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (error: [Errno 14] Bad address)  
2018-06-24 22:20:12,114 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:20:12,117 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (error: [Errno 14] Bad address)  
2018-06-24 22:20:12,339 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:20:12,349 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.4s (error: [Errno 14] Bad address)  
2018-06-24 22:20:17,750 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:20:17,753 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.5s (error: [Errno 14] Bad address)  
2018-06-24 22:20:25,301 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:20:25,304 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (error: [Errno 14] Bad address)  
2018-06-24 22:20:25,350 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-24 22:21:16,094 - octoprint.util.comm - INFO - Finished in 5271.489 s.  
2018-06-24 22:21:16,177 - octoprint.util.comm - INFO - Changing monitoring state from "Printing" to "Operational"  
2018-06-24 22:21:16,197 - octoprint.filemanager.analysis - INFO - Starting analysis of local:hand\_stand.gcode  
2018-06-24 22:21:16,252 - octoprint.filemanager.analysis - INFO - Invoking analysis command: /home/pi/oprint/bin/python -m octoprint analysis gcode --speed-x=6000 --speed-y=6000 --max-t=10 --throttle=0.0 --throttle-lines=100 /home/pi/.octoprint/uploads/hand\_stand.gcode  
2018-06-24 22:21:18,154 - octoprint.plugins.pushover - INFO - Event triggered: PrintDone  
2018-06-24 22:22:02,712 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:22:03,673 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:22:03,895 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:22:05,258 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-24 22:24:12,190 - octoprint.plugins.softwareupdate - INFO - Saved version cache to disk  
2018-06-24 22:25:46,906 - octoprint.plugins.announcements - INFO - Loaded channel important from https://octoprint.org/feeds/important.xml in 4.2s  
2018-06-24 22:25:58,819 - octoprint.plugins.announcements - INFO - Loaded channel releases from https://octoprint.org/feeds/releases.xml in 3.4s  
2018-06-24 22:26:07,131 - octoprint.plugins.announcements - INFO - Loaded channel\_blog from https://octoprint.org/feeds/octoblog.xml in 4.8s  
2018-06-24 22:26:15,202 - octoprint.plugins.announcements - INFO - Loaded channel\_plugins from https://plugins.octoprint.org/feed.xml in 4.4s  
2018-06-24 22:26:22,768 - octoprint.plugins.announcements - INFO - Loaded channel\_octopi from https://octoprint.org/feeds/octopi.xml in 3.3s  
2018-06-24 22:27:05,741 - octoprint.filemanager.analysis - INFO - Analysis of entry local:hand\_stand.gcode finished, needed 349.54s  
2018-06-24 22:27:36,594 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.123  
2018-06-24 22:28:05,459 - octoprint.plugins.dropbox\_timelapse - INFO - Uploading hand\_stand 20180624205324.mpg to Dropbox...  
2018-06-24 22:28:28,347 - backoff - ERROR - Backing off stream\_up(...) for 0.7s (ConnectionError: timed out)  
2018-06-24 22:28:47,699 - backoff - ERROR - Backing off stream\_up(...) for 2.4s (ConnectionError: timed out)  
2018-06-24 22:29:02,852 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebsocketConnectionClosedException: Connection is already closed.)  
2018-06-24 22:29:03,857 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-24 22:29:03,861 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 22:29:04,193 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:29:04,196 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 22:29:04,434 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:29:04,437 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 22:29:05,254 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:29:05,257 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 22:29:07,076 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:29:07,084 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 22:29:08,609 - octoprint.plugins.dropbox\_timelapse - INFO -  
Uploaded hand stand 20180624205324.mpg to Dropbox!  
2018-06-24 22:29:11,282 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:29:11,287 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 22:29:14,529 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:29:14,533 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-24 22:29:16,329 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:29:16,333 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-24 22:29:16,336 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-24 22:32:37,895 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:32:38,567 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:32:39,176 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-24 22:34:42,318 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-24 22:49:42,322 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-24 23:04:42,326 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-24 23:19:42,331 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-24 23:34:42,337 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-24 23:49:42,341 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 00:00:10,169 - octoprint.plugins.discovery - WARNING - Can't  
determine address to user for client ('192.168.0.130', 54101), not  
sending a M-SEARCH reply  
2018-06-25 00:00:10,268 - octoprint.plugins.discovery - WARNING - Can't  
determine address to user for client ('192.168.0.130', 54101), not  
sending a M-SEARCH reply  
2018-06-25 00:00:10,370 - octoprint.plugins.discovery - WARNING - Can't  
determine address to user for client ('192.168.0.130', 54101), not  
sending a M-SEARCH reply  
2018-06-25 00:00:15,756 - backoff - ERROR - Backing off stream\_up(...)  
for 6.6s (ConnectionError: timed out)  
2018-06-25 00:00:16,500 - websocket - ERROR - error from callback  
<function <lambda> at 0xb1f89db0>: [Errno 101] Network is unreachable  
2018-06-25 00:01:01,473 - octoprint.util.comm - INFO - Communication  
timeout while idle, trying to trigger response from printer.  
2018-06-25 00:01:31,530 - octoprint.util.comm - INFO - Communication  
timeout while idle, trying to trigger response from printer.  
2018-06-25 00:02:01,615 - octoprint.util.comm - INFO - No response from  
printer after 3 consecutive communication timeouts, considering it dead.

2018-06-25 00:02:00,651 - octoprint.util.comm - INFO - Changing monitoring state from "Operational" to "Offline (Error: Too many consecutive timeouts, printer still connected and alive?)"

2018-06-25 00:04:42,345 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 00:19:42,357 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 00:34:42,361 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 00:49:42,366 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 01:04:42,370 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 01:19:42,375 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 01:34:42,380 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 01:49:42,384 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 02:04:42,389 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 02:17:17,816 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123

2018-06-25 02:17:22,253 - octoprint.plugins.youtubelive - INFO - Checking stream status.

2018-06-25 02:17:28,061 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.123

2018-06-25 02:19:42,392 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 02:34:42,397 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 02:49:42,402 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 03:04:42,406 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 03:19:42,410 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 03:34:42,414 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 03:49:42,419 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 04:04:42,423 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 04:19:42,428 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 04:34:42,432 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 04:49:42,436 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 04:55:48,303 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123

2018-06-25 04:55:51,305 - octoprint.plugins.youtubelive - INFO - Checking stream status.

2018-06-25 04:55:53,298 - octoprint.plugins.announcements - INFO - Loaded channel \_important from https://octoprint.org/feeds/important.xml in 1.1s

2018-06-25 04:55:55,276 - octoprint.plugins.announcements - INFO - Loaded channel \_releases from https://octoprint.org/feeds/releases.xml in 1.1s

2018-06-25 04:55:56,944 - octoprint.plugins.announcements - INFO - Loaded channel \_blog from https://octoprint.org/feeds/octoblog.xml in 1.3s

2018-06-25 04:55:58,554 - octoprint.plugins.announcements - INFO - Loaded channel \_plugins from https://plugins.octoprint.org/feed.xml in 1.2s

2018-06-25 04:56:01,076 - octoprint.plugins.announcements - INFO - Loaded channel \_octopi from https://octoprint.org/feeds/octopi.xml in 1.9s

2018-06-25 04:56:02,291 - octoprint.util.comm - INFO - Changing monitoring state from "Offline" to "Detecting serial port"

2018-06-25 04:56:02,546 - octoprint.util.comm - INFO - Changing monitoring state from "Detecting serial port" to "Opening serial port"

2018-06-25 04:56:02,590 - octoprint.util.comm - INFO - Changing monitoring state from "Opening serial port" to "Detecting baudrate"

2018-06-25 04:56:02,668 - octoprint.util.comm - INFO - M110 detected, setting current line number to 0

2018-06-25 04:56:11,876 - octoprint.util.comm - INFO - Changing monitoring state from "Detecting baudrate" to "Operational"

2018-06-25 04:56:13,372 - octoprint.util.comm - INFO - M110 detected, setting current line number to 0

2018-06-25 04:56:13,440 - octoprint.util.comm - INFO - Printer reports

```
firmware name "Marlin V1.0.2; Sprinter/grbl mashup for gen6"
2018-06-25 04:57:57,277 - octoprint.server.util.flask.PreemptiveCache -
INFO - Adding entry for / and {'query_string': 'l10n=en', 'path': u'/',
'count': 1, 'timestamp': 1529902677.276609, 'base_url':
'http://192.168.0.119/'}
2018-06-25 04:58:06,036 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.104
2018-06-25 04:58:11,346 - octoprint.plugins.youtubelive - INFO - Checking
stream status.
2018-06-25 05:01:10,642 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.123
2018-06-25 05:04:42,441 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 05:15:54,432 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.123
2018-06-25 05:16:05,678 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.123
2018-06-25 05:16:06,579 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.123
2018-06-25 05:16:07,666 - octoprint.plugins.youtubelive - INFO - Checking
stream status.
2018-06-25 05:19:12,104 - octoprint.filemanager.analysis - INFO -
Starting analysis of local:k-q-b-r_x2_with_hole.gcode
2018-06-25 05:19:12,175 - octoprint.filemanager.analysis - INFO -
Invoking analysis command: /home/pi/oprint/bin/python -m octoprint
analysis gcode --speed-x=6000 --speed-y=6000 --max-t=10 --throttle=0.0 --
throttle-lines=100 /home/pi/.octoprint/uploads/k-q-b-r_x2_with_hole.gcode
2018-06-25 05:19:20,429 - octoprint.util.comm - INFO - Changing
monitoring state from "Operational" to "Printing"
2018-06-25 05:19:20,558 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:19:20,701 - octoprint.plugins.pushover - INFO - Event
triggered: PrintStarted
2018-06-25 05:19:42,445 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 05:20:00,754 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.104
2018-06-25 05:20:01,863 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.104
2018-06-25 05:20:06,769 - octoprint.plugins.youtubelive - INFO - Checking
stream status.
2018-06-25 05:20:20,752 - octoprint.util.comm - INFO - Communication
timeout while printing, trying to trigger response from printer.
2018-06-25 05:20:28,371 - octoprint.util.comm - INFO - Changing
monitoring state from "Printing" to "Cancelling"
2018-06-25 05:20:28,407 - octoprint.filemanager.analysis - INFO -
Starting analysis of local:k-q-b-r_x2_with_hole.gcode
2018-06-25 05:20:28,485 - octoprint.filemanager.analysis - INFO -
Invoking analysis command: /home/pi/oprint/bin/python -m octoprint
analysis gcode --speed-x=6000 --speed-y=6000 --max-t=10 --throttle=0.0 --
throttle-lines=100 /home/pi/.octoprint/uploads/k-q-b-r_x2_with_hole.gcode
2018-06-25 05:22:13,004 - octoprint.util.comm - INFO - Changing
monitoring state from "Cancelling" to "Offline"
2018-06-25 05:22:18,000 - octoprint.util.comm - INFO - Changing
monitoring state from "Offline" to "Detecting serial port"
2018-06-25 05:22:18,305 - octoprint.util.comm - INFO - Changing
monitoring state from "Detecting serial port" to "Opening serial port"
2018-06-25 05:22:18,361 - octoprint.util.comm - INFO - Changing
monitoring state from "Opening serial port" to "Detecting baudrate"
2018-06-25 05:22:18,489 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:28,537 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:29,065 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:29,591 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:30,109 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:30,641 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:31,188 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:41,240 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:41,774 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:42,306 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:42,835 - octoprint.util.comm - INFO - M110 detected,
```

```
setting current line number to 0
2018-06-25 05:22:43,360 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:43,885 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:53,923 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:54,444 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:54,968 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:55,490 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:56,013 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:56,544 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:22:59,585 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.123
2018-06-25 05:23:06,586 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:07,111 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:07,629 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:08,152 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:08,683 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:09,205 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:19,256 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:19,781 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:20,300 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:20,830 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:21,355 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:21,908 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-25 05:23:27,481 - octoprint.server.api.system - INFO - Performing
command for core:restart: sudo service octoprint restart
2018-06-25 05:23:28,414 - octoprint.server - INFO - Shutting down...
2018-06-25 05:23:29,308 - octoprint.events - INFO - Processing shutdown
event, this will be our last event
2018-06-25 05:23:29,378 - octoprint.events - INFO - Event loop shut down
2018-06-25 05:23:29,427 - octoprint.server - INFO - Goodbye!
2018-06-25 05:23:54,435 - octoprint.startup - INFO -
*****
****
2018-06-25 05:23:54,441 - octoprint.startup - INFO - Starting OctoPrint
1.3.8
2018-06-25 05:23:54,446 - octoprint.startup - INFO -
*****
****
2018-06-25 05:23:54,720 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from offline to online
2018-06-25 05:23:57,122 - octoprint.startup - INFO - Blacklist processing
done
2018-06-25 05:23:57,531 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-25 05:24:21,163 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-25 05:24:21,995 - octoprint.server.heartbeat - INFO - Starting
server heartbeat, 900.0s interval
2018-06-25 05:24:22,267 - octoprint.server - INFO - Intermediary server
started
2018-06-25 05:24:22,274 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-25 05:24:25,788 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
```

```
2018-06-25 05:24:26,133 - octoprint.filemanager.storage - INFO -
Initializing the file metadata for /home/pi/.octoprint/uploads...
2018-06-25 05:24:43,325 - octoprint.filemanager.storage - INFO - ... file
metadata for /home/pi/.octoprint/uploads initialized successfully.
2018-06-25 05:24:45,081 - octoprint.plugins.softwareupdate - INFO -
Loaded version cache from disk
2018-06-25 05:25:08,285 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-25 05:25:32,217 - octoprint.util.pip - INFO - Version of pip is
9.0.1
2018-06-25 05:25:32,226 - octoprint.util.pip - INFO - pip installs to
/home/pi/oprint/lib/python2.7/site-packages (writable -> yes), --user
flag needed -> no, virtual env -> yes
2018-06-25 05:25:32,231 - octoprint.util.pip - INFO - ==> pip ok -> yes
2018-06-25 05:25:32,268 - octoprint.plugin.core - INFO - Initialized 17
plugin implementation(s)
2018-06-25 05:25:32,413 - octoprint.plugin.core - INFO - 17 plugin(s)
registered with the system:
| Announcement Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/announcements
| Core Wizard (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/corewizard
| CuraEngine (<= 15.04) (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/cura
| Discovery (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/discovery
| Dropbox Timelapse Plugin (0.1.2) =
/home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_dropbox_timelapse
| Enclosure Plugin (4.11) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_enclosure
| Fullscreen Plugin (0.0.4) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_fullscreen
| Logging (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/logging
| OctoPi Support Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/octopi_support
| OctoPrint Anywhere (0.6.3) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_anywhere
| Plugin Manager (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/pluginmanager
| Print History Plugin (1.2) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_printhistory
| Printer Safety Check (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/printer_safety_check
| Pushover (0.2.1) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_pushover
| Software Update (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate
| Virtual Printer (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/virtual_printer
| YouTube Live (0.4.0) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_youtubelive
2018-06-25 05:25:32,560 - octoprint.environment - INFO - Detected
environment is Python 2.7.9 under Linux (linux2). Details:
  hardware:
    cores: 1
    freq: 1000.0
    ram: 388681728
  os:
    id: linux
    platform: linux2
  plugins:
    octopi_support:
      model: Zero W
      revision: 9000c1
      version: 0.14.0
  python:
    pip: 9.0.1
    version: 2.7.9
    virtualenv: /home/pi/oprint
2018-06-25 05:25:32,644 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/webassets...
2018-06-25 05:25:32,896 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/.webassets-cache...
```

2018-06-25 05:25:34,876 - octoprint.server - INFO - Shutting down intermediary server...

2018-06-25 05:25:35,248 - octoprint.server - INFO - Intermediary server shut down

2018-06-25 05:25:35,258 - octoprint.events - INFO - Processing startup event, this is our first event

2018-06-25 05:25:35,277 - octoprint.events - INFO - Adding 1 events to queue that were held back before startup event

2018-06-25 05:25:35,503 - octoprint.filemanager - INFO - Adding backlog items from all storage types to analysis queue...

2018-06-25 05:25:35,704 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid

2018-06-25 05:25:38,444 - octoprint.plugins.discovery - INFO - Registered OctoPrint instance "PrusaPi" for http\_tcp

2018-06-25 05:25:38,737 - octoprint.plugins.discovery - INFO - Registered OctoPrint instance "PrusaPi" for octoprint\_tcp

2018-06-25 05:25:38,838 - octoprint.plugins.discovery - INFO - Registered OctoPrint instance "PrusaPi" for SSDP

2018-06-25 05:25:38,855 - octoprint.server - INFO - Listening on http://127.0.0.1:5000

2018-06-25 05:25:39,076 - octoprint.filemanager.analysis - INFO - Starting analysis of local:k-q-b-r\_x2 with hole.gcode

2018-06-25 05:25:39,238 - octoprint.filemanager.analysis - INFO - Invoking analysis command: /home/pi/oprint/bin/python -m octoprint analysis gcode --speed-x=6000 --speed-y=6000 --max-t=10 --throttle=0.01 - --throttle-lines=100 /home/pi/.octoprint/uploads/k-q-b-r\_x2\_with\_hole.gcode

2018-06-25 05:25:40,327 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:25:40,809 - octoprint.plugins.enclosure - INFO - Setting GPIO mode to BCM

2018-06-25 05:25:41,099 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:25:41,237 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:25:41,861 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid

2018-06-25 05:25:41,931 - octoprint.plugins.pushover - INFO - No user key provided

2018-06-25 05:25:41,977 - tornado.access - WARNING - 404 GET /intermediary.gif?\_=1529904335233 (127.0.0.1) 2382.22ms

2018-06-25 05:25:42,067 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:25:42,127 - octoprint.plugins.youtubelive - INFO - OctoPrint-YouTubeLive loaded! Checking stream status.

2018-06-25 05:25:42,862 - octoprint.plugins.youtubelive - ERROR - ('Connection aborted.', error(2, 'No such file or directory'))

2018-06-25 05:25:43,213 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:25:43,746 - tornado.access - WARNING - 404 GET /intermediary.gif?\_=1529904337735 (127.0.0.1) 1403.92ms

2018-06-25 05:25:44,382 - octoprint.plugins.pluginmanager - INFO - Loaded plugin notices data from https://plugins.octoprint.org/notices.json

2018-06-25 05:25:44,480 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:25:45,349 - tornado.access - WARNING - 404 GET /intermediary.gif?\_=1529904340238 (127.0.0.1) 1266.02ms

2018-06-25 05:25:45,510 - octoprint.server.preemptive\_cache - INFO - Preemptively caching / (ui\_default) for {'query\_string': 'l10n=en', 'path': '/', 'base\_url': 'http://192.168.0.119/'}

2018-06-25 05:25:47,110 - octoprint.filemanager - INFO - Added 1 items from storage type "local" to analysis queue

2018-06-25 05:25:48,812 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid

2018-06-25 05:25:51,104 - octoprint.server.util.sockjs - INFO - New connection from client: 127.0.0.1

2018-06-25 05:30:37,442 - backoff - ERROR - Backing off capture\_mjpeg(...) for 0.2s (URLError: <urlopen error [Errno 111] Connection refused>)

2018-06-25 05:30:37,857 - backoff - ERROR - Backing off capture\_mjpeg(...) for 1.1s (URLError: <urlopen error [Errno 111] Connection refused>)

2018-06-25 05:30:39,008 - backoff - ERROR - Backing off capture\_mjpeg(...) for 0.4s (URLError: <urlopen error [Errno 111] Connection refused>)

2018-06-25 05:30:39,439 - backoff - ERROR - Backing off capture\_mjpeg(...) for 3.2s (URLError: <urlopen error [Errno 111] Connection refused>)

2018-06-25 05:30:42,704 - backoff - ERROR - Backing off capture\_mjpeg(...) for 14.8s (URLError: <urlopen error [Errno 111] Connection refused>)

```
2018-06-25 05:30:57,602 - backoff - ERROR - Backing off
capture_mjpeg(...) for 24.0s (URLError: <urlopen error [Errno 111]
Connection refused>)
2018-06-25 05:31:45,296 - octoprint.startup - INFO -
*****
2018-06-25 05:31:45,304 - octoprint.startup - INFO - Starting OctoPrint
1.3.8
2018-06-25 05:31:45,308 - octoprint.startup - INFO -
*****
2018-06-25 05:31:45,509 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from offline to online
2018-06-25 05:31:45,526 - octoprint.startup - INFO - Blacklist processing
done
2018-06-25 05:31:45,810 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-25 05:31:59,452 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-25 05:31:59,896 - octoprint.server.heartbeat - INFO - Starting
server heartbeat, 900.0s interval
2018-06-25 05:32:00,075 - octoprint.server - INFO - Intermediary server
started
2018-06-25 05:32:00,078 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-25 05:32:01,812 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-25 05:32:01,984 - octoprint.filemanager.storage - INFO -
Initializing the file metadata for /home/pi/.octoprint/uploads...
2018-06-25 05:32:10,347 - octoprint.filemanager.storage - INFO - ... file
metadata for /home/pi/.octoprint/uploads initialized successfully.
2018-06-25 05:32:11,202 - octoprint.plugins.softwareupdate - INFO -
Loaded version cache from disk
2018-06-25 05:32:23,033 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-25 05:32:34,269 - octoprint.util.pip - INFO - Version of pip is
9.0.1
2018-06-25 05:32:34,274 - octoprint.util.pip - INFO - pip installs to
/home/pi/oprint/lib/python2.7/site-packages (writable -> yes), --user
flag needed -> no, virtual env -> yes
2018-06-25 05:32:34,276 - octoprint.util.pip - INFO - ==> pip ok -> yes
2018-06-25 05:32:34,296 - octoprint.plugin.core - INFO - Initialized 17
plugin implementation(s)
2018-06-25 05:32:34,364 - octoprint.plugin.core - INFO - 17 plugin(s)
registered with the system:
| Announcement Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/announcements
| Core Wizard (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/corewizard
| CuraEngine (<= 15.04) (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/cura
| Discovery (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/discovery
| Dropbox Timelapse Plugin (0.1.2) =
/home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_dropbox_timelapse
| Enclosure Plugin (4.11) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_enclosure
| Fullscreen Plugin (0.0.4) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_fullscreen
| Logging (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/logging
| OctoPi Support Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/octopi_support
| OctoPrint Anywhere (0.6.3) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_anywhere
| Plugin Manager (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/pluginmanager
| Print History Plugin (1.2) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_printhistory
| Printer Safety Check (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/printer_safety_check
| Pushover (0.2.1) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_pushover
| Software Update (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate
| Virtual Printer (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/virtual_printer
| YouTube Live (0.4.0) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_youtubelive
```

2018-06-25 05:32:34,440 - octoprint.server - INFO - Detected environment is Python 2.7.9 under Linux (linux2). Details:

hardware:

cores: 1

freq: 1000.0

ram: [388681728](#)

os:

id: linux

platform: linux2

plugins:

octopi\_support:

model: Zero W

revision: 9000c1

version: 0.14.0

python:

pip: 9.0.1

version: 2.7.9

virtualenv: /home/pi/oprint

2018-06-25 05:32:34,479 - octoprint.server - INFO - Reset webasset folder /home/pi/.octoprint/generated/webassets...

2018-06-25 05:32:34,510 - octoprint.server - INFO - Reset webasset folder /home/pi/.octoprint/generated/.webassets-cache...

2018-06-25 05:32:35,516 - octoprint.server - INFO - Shutting down intermediary server...

2018-06-25 05:32:35,930 - octoprint.server - INFO - Intermediary server shut down

2018-06-25 05:32:35,935 - octoprint.events - INFO - Processing startup event, this is our first event

2018-06-25 05:32:35,951 - octoprint.events - INFO - Adding 1 events to queue that were held back before startup event

2018-06-25 05:32:36,121 - octoprint.filemanager - INFO - Adding backlog items from all storage types to analysis queue...

2018-06-25 05:32:36,225 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid

2018-06-25 05:32:37,601 - octoprint.plugins.discovery - INFO - Registered OctoPrint instance "PrusaPi" for \_http\_tcp

2018-06-25 05:32:37,723 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid

2018-06-25 05:32:37,757 - octoprint.plugins.discovery - INFO - Registered OctoPrint instance "PrusaPi" for \_octoprint\_tcp

2018-06-25 05:32:37,807 - octoprint.plugins.discovery - INFO - Registered OctoPrint instance "PrusaPi" for SSDP

2018-06-25 05:32:37,828 - octoprint.server - INFO - Listening on http://127.0.0.1:5000

2018-06-25 05:32:38,107 - octoprint.filemanager.analysis - INFO - Starting analysis of local:k-q-b-r\_x2\_with\_hole.gcode

2018-06-25 05:32:38,175 - octoprint.filemanager.analysis - INFO - Invoking analysis command: /home/pi/oprint/bin/python -m octoprint analysis gcode --speed-x=6000 --speed-y=6000 --max-t=10 --throttle=0.01 - --throttle-lines=100 /home/pi/.octoprint/uploads/k-q-b-r\_x2\_with\_hole.gcode

2018-06-25 05:32:38,463 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:32:38,634 - octoprint.plugins.enclosure - INFO - Setting GPIO mode to BCM

2018-06-25 05:32:39,084 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:32:39,087 - octoprint.server.util.sockjs - INFO - New connection from client: 127.0.0.1

2018-06-25 05:32:39,126 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid

2018-06-25 05:32:39,230 - octoprint.plugins.pushover - INFO - No user key provided

2018-06-25 05:32:39,291 - octoprint.plugins.youtubelive - INFO - OctoPrint-YouTubeLive loaded! Checking stream status.

2018-06-25 05:32:39,310 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:32:39,636 - octoprint.plugins.youtubelive - ERROR - ('Connection aborted.', error(2, 'No such file or directory'))

2018-06-25 05:32:40,270 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:32:40,923 - octoprint.server.preemptive\_cache - INFO - Preemptively caching / (ui\_default) for {'query\_string': 'l10n=en', 'path': '/', 'base\_url': 'http://192.168.0.119/'}

2018-06-25 05:32:42,199 - octoprint.filemanager - INFO - Added 1 items from storage type "local" to analysis queue

2018-06-25 05:32:42,504 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid

2018-06-25 05:35:48,524 - octoprint.server.util.sockjs - INFO - ...  
done in 187.60s  
2018-06-25 05:37:04,737 - octoprint.server.util.sockjs - INFO - New  
connection from client: 192.168.0.104  
2018-06-25 05:37:16,101 - octoprint.plugins.youtubelive - INFO - Checking  
stream status.  
2018-06-25 05:37:26,384 - octoprint.util.comm - INFO - Changing  
monitoring state from "Offline" to "Detecting serial port"  
2018-06-25 05:37:26,665 - octoprint.util.comm - INFO - Changing  
monitoring state from "Detecting serial port" to "Opening serial port"  
2018-06-25 05:37:26,723 - octoprint.util.comm - INFO - Changing  
monitoring state from "Opening serial port" to "Detecting baudrate"  
2018-06-25 05:37:26,858 - octoprint.util.comm - INFO - M110 detected,  
setting current line number to 0  
2018-06-25 05:37:35,937 - octoprint.util.comm - INFO - Changing  
monitoring state from "Detecting baudrate" to "Operational"  
2018-06-25 05:37:37,440 - octoprint.util.comm - INFO - M110 detected,  
setting current line number to 0  
2018-06-25 05:37:37,501 - octoprint.util.comm - INFO - Printer reports  
firmware name "Marlin V1.0.2; Sprinter/grbl mashup for gen6"  
2018-06-25 05:37:51,181 - octoprint.util.comm - INFO - Changing  
monitoring state from "Operational" to "Printing"  
2018-06-25 05:37:51,295 - octoprint.util.comm - INFO - M110 detected,  
setting current line number to 0  
2018-06-25 05:37:51,361 - octoprint.plugins.pushover - INFO - Event  
triggered: PrintStarted  
2018-06-25 05:39:46,453 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:39:46,741 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:39:46,745 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:39:46,797 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:39:46,805 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:39:47,336 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:39:47,339 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:39:48,556 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:39:48,559 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:39:50,699 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:39:50,701 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:39:52,306 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:39:52,309 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:39:55,072 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:39:55,076 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:40:04,540 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:40:04,557 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 05:40:04,565 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 05:40:04,613 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:40:04,673 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:40:05,615 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:40:06,587 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:40:07,183 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 05:40:10,130 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:11,866 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:23,066 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:23,070 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 05:40:23,074 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 05:40:24,327 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:24,510 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:24,960 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:25,866 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:27,571 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:30,239 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:35,971 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:43,250 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:43,258 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 05:40:43,265 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 05:40:44,462 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:45,082 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:45,377 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:40:46,795 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:13,323 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:45:13,967 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:14,000 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:45:14,845 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:14,848 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:45:15,463 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:15,466 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:45:16,767 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:16,770 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:45:18,941 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:18,944 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:45:21,555 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:21,563 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:45:21,914 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:21,920 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 05:45:24,459 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:24,463 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:45:24,466 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 05:45:30,264 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:31,018 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:31,069 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:32,162 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:32,948 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:37,473 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:44,253 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:54,328 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:45:54,330 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 05:45:54,334 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 05:46:01,319 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:02,098 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:02,646 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:04,589 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:06,850 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:08,316 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:14,768 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:17,364 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:17,367 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 05:46:17,369 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 05:46:34,258 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:34,527 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:34,967 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:36,697 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:37,849 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:38,535 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:45,911 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:46,921 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:46:46,925 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 05:46:46,929 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 05:46:48,564 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 05:46:59,915 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 05:47:27,883 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:47:28,396 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:47:29,308 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:49:30,826 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 05:49:33,652 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:49:31,660 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:49:31,822 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:49:31,827 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:49:32,173 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:49:32,176 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:49:33,004 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:49:33,007 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:49:35,852 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:49:35,865 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:49:36,042 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:49:36,051 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:49:39,990 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:49:39,994 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:49:49,948 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:49:49,953 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:49:49,955 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 05:50:17,955 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:50:18,516 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:50:19,164 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:50:19,809 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:50:20,675 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:50:24,429 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:50:24,706 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:50:24,867 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:50:24,874 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 05:50:24,876 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 05:51:42,249 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:51:42,597 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:51:43,334 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:51:44,705 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:51:47,304 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:51:49,447 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 05:52:48,663 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 05:52:49,429 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 05:52:49,432 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:52:49,935 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:52:49,938 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:52:50,708 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:52:50,711 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:52:51,727 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:52:51,730 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:52:53,293 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:52:53,296 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:52:55,787 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:52:55,796 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:53:03,649 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:53:03,653 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 05:53:03,804 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:53:03,812 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 05:53:03,820 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 05:56:20,228 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:56:20,813 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:56:21,684 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:56:23,462 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:56:23,473 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:56:26,557 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:56:27,446 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:56:31,203 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:56:31,205 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 05:56:31,209 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 05:58:01,141 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:58:01,554 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:58:01,817 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:58:03,731 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:58:04,715 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:58:05,357 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:58:09,390 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:58:12,841 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 05:58:12,843 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 05:58:12,845 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 06:00:00,392 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 06:00:01,121 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:00:01,150 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:00:01,332 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:00:02,013 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:00:05,439 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:00:12,623 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:00:21,975 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:00:21,982 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 06:00:21,999 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 06:01:50,019 - octoprint.util.connectivity\_checker - INFO -  
Connectivity changed from offline to online  
2018-06-25 06:01:50,121 - octoprint.plugins.pluginmanager - INFO - Loaded  
plugin repository data from disk, was still valid  
2018-06-25 06:01:51,441 - octoprint.plugins.pluginmanager - INFO - Loaded  
notice data from disk, was still valid  
2018-06-25 06:01:54,312 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:01:54,751 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:01:55,093 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:01:56,675 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:01:58,796 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:01:59,920 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 06:02:01,423 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:02:07,583 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:02:16,648 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:02:16,651 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 06:02:16,655 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 06:02:58,875 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:02:59,395 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:02:59,588 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:03:00,376 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:03:00,733 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:03:01,704 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:03:02,150 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:03:14,862 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:03:14,871 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 06:03:14,881 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 06:06:03,959 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:06:04,373 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 06:06:04,796 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:06:05,018 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:06:05,885 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:07:05,757 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.104  
2018-06-25 06:07:18,790 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:07:18,968 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:07:18,972 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:07:19,801 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:07:19,807 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:07:20,596 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:07:20,598 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:07:21,388 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:07:21,392 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:07:23,584 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:07:23,592 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:07:26,240 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:07:26,244 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:07:30,989 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:07:30,991 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 8.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:07:39,332 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:07:39,334 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:07:39,337 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:11:23,039 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:11:23,540 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:11:24,109 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:11:25,028 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:11:27,315 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:15:36,177 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 06:15:37,082 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:15:37,089 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 06:15:37,178 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:15:37,180 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 06:15:38,040 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:15:38,043 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 06:15:40,008 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:15:40,011 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 06:15:41,222 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:15:41,232 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 06:15:43,884 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:15:43,890 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 06:15:45,882 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:15:45,885 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.3s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 06:15:53,173 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:15:53,184 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 06:15:53,190 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:16:53,088 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 06:16:59,924 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 06:19:36,459 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:19:36,914 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:19:36,975 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:19:37,212 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:19:37,499 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:19:38,237 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:19:43,034 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:19:52,727 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:19:52,731 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 06:19:52,742 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:22:05,584 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:22:06,215 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:22:06,956 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:22:07,055 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:22:08,776 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:22:11,833 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:22:13,336 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:22:13,752 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:22:13,755 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)

2018-06-25 06:22:13,757 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:24:29,029 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:24:29,975 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:24:30,760 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:24:31,537 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:24:31,919 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:24:35,239 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:28:21,197 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:28:21,943 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:28:21,946 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:28:22,559 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:28:22,562 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:28:23,530 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:28:23,536 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:28:23,958 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:28:23,963 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:28:26,742 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:28:26,745 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:28:29,635 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:28:29,644 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:28:34,833 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:28:34,843 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:28:38,446 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:28:38,449 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:28:38,455 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:31:49,381 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:31:49,806 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:31:50,083 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:31:52,081 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:31:52,495 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:31:55,668 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:31:59,927 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 06:32:02,837 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:32:41,922 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:32:41,931 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 06:32:41,935 - octoprint.plugins.anywhere - WARNING - Reached

max backoff in waiting for server ws connection  
2018-06-25 06:34:41,837 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:34:42,652 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:34:43,134 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:34:44,885 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:34:47,184 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:34:49,559 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:34:50,845 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:34:56,715 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:34:56,719 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 06:34:56,721 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:36:24,213 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:36:25,061 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:36:25,243 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:36:26,653 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:36:27,631 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:36:29,719 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:36:33,527 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:38:40,990 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:38:41,707 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:38:41,719 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:38:42,681 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:38:42,685 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:38:43,405 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:38:43,416 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:38:44,500 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:38:44,509 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:38:45,731 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:38:45,737 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:38:47,392 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:38:47,395 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:38:50,504 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:38:50,507 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:38:52,396 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:38:52,404 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:38:52,410 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:41:54,380 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 06:41:54,762 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:41:54,826 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:41:55,256 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:41:57,092 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:42:56,344 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:42:56,614 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:42:56,626 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:42:57,322 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:42:57,325 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:42:57,596 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:42:57,600 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:42:57,777 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:42:57,780 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:43:00,279 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:00,287 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:43:04,825 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:04,830 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:43:07,460 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:07,470 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:43:16,983 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:16,986 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:43:16,989 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:43:23,345 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:23,950 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:24,469 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:24,953 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:26,202 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:30,415 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:38,377 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:48,812 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:43:48,823 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 06:43:48,831 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:44:12,427 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:44:12,533 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:44:13,029 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:44:14,473 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 06:44:54,557 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (error: [Errno 14] Bad address)  
2018-06-25 06:44:55,053 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (error: [Errno 14] Bad address)  
2018-06-25 06:44:55,577 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (error: [Errno 14] Bad address)  
2018-06-25 06:44:56,759 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (error: [Errno 14] Bad address)  
2018-06-25 06:44:57,400 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.8s (error: [Errno 14] Bad address)  
2018-06-25 06:45:02,204 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:45:02,208 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (error: [Errno 14] Bad address)  
2018-06-25 06:45:02,445 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:45:02,448 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (error: [Errno 14] Bad address)  
2018-06-25 06:45:03,369 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:45:03,374 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (error: [Errno 14] Bad address)  
2018-06-25 06:45:05,163 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:45:05,173 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (error: [Errno 14] Bad address)  
2018-06-25 06:45:05,295 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:45:05,299 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.3s (error: [Errno 14] Bad address)  
2018-06-25 06:45:08,656 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:45:08,659 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.1s (error: [Errno 14] Bad address)  
2018-06-25 06:45:10,725 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:45:10,735 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 10.9s (error: [Errno 14] Bad address)  
2018-06-25 06:45:21,668 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:45:21,688 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (error: [Errno 14] Bad address)  
2018-06-25 06:45:21,724 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 06:46:59,940 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 06:47:53,426 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:47:53,807 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:47:53,841 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:47:54,801 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:47:56,159 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:48:01,005 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:48:07,879 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:48:12,147 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:48:12,150 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 06:48:12,155 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 06:51:37,799 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:51:38,675 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:51:39,536 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:51:40,208 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:51:40,622 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:51:43,907 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 06:54:59,427 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-25 06:54:59,932 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:54:59,939 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:55:00,161 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:55:00,164 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:55:00,647 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:55:00,650 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:55:01,736 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:55:01,739 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:55:03,503 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:55:03,509 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:55:07,885 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:55:07,888 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:55:11,958 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:55:11,962 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:55:12,521 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:55:12,524 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 06:55:12,534 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:56:32,701 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:56:32,880 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:56:33,169 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:56:33,331 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:56:35,668 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:56:38,169 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:56:39,716 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:56:46,562 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:56:46,565 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 06:56:46,574 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 06:58:24,277 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:58:24,789 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:58:24,930 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:58:25,780 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:58:27,153 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:58:28,930 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 06:58:33,839 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:58:45,802 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 06:58:45,805 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 06:58:45,808 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:00:25,335 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:00:26,128 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:00:26,418 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:00:26,543 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:00:28,134 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:00:48,297 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:00:51,333 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:00:52,037 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:00:52,044 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 07:00:52,046 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:01:59,948 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 07:01:59,971 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from offline to online  
2018-06-25 07:02:00,097 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid  
2018-06-25 07:02:01,701 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid  
2018-06-25 07:04:33,286 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:04:34,008 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:04:34,583 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:04:34,806 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:04:36,762 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:04:37,604 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:04:41,202 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:04:41,773 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:04:41,777 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 07:04:41,788 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:05:23,223 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:05:24,062 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:05:24,691 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:05:26,079 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:05:26,541 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:05:31,488 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:05:36,142 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:05:43,876 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:05:43,879 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 07:05:43,881 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:08:05,150 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:08:05,924 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 07:08:06,466 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:08:08,101 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:08:09,919 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:08:12,767 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:08:13,110 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:08:23,613 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:08:23,616 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 07:08:23,620 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 07:10:19,599 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:10:20,331 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:10:20,886 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:10:21,295 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:10:22,659 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:10:25,755 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:10:26,262 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:10:35,894 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:10:35,899 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 07:10:35,910 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 07:12:24,458 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:12:24,809 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:12:25,586 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:12:27,378 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:12:27,756 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:12:29,043 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:12:34,748 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:12:46,073 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:12:46,079 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 07:12:46,094 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 07:16:05,561 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:16:05,987 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:16:06,800 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:16:08,156 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:16:09,296 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:16:11,889 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:16:14,042 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:16:25,122 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:16:25,129 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 07:16:25,146 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 07:16:59,962 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3

2018-06-25 07:17:03,045 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 07:17:12,792 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:17:13,317 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:17:13,670 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:17:15,295 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:17:17,241 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:17:19,789 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:17:23,676 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:17:32,842 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:17:32,845 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 07:17:32,853 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:19:19,250 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:19:19,704 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:19:19,940 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:19:21,308 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:19:21,379 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:19:22,164 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:19:23,272 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:19:35,586 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:19:35,589 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 07:19:35,592 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:19:59,832 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:20:00,780 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:20:01,604 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:03,459 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (error: [Errno 9] Bad file descriptor)  
2018-06-25 07:22:04,228 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:04,235 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (error: [Errno 9] Bad file descriptor)  
2018-06-25 07:22:05,144 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:05,147 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (error: [Errno 9] Bad file descriptor)  
2018-06-25 07:22:05,978 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:05,982 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.6s (error: [Errno 9] Bad file descriptor)  
2018-06-25 07:22:07,557 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:07,561 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.4s (error: [Errno 9] Bad file descriptor)  
2018-06-25 07:22:08,924 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:08,927 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 4.2s (error: [Errno 9] Bad file descriptor)  
2018-06-25 07:22:13,092 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:13,103 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 4.2s (error: [Errno 9] Bad file descriptor)  
2018-06-25 07:22:17,354 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:17,362 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.6s (error: [Errno 9] Bad file descriptor)  
2018-06-25 07:22:20,985 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:20,994 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (error: [Errno 9] Bad file descriptor)  
2018-06-25 07:22:21,022 - octoprint.plugins.anywhere - WARNING - Reached

max backoff in waiting for server ws connection  
2018-06-25 07:22:53,879 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:54,528 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:55,123 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:57,083 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:22:59,649 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:23:00,145 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:23:02,290 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:23:07,842 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:23:07,845 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 07:23:07,853 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:24:55,847 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:24:56,620 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:24:57,372 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:24:57,393 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:24:58,596 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:24:58,783 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:25:01,066 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:25:05,962 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:25:05,968 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 07:25:05,974 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:28:51,636 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:28:52,128 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:28:52,847 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:28:53,106 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:28:53,300 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:28:55,260 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:29:02,791 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:29:12,005 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:29:12,007 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 07:29:12,011 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:30:15,553 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:30:16,234 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:30:16,983 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:30:17,038 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:30:19,873 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:30:23,328 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:30:25,767 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:30:28,646 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:30:28,649 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)

2018-06-25 07:30:28,653 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:31:02,404 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:31:02,559 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:31:02,582 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:31:04,330 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:31:05,745 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:31:10,524 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:31:14,061 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:31:16,472 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:31:16,478 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (None)  
2018-06-25 07:31:16,488 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:31:59,965 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 07:32:04,714 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from offline to online  
2018-06-25 07:32:04,812 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid  
2018-06-25 07:32:05,767 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid  
2018-06-25 07:33:50,906 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:33:51,682 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:33:52,512 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:33:53,957 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:33:55,803 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:33:58,284 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:35:16,788 - backoff - ERROR - Backing off forward\_ws(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:35:17,025 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:35:17,028 - backoff - ERROR - Backing off forward\_ws(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:35:17,060 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:35:17,072 - backoff - ERROR - Backing off forward\_ws(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:35:17,119 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:35:17,122 - backoff - ERROR - Backing off forward\_ws(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:35:17,869 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:35:17,885 - backoff - ERROR - Backing off forward\_ws(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:35:18,653 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:35:18,656 - backoff - ERROR - Backing off forward\_ws(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:35:19,673 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:35:19,678 - backoff - ERROR - Backing off forward\_ws(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:35:21,734 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:35:21,741 - backoff - ERROR - Backing off forward\_ws(...) for 5.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:35:27,451 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 07:35:27,463 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:35:27,474 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:38:33,753 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:38:34,205 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:38:34,647 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:38:36,289 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:38:36,489 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:39:25,873 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:39:26,453 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:39:26,459 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:39:27,438 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:39:27,463 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:39:27,684 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:39:27,687 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:39:27,927 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:39:27,931 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:39:29,390 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:39:29,397 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:39:32,838 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:39:32,841 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 5.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:39:38,163 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:39:38,165 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:39:40,101 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:39:40,118 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:39:40,120 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:40:17,043 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:40:17,957 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:40:18,306 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:40:18,445 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:40:20,309 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:40:22,463 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:40:24,452 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:43:40,224 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:43:40,696 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:43:40,713 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-25 07:43:41,591 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:43:41,599 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:43:41,884 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:43:41,889 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:43:43,044 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:43:43,047 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:43:43,374 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:43:43,377 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:43:44,523 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:43:44,540 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:43:44,989 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:43:44,993 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:43:45,858 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:43:45,871 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:43:45,880 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:46:59,976 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 07:47:30,848 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:47:31,454 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:47:32,261 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:47:32,662 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:47:34,446 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:47:36,484 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:47:37,817 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:47:46,134 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:47:46,137 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 07:47:46,146 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:48:44,150 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:48:44,757 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:48:45,035 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:48:45,491 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:48:47,660 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:48:48,892 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:48:54,593 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:49:00,983 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:49:00,986 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)

2018-06-25 07:49:00,997 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:50:21,850 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:50:22,412 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:50:22,638 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:51:27,779 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:51:27,832 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:51:27,835 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:51:28,318 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:51:28,325 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:51:29,216 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:51:29,220 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:51:30,073 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:51:30,079 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:51:31,144 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:51:31,147 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:51:33,948 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:51:33,953 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:51:40,063 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:51:40,066 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:51:48,013 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:51:48,015 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:51:48,018 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 07:52:37,481 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:52:38,174 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:52:38,964 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:52:39,449 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:58:57,723 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:58:58,542 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:58:58,547 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:58:59,457 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 07:58:59,460 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 07:59:00,039 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 07:59:00,042 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 07:59:00,332 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:59:00,345 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 07:59:00,838 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:59:00,846 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 07:59:01,467 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:59:01,476 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 07:59:04,340 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:59:04,343 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 07:59:11,636 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 07:59:11,647 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 07:59:11,661 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 08:01:59,980 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 08:02:09,545 - octoprint.util.connectivity\_checker - INFO -  
Connectivity changed from online to offline  
2018-06-25 08:02:35,267 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:02:35,830 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:02:35,869 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:02:37,626 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:02:39,665 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:02:40,917 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:02:48,620 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:02:53,899 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:02:53,903 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 08:02:53,924 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 08:06:40,305 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:06:41,311 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:06:42,070 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:06:43,444 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:08:43,444 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:08:44,249 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:08:44,252 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:08:44,495 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:08:44,498 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:08:45,300 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 08:08:45,311 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:08:46,755 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:08:46,759 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:08:46,946 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:08:46,951 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:08:47,391 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:08:47,394 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:08:49,944 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:08:49,947 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 10.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:09:00,845 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:09:00,851 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 08:09:00,856 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 08:12:06,664 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:12:06,827 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:12:07,650 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:12:08,098 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:12:10,172 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:14:20,675 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:14:21,660 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:14:21,663 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:14:22,532 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:14:22,536 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:14:23,410 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:14:23,413 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:14:24,420 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:14:24,427 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:14:27,352 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:14:27,375 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:14:27,580 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:14:27,585 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:14:33,669 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:14:33,674 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:14:37,420 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 08:14:37,428 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 08:14:37,441 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 08:17:00,005 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 08:18:00,661 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:18:00,792 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:18:00,852 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:18:02,834 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:18:04,766 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:18:05,897 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:18:13,453 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:18:15,412 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:18:15,435 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 08:18:15,454 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 08:21:39,933 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:21:40,069 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:21:40,707 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:21:41,755 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:21:43,791 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:21:47,171 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:21:50,305 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:22:46,838 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 08:22:47,501 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:22:47,504 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 08:22:48,033 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:22:48,037 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 08:22:48,851 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:22:48,859 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 08:22:49,228 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:22:49,230 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 08:22:50,235 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:22:50,239 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 5.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 08:22:55,199 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:22:55,210 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 08:22:56,853 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 08:22:56,856 - backoff - ERROR - Backing off

```
__forward_ws__(...) for 3.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 08:23:00,749 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:23:00,753 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-25 08:23:00,758 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 08:26:42,353 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:26:43,327 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:26:44,295 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:26:45,704 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:26:48,183 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:26:48,960 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:26:55,828 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:27:00,015 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:27:00,018 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 08:27:00,026 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 08:28:50,706 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:28:51,399 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:28:51,656 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:28:51,886 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:28:52,851 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:28:57,310 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:28:57,690 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:28:58,336 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:28:58,340 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 08:28:58,344 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 08:32:00,016 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 08:32:09,003 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:32:09,789 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:32:10,519 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:32:11,305 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:32:13,339 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:32:15,471 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:32:20,212 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:32:27,337 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:32:27,341 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 08:32:27,348 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 08:34:57,932 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:34:58,698 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:34:58,815 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:35:00,018 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 08:41:22,831 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 08:41:22,974 - octoprint.plugins.anywhere - WARNING - Not
```

connected to server ws or connection lost  
2018-06-25 08:41:22,980 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:41:23,809 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:41:23,811 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:41:24,026 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:41:24,035 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:41:25,828 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:41:25,840 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:41:26,513 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:41:26,515 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:41:27,260 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:41:27,266 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:41:31,140 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:41:31,164 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 08:41:34,211 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:41:34,214 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 08:41:34,218 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 08:45:21,410 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:21,483 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:22,420 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:24,236 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:26,261 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:30,428 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:33,657 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:38,747 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:38,750 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 08:45:38,754 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 08:45:49,428 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:50,354 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:45:50,755 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:46:17,986 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (error: [Errno 14] Bad address)  
2018-06-25 08:46:18,166 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (error: [Errno 14] Bad address)  
2018-06-25 08:46:18,482 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (error: [Errno 14] Bad address)  
2018-06-25 08:46:20,471 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost

2018-06-25 08:46:20,474 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (error: [Errno 14] Bad address)  
2018-06-25 08:46:21,172 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:46:21,203 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (error: [Errno 14] Bad address)  
2018-06-25 08:46:21,813 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:46:21,816 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (error: [Errno 14] Bad address)  
2018-06-25 08:46:23,439 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:46:23,442 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (error: [Errno 14] Bad address)  
2018-06-25 08:46:24,684 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:46:24,689 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.2s (error: [Errno 14] Bad address)  
2018-06-25 08:46:27,929 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:46:27,931 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (error: [Errno 14] Bad address)  
2018-06-25 08:46:28,645 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:46:28,648 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.4s (error: [Errno 14] Bad address)  
2018-06-25 08:46:40,082 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:46:40,086 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (error: [Errno 14] Bad address)  
2018-06-25 08:46:40,113 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 08:47:00,019 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 08:48:54,927 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:48:55,625 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:48:56,134 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:48:57,758 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:48:59,466 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:49:04,246 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:49:53,989 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (error: [Errno 14] Bad address)  
2018-06-25 08:49:54,553 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (error: [Errno 14] Bad address)  
2018-06-25 08:49:55,099 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (error: [Errno 14] Bad address)  
2018-06-25 08:49:55,218 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (error: [Errno 14] Bad address)  
2018-06-25 08:49:56,944 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:49:56,972 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (error: [Errno 14] Bad address)  
2018-06-25 08:49:57,014 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:49:57,019 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (error: [Errno 14] Bad address)  
2018-06-25 08:49:57,397 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:49:57,399 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (error: [Errno 14] Bad address)  
2018-06-25 08:49:58,678 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:49:58,693 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (error: [Errno 14] Bad address)  
2018-06-25 08:49:58,890 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:49:58,893 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (error: [Errno 14] Bad address)  
2018-06-25 08:50:00,250 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost

2018-06-25 08:50:00,253 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.7s (error: [Errno 14] Bad address)  
2018-06-25 08:50:06,987 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:50:06,991 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.0s (error: [Errno 14] Bad address)  
2018-06-25 08:50:09,948 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:50:09,951 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (error: [Errno 14] Bad address)  
2018-06-25 08:50:09,978 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 08:53:54,895 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:53:55,404 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:53:55,818 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:53:57,481 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:53:58,304 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:53:59,295 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:54:05,908 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:54:18,024 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:54:18,030 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 08:54:18,042 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 08:55:47,867 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:55:47,923 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:55:48,337 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:55:50,235 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:55:51,479 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:55:53,954 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:56:00,184 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:56:08,338 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 08:56:08,343 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 08:56:08,351 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 09:00:07,626 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:00:07,778 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:00:08,430 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:00:08,824 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:00:10,654 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:00:13,308 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:00:18,280 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:00:22,421 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:00:22,429 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 09:00:22,449 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 09:02:00,025 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 09:02:19,707 - octoprint.util.connectivity\_checker - INFO -  
Connectivity changed from offline to online  
2018-06-25 09:02:19,797 - octoprint.plugins.pluginmanager - INFO - Loaded  
plugin repository data from disk, was still valid  
2018-06-25 09:02:20,857 - octoprint.plugins.pluginmanager - INFO - Loaded  
notice data from disk, was still valid

2018-06-25 09:02:24,240 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:02:25,273 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:02:26,241 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:02:27,903 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:02:28,662 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:02:30,124 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:02:34,097 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:02:37,672 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:02:37,691 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:02:37,711 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:05:04,852 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:05:05,129 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:05:06,027 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:05:06,979 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:05:09,174 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:05:13,199 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:05:13,553 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:05:14,109 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:05:14,124 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:05:14,127 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:07:50,444 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:07:50,822 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:07:50,893 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:07:51,270 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:07:52,202 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:07:52,271 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:07:54,297 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:08:00,077 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:08:00,086 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:08:00,099 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:11:59,862 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:12:00,224 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:12:00,844 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:12:01,492 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:12:02,118 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:13:56,682 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:13:57,679 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:13:57,687 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:13:57,942 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:13:57,944 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-25 09:13:58,084 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:13:58,087 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:13:58,762 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:13:58,764 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:14:01,303 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:14:01,314 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:14:02,735 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:14:02,738 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:14:09,773 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:14:09,781 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 12.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:14:22,647 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:14:22,650 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:14:22,655 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:15:09,172 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:15:09,503 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:15:09,899 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:15:10,052 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:10,605 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:16:11,564 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:11,573 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:16:11,757 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:11,760 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:16:12,067 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:12,070 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:16:12,526 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:12,529 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:16:13,448 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:13,451 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:16:18,349 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:18,352 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:16:22,450 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:22,453 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 12.6s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 09:16:35,060 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:35,072 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:16:35,097 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:16:50,710 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:51,346 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:51,979 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:52,687 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:53,795 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:16:56,999 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:17:00,031 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 09:17:02,669 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:17:03,242 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:17:03,245 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:17:03,265 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:20:22,621 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:20:22,712 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:20:22,744 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:20:24,532 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:20:26,705 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:20:30,471 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:20:56,891 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:21:05,717 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:21:05,720 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:21:05,722 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:23:11,516 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:23:12,155 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:23:12,353 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:23:12,577 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:23:12,978 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:23:15,811 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:23:19,028 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:23:30,859 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:23:30,863 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:23:30,880 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:27:20,135 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:27:20,776 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:27:21,579 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:27:22,203 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:27:24,155 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:27:24,460 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 09:27:27,739 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:27:29,934 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:27:29,937 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:27:29,942 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:28:33,355 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:28:33,748 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:28:34,227 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:28:35,117 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:28:35,738 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:28:39,398 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:28:45,702 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:28:51,902 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:28:51,908 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:28:51,920 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:30:10,368 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:30:10,700 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:30:11,293 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:30:11,580 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:30:12,400 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:30:12,734 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:30:15,158 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:31:27,560 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:31:28,397 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:31:28,401 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:31:28,691 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:31:28,708 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:31:29,333 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:31:29,338 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:31:30,308 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:31:30,311 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:31:31,373 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:31:31,376 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:31:32,421 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:31:32,425 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:31:35,138 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:31:35,141 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.5s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 09:31:38,662 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:31:38,666 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:31:38,669 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:32:00,053 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 09:32:23,101 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 09:33:40,395 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:33:41,216 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:33:41,423 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:33:43,204 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:33:45,920 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:34:06,271 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:34:09,209 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:34:14,281 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:34:14,283 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:34:14,286 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:35:21,981 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:35:22,502 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:35:23,416 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:35:25,319 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:35:26,852 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:35:30,404 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:35:33,574 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:37:46,048 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:37:46,262 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:37:46,266 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:37:46,878 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:37:46,885 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:37:47,037 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:37:47,040 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:37:47,648 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:37:47,652 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:37:49,103 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:37:49,106 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:37:49,968 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:37:49,971 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 7.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:37:57,288 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 09:37:52,291 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:38:01,490 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:38:01,493 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:38:01,496 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:40:10,237 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:40:11,228 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:40:12,187 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:40:13,622 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:41:02,940 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 09:41:03,308 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:41:03,321 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 09:41:04,247 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:41:04,250 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 09:41:05,063 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:41:05,085 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.9s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 09:41:07,051 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:41:07,058 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 09:41:08,605 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:41:08,608 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.8s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 09:41:12,396 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:41:12,407 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.7s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 09:41:20,119 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:41:20,121 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.2s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 09:41:26,360 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:41:26,369 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-25 09:41:26,381 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:42:05,050 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:42:05,534 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:42:05,547 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:42:05,637 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:42:07,801 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:42:08,565 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:42:13,318 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:44:19,412 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:44:19,550 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 09:44:19,553 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 09:44:20,340 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:44:20,343 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 09:44:21,097 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:44:21,105 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 09:44:21,327 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:44:21,333 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 09:44:23,843 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:44:23,846 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 09:44:27,419 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:44:27,424 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 09:44:31,919 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:44:31,938 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 09:44:39,292 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:44:39,296 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 09:44:39,304 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 09:46:00,166 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:46:00,724 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:46:01,097 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:46:01,432 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:46:04,221 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:46:05,452 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:46:09,420 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:46:11,728 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:46:11,732 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 09:46:11,736 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 09:47:00,056 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 09:48:40,538 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:48:40,742 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:48:40,793 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:48:42,226 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:48:42,267 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:48:43,221 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:48:46,141 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 09:49:50,178 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException:  
Connection is already closed.)

2018-06-25 09:49:50,629 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:49:50,631 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:49:51,315 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:49:51,318 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:49:51,858 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:49:51,861 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:49:52,504 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:49:52,508 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:49:53,148 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:49:53,152 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:49:55,435 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:49:55,445 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:49:55,945 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:49:55,948 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:49:58,808 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:49:58,812 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:49:58,824 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:50:42,707 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:50:42,755 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:50:43,095 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:50:44,352 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:50:44,434 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:50:49,307 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:50:54,179 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:50:55,014 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:50:55,017 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 09:50:55,032 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:51:53,967 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:51:54,739 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:51:54,867 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:51:56,007 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:51:57,322 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:51:57,578 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:52:01,195 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:52:02,922 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:52:02,925 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)

2018-06-25 09:52:02,928 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 09:55:18,405 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:55:19,045 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:55:19,439 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:55:20,663 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:56:23,880 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:56:24,060 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:56:24,062 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:56:24,449 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:56:24,452 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:56:24,526 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:56:24,529 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:56:25,240 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:56:25,248 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:56:26,806 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:56:26,809 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:56:28,610 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:56:28,613 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:56:30,537 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:56:30,543 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:56:31,025 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 09:56:31,029 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 09:56:31,031 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:00:01,451 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:00:02,435 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:00:02,476 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:00:02,950 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:00:03,176 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:00:06,629 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:00:11,006 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:00:14,544 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:00:14,547 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 10:00:14,549 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:01:13,042 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 10:01:13,254 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:14,114 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:16,011 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:16,830 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:18,626 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:18,805 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:27,759 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:27,762 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (None)  
2018-06-25 10:01:27,770 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:01:48,327 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:49,184 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:49,509 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:01:51,457 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:02:00,060 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 10:02:56,873 - backoff - ERROR - Backing off forward\_ws(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:02:57,515 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:02:57,519 - backoff - ERROR - Backing off forward\_ws(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:02:57,867 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:02:57,876 - backoff - ERROR - Backing off forward\_ws(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:02:58,645 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:02:58,651 - backoff - ERROR - Backing off forward\_ws(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:03:00,105 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:03:00,107 - backoff - ERROR - Backing off forward\_ws(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:03:00,571 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:03:00,578 - backoff - ERROR - Backing off forward\_ws(...) for 3.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:03:03,632 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:03:03,645 - backoff - ERROR - Backing off forward\_ws(...) for 2.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:03:06,270 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:03:06,274 - backoff - ERROR - Backing off forward\_ws(...) for 2.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:03:08,378 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:03:08,400 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:03:08,408 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:05:14,309 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 10:05:14,555 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:05:14,843 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:05:16,310 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:05:18,212 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:05:20,272 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:06:07,743 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:06:08,402 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:06:08,405 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:06:08,802 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:06:08,804 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:06:09,350 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:06:09,354 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:06:09,558 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:06:09,560 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:06:10,844 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:06:10,850 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:06:15,429 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:06:15,433 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:06:16,370 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:06:16,377 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:06:20,156 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:06:20,160 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:06:20,162 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:07:50,839 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:07:51,598 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:07:52,325 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:07:54,070 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:07:55,038 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:07:55,165 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:08:00,924 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:08:07,460 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:08:07,467 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 10:08:07,470 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 10:09:36,092 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:09:36,464 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:09:37,251 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:09:38,431 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:09:40,941 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:09:43,078 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:09:46,487 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:09:53,878 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:09:53,880 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 10:09:53,888 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:10:37,567 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:10:38,348 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:10:38,964 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:10:39,545 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:10:40,567 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:10:44,530 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:10:50,018 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:10:59,403 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:10:59,406 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 10:10:59,414 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:11:31,133 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:11:31,278 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:11:31,796 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:11:32,528 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:11:34,874 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:11:39,321 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:12:37,344 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:12:38,043 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:12:38,046 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:12:38,315 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:12:38,318 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:12:39,221 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:12:39,224 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:12:40,423 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:12:40,426 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:12:41,208 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:12:41,217 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 10:12:42,177 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:12:42,183 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:12:43,172 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:12:43,175 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:12:52,589 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:12:52,598 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:12:52,601 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:14:31,404 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:14:31,429 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:14:32,037 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:14:33,537 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:14:34,062 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:14:38,821 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:14:45,201 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:14:57,928 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:14:57,931 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 10:14:57,954 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:17:00,063 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 10:18:31,660 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:18:32,300 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:18:32,466 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:18:33,090 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:18:35,152 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:18:36,175 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:18:39,089 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:18:41,190 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:18:41,192 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 10:18:41,198 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:20:07,971 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:20:08,381 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:20:08,529 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:20:10,145 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:20:12,670 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:20:14,527 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:20:18,455 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:22:27,343 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:22:28,313 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:22:28,325 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 10:22:29,108 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:22:29,112 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:22:29,977 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:22:29,983 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:22:31,760 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:22:31,763 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:22:32,274 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:22:32,277 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:22:33,207 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:22:33,209 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:22:41,077 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:22:41,080 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 10.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:22:51,478 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:22:51,487 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:22:51,489 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:24:33,841 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:24:34,582 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:24:34,905 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:24:36,751 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:24:39,162 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:24:44,062 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:24:44,935 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:25:39,798 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:25:39,894 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:25:39,906 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:25:39,922 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:25:39,928 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:25:40,295 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:25:40,300 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:25:41,735 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:25:41,737 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:25:42,303 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:25:42,306 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:25:43,521 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 10:25:43,531 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:25:49,609 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:25:49,612 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:25:51,343 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:25:51,346 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 10:25:51,351 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 10:28:21,116 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:28:21,899 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:28:22,710 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:28:23,280 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:28:25,789 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:28:25,997 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:28:30,541 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:28:37,848 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:28:37,850 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 10:28:37,855 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 10:32:00,067 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 10:32:18,440 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:32:19,351 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:32:19,487 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:32:20,334 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:32:23,004 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:32:33,507 - octoprint.util.connectivity\_checker - INFO -  
Connectivity changed from offline to online  
2018-06-25 10:32:33,640 - octoprint.plugins.pluginmanager - INFO - Loaded  
plugin repository data from disk, was still valid  
2018-06-25 10:32:35,334 - octoprint.plugins.pluginmanager - INFO - Loaded  
notice data from disk, was still valid  
2018-06-25 10:33:26,819 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:33:27,007 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:33:27,012 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:33:27,864 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:33:27,870 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:33:28,770 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:33:28,772 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:33:29,683 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:33:29,685 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-25 10:33:30,435 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:33:30,440 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:33:33,612 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:33:33,615 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:33:38,761 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:33:38,779 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:33:44,935 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:33:44,945 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:33:44,950 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:36:47,801 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:36:48,767 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:36:49,520 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:36:51,233 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:36:52,431 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:36:53,956 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:36:57,875 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:37:00,259 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:37:00,261 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 10:37:00,263 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:39:30,210 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:39:30,571 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:39:31,478 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:39:32,330 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:39:34,709 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:39:38,639 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:39:43,207 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:39:47,740 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:39:47,742 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 10:39:47,748 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:43:19,311 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:43:20,131 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:43:20,748 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:43:21,254 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:43:21,290 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:43:21,520 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:45:16,681 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:45:17,152 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 10:45:17,162 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:45:17,249 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:45:17,253 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:45:17,949 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:45:17,952 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:45:18,695 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:45:18,698 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:45:21,270 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:45:21,273 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:45:23,967 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:45:23,972 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:45:26,015 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:45:26,018 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:45:30,843 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:45:30,846 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 10:45:30,856 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 10:47:00,070 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 10:47:37,949 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:47:38,314 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:47:39,271 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:47:40,007 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:48:42,976 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:48:43,028 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:48:43,031 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:48:43,385 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:48:43,392 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:48:43,942 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:48:43,945 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:48:44,714 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:48:44,716 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:48:47,008 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:48:47,018 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:48:49,143 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost

2018-06-25 10:48:49,158 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:48:52,747 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:48:52,751 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 12.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:49:05,156 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:49:05,161 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 10:49:05,164 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 10:50:27,051 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:50:27,763 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:50:28,324 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:50:28,584 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:50:29,311 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:50:30,366 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:50:35,599 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:50:37,768 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:50:37,770 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 10:50:37,778 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 10:51:43,338 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:51:43,844 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:51:44,506 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:51:45,489 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:51:45,938 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:51:46,503 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:51:53,858 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:52:01,307 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:52:01,309 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 10:52:01,316 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 10:54:06,786 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:54:07,776 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:54:08,176 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:54:09,325 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:55:01,528 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:55:02,168 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:55:02,171 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 10:55:02,891 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 10:55:02,894 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)

2018-06-25 10:55:03,137 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:55:03,141 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:55:03,889 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:55:03,892 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:55:06,584 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:55:06,586 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:55:10,402 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:55:10,407 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:55:11,751 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:55:11,755 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:55:21,022 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:55:21,026 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 10:55:21,033 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 10:59:16,176 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:59:16,225 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:59:16,373 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:59:16,514 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:59:18,345 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:59:19,970 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 10:59:22,789 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:02:00,074 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 11:02:16,115 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:02:17,101 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:02:17,104 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:02:18,041 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:02:18,044 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:02:18,476 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:02:18,479 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:02:19,645 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:02:19,648 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:02:21,204 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:02:21,207 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.2s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 11:02:23,437 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:02:24,440 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:02:24,858 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:02:24,862 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 12.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:02:37,269 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:02:37,274 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:02:37,277 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 11:06:07,916 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:06:08,000 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:06:08,748 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:06:08,890 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:06:11,527 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:06:15,769 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:06:18,518 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:06:24,348 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:06:24,355 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 11:06:24,359 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 11:07:19,491 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:07:20,065 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:07:20,245 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:07:20,897 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:07:22,234 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:07:22,431 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:07:26,935 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:07:34,449 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:07:34,465 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 11:07:34,468 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 11:10:47,769 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:10:48,287 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:10:48,663 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:10:49,857 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:10:51,743 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:10:54,090 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:11:02,077 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:11:04,847 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:11:04,853 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 11:11:04,855 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 11:13:59,362 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 11:14:00,310 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:14:00,334 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:14:00,677 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:14:02,530 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:14:04,309 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:14:05,518 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:14:08,377 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:14:08,386 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 11:14:08,389 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 11:17:00,078 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 11:17:39,880 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 11:17:40,230 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:17:40,412 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:17:40,607 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:17:41,725 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:17:41,895 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:17:46,107 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:17:48,942 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:18:53,313 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:18:54,133 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:18:54,136 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:18:54,598 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:18:54,601 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:18:54,807 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:18:54,810 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:18:55,494 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:18:55,498 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:18:58,032 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:18:58,038 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 4.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:19:02,510 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:19:02,513 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:19:05,248 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:19:05,260 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:19:06,434 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:19:06,436 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:19:06,440 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 11:22:42,377 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:22:43,009 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:22:43,691 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:22:44,085 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:22:45,653 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:22:48,303 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:22:52,562 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:25:25,053 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:25:25,817 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:25:25,821 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:25:26,447 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:25:26,450 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:25:26,628 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:25:26,632 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:25:26,937 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:25:26,941 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:25:27,686 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:25:27,689 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:25:29,958 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:25:29,966 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:25:37,800 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:25:37,803 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:25:42,922 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:25:42,932 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:25:42,935 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 11:26:41,397 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:26:41,453 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:26:42,332 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:26:43,234 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:26:45,276 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:26:50,187 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:26:51,512 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:27:00,067 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:27:00,069 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 11:27:00,076 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 11:27:14,485 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 11:27:15,354 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:15,961 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:16,761 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:17,750 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:21,333 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:21,672 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:21,753 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:21,756 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 11:27:21,761 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 11:27:31,860 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:32,102 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:32,669 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:27:34,488 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:28:24,028 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:28:25,549 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:28:30,930 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:28:34,129 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:28:34,133 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 11:28:34,137 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 11:29:04,489 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:05,222 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:06,164 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:07,898 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:09,967 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:11,197 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:11,371 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:12,131 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:12,134 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 11:29:12,142 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 11:29:57,293 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:58,255 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:58,674 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:29:59,818 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:30:01,310 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:30:02,347 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:30:05,063 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:30:10,517 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:30:10,520 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 11:30:10,544 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 11:30:32,089 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 11:30:32,551 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:30:32,638 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:30:33,396 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:30:35,198 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:30:36,179 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:30:37,034 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:30:47,161 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:30:47,164 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 11:30:47,169 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 11:32:00,085 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 11:32:19,149 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:19,924 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:20,432 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:21,530 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:23,450 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:27,346 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:32,276 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:36,336 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:36,338 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 11:32:36,340 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 11:32:53,398 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:53,840 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:54,385 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:54,976 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:32:57,132 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:34:53,670 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:34:54,039 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:34:54,044 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:34:54,997 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:34:55,005 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:34:55,534 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:34:55,537 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:34:56,347 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 11:34:56,355 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 11:34:58,453 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 11:34:58,459 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 11:34:59,208 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:34:59,210 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 11:35:05,432 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:05,464 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 11:35:08,258 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:08,265 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 11:35:08,270 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 11:35:19,087 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:19,379 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:20,231 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:20,826 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:21,946 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:23,114 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:30,738 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:40,350 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:35:40,358 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 11:35:40,367 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 11:38:59,508 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:38:59,971 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:39:00,891 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:39:01,236 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:39:01,988 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:39:04,830 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:39:09,509 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:39:12,034 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:39:12,040 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 11:39:12,044 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 11:42:13,635 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:42:13,702 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:42:14,131 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:42:15,426 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:42:16,069 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:42:17,363 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:42:18,530 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:42:29,767 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:42:29,776 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 11:42:29,781 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection

```
2018-06-25 11:46:00,030 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:46:04,191 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:46:04,855 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:46:06,249 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:46:06,949 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:46:11,492 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:46:13,993 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:46:25,667 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:46:25,670 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 11:46:25,686 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 11:47:00,089 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 11:47:25,815 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:47:26,788 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:47:27,166 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:47:29,005 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:47:31,011 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:47:35,783 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:47:40,787 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:47:42,423 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:47:42,426 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 11:47:42,430 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 11:50:39,534 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:50:40,037 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:50:40,587 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:50:42,166 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:50:42,763 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:50:45,702 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:50:52,958 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:51:13,033 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 11:51:13,782 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:51:13,785 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 11:51:14,616 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:51:14,619 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 11:51:15,313 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:51:15,316 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.4s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 11:51:15,771 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 11:51:15,777 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.0s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 11:51:16,810 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
```

2018-06-25 11:51:16,814 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 11:51:21,058 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:51:21,067 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 11:51:21,986 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:51:21,997 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 11:51:28,393 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:51:28,396 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 11:51:28,398 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 11:53:57,022 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:53:57,985 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:53:58,439 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:53:59,094 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:54:01,959 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:54:01,976 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:54:03,922 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:54:13,362 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:54:13,365 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 11:54:13,370 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 11:56:49,389 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:56:50,106 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:56:50,402 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:56:50,520 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:56:51,806 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:57:11,572 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:57:15,775 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:57:23,527 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 11:57:23,530 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 11:57:23,550 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 12:00:37,445 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:00:38,124 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:00:38,751 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:00:40,026 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:00:42,745 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:00:43,879 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:00:49,648 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:00:57,389 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:00:57,392 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 12:00:57,396 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection

2018-06-25 12:02:00,099 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 12:04:30,619 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:04:30,847 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:04:30,885 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:04:32,419 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:04:35,098 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:04:39,244 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:04:44,138 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:04:54,435 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:04:54,446 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (None)

2018-06-25 12:04:54,450 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 12:07:42,907 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:07:43,882 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:07:44,831 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:07:44,924 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:07:45,492 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:09:45,719 - backoff - ERROR - Backing off forward\_ws(...) for 0.8s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 12:09:46,507 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:09:46,518 - backoff - ERROR - Backing off forward\_ws(...) for 0.3s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 12:09:46,798 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:09:46,804 - backoff - ERROR - Backing off forward\_ws(...) for 1.0s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 12:09:47,774 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:09:47,777 - backoff - ERROR - Backing off forward\_ws(...) for 1.9s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 12:09:49,723 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:09:49,725 - backoff - ERROR - Backing off forward\_ws(...) for 0.5s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 12:09:50,272 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:09:50,275 - backoff - ERROR - Backing off forward\_ws(...) for 0.2s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 12:09:50,505 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:09:50,510 - backoff - ERROR - Backing off forward\_ws(...) for 2.1s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 12:09:52,660 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:09:52,685 - backoff - ERROR - Backing off forward\_ws(...) for 1.0s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 12:09:53,730 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:09:53,733 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 12:09:53,740 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 12:12:34,324 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:12:34,796 - octoprint.plugins.anywhere - WARNING - Not

```
connected to server ws or connection lost
2018-06-25 12:12:35,183 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:12:36,457 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:12:38,617 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:12:42,497 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:12:43,935 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:12:52,860 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:12:52,863 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 12:12:52,875 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 12:15:53,750 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:15:54,454 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:15:54,834 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:15:55,150 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:15:56,368 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:16:00,298 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:16:02,652 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:16:11,689 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:16:11,692 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 12:16:11,697 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 12:17:00,114 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 12:17:35,617 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:17:36,458 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:17:36,952 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:17:37,750 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:17:39,501 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:17:41,671 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:17:42,069 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:17:54,215 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:17:54,220 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 12:17:54,223 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 12:18:18,007 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:18:18,313 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:18:18,910 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:18:19,520 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:18:21,257 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:19:18,280 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 12:19:19,019 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:19:19,022 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.8s (WebSocketConnectionClosedException:
Connection is already closed.)
```

2018-06-25 12:19:19,827 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:19:19,835 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:19:19,852 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:19:19,856 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:19:19,906 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:19:19,918 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:19:22,823 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:19:22,826 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:19:24,811 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:19:24,813 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:19:26,887 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:19:26,890 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:19:30,767 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:19:30,769 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:19:30,771 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 12:22:21,991 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:22:22,663 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:22:23,616 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:22:24,662 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:22:25,849 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:22:29,816 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:22:37,757 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:22:41,307 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:22:41,318 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 12:22:41,333 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 12:23:22,895 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:23:23,582 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:23:24,545 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:23:24,909 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:23:25,664 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:23:27,409 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:23:32,782 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:23:45,675 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:23:45,677 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 12:23:45,683 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 12:26:27,350 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 12:26:22,992 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:28,802 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:30,533 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:32,279 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:33,376 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:40,007 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:43,139 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:43,144 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 12:26:43,152 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 12:26:52,860 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:53,328 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:53,835 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:54,600 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:55,488 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:26:59,427 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:29:06,004 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:29:06,481 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:29:06,487 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:29:07,475 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:29:07,479 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:29:08,421 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:29:08,424 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:29:08,735 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:29:08,737 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:29:11,652 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:29:11,660 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:29:12,291 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:29:12,326 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 5.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:29:17,513 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:29:17,527 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:29:18,399 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 12:29:18,402 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 12:29:18,406 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 12:30:45,109 - octoprint.plugins.anywhere - WARNING - Not

```
connected to server ws or connection lost
2018-06-25 12:30:46,108 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:30:46,404 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:30:47,906 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:30:49,302 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:30:52,380 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:30:59,946 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:31:06,396 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:31:06,399 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 12:31:06,408 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 12:32:00,119 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 12:32:54,624 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from offline to online
2018-06-25 12:32:54,805 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin repository data from disk, was still valid
2018-06-25 12:33:15,431 - octoprint.plugins.pluginmanager - ERROR - Could
not fetch notices from https://plugins.octoprint.org/notices.json:
HTTPSConnectionPool(host='plugins.octoprint.org', port=443): Max retries
exceeded with url: /notices.json (Caused by
NewConnectionError('<urllib3.connection.VerifiedHTTPSConnection object at
0xa77d0c10>: Failed to establish a new connection: [Errno -2] Name or
service not known',))
Traceback (most recent call last):
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/pluginmanager/__init__.py", line 813, in
_fetch_notices_from_url
    r = requests.get(notices_url, timeout=30)
  File "/home/pi/oprint/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
  File "/home/pi/oprint/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
  File "/home/pi/oprint/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
  File "/home/pi/oprint/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
  File "/home/pi/oprint/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 508, in send
    raise ConnectionError(e, request=request)
ConnectionError: HTTPSConnectionPool(host='plugins.octoprint.org',
port=443): Max retries exceeded with url: /notices.json (Caused by
NewConnectionError('<urllib3.connection.VerifiedHTTPSConnection object at
0xa77d0c10>: Failed to establish a new connection: [Errno -2] Name or
service not known',))
2018-06-25 12:33:31,545 - octoprint.plugins.announcements - INFO - Loaded
channel _important from https://octoprint.org/feeds/important.xml in
3.7e+01s
2018-06-25 12:33:34,891 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:33:35,213 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:33:36,183 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:33:37,484 - octoprint.plugins.announcements - INFO - Loaded
channel _releases from https://octoprint.org/feeds/releases.xml in 3.5s
2018-06-25 12:33:37,846 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:34:32,199 - octoprint.plugins.announcements - ERROR - Could
not fetch channel _blog from https://octoprint.org/feeds/octoblog.xml:
HTTPSConnectionPool(host='octoprint.org', port=443): Read timed out.
(read timeout=30)
Traceback (most recent call last):
```

```
File "/home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins/announcements/__init__.py", line 355, in
_get_channel_data_from_network
    r = requests.get(url, timeout=30)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPSConnectionPool(host='octoprint.org', port=443): Read
timed out. (read timeout=30)
2018-06-25 12:34:39,600 - octoprint.plugins.announcements - INFO - Loaded
channel_plugins from https://plugins.octoprint.org/feed.xml in 7.3s
2018-06-25 12:34:45,448 - octoprint.plugins.announcements - INFO - Loaded
channel_octopi from https://octoprint.org/feeds/octopi.xml in 4.0s
2018-06-25 12:38:52,592 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.5s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 12:38:53,068 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:38:53,071 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.3s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 12:38:53,420 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:38:53,429 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.5s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 12:38:53,915 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:38:53,918 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 12:38:54,069 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:38:54,072 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 12:38:56,017 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:38:56,020 - backoff - ERROR - Backing off
__forward_ws__(...) for 4.5s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 12:39:00,564 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:39:00,567 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.2s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 12:39:01,767 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:39:01,770 - backoff - ERROR - Backing off
__forward_ws__(...) for 8.2s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 12:39:10,019 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:39:10,021 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-25 12:39:10,025 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 12:39:16,921 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:39:17,427 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 12:39:18,014 - octoprint.plugins.anywhere - WARNING - Not
```

connected to server ws or connection lost  
2018-06-25 12:39:18,590 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:39:21,288 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:39:23,543 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:39:27,145 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:39:38,423 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:39:38,428 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 12:39:38,440 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 12:40:24,528 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:40:25,257 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:40:26,196 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:40:26,669 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:40:26,717 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:40:28,592 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:40:36,183 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:40:39,147 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:40:39,149 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 12:40:39,156 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 12:41:33,436 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:41:34,452 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:41:34,743 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:41:34,933 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:41:36,408 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:41:40,243 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:41:44,867 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:41:50,657 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:41:50,660 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 12:41:50,663 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 12:42:54,653 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:42:55,006 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:42:55,424 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:42:56,298 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:42:57,460 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:43:01,691 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:43:06,225 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:43:17,339 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:43:17,342 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 12:43:17,345 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 12:46:03,271 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 12:46:03,478 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:46:04,065 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:46:05,104 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:46:06,135 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:46:10,929 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:46:17,371 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:46:25,774 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:46:25,778 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 12:46:25,780 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 12:47:00,125 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 12:48:13,469 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:48:13,655 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:48:13,961 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:48:15,381 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:48:16,026 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:48:16,252 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:48:21,952 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:48:30,109 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:48:30,115 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 12:48:30,117 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 12:51:51,936 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:51:52,789 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:51:53,344 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:51:53,857 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:51:56,833 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:51:59,361 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:52:01,385 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:52:44,241 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 12:52:45,086 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:52:45,089 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 12:52:45,913 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:52:45,921 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 12:52:46,875 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:52:46,880 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 12:52:47,611 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:52:47,613 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 12:52:49,871 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost

2018-06-25 12:52:49,874 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 12:52:53,447 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:52:53,455 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 12:52:57,187 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:52:57,189 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 12:52:59,794 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:52:59,800 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 12:52:59,806 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 12:55:58,426 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:55:58,933 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:55:59,806 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:56:00,509 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:56:01,538 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:56:04,617 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:56:06,274 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:56:15,790 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:56:15,799 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 12:56:15,808 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 12:59:20,750 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:59:20,988 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:59:21,432 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:59:21,766 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:59:24,094 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:59:27,902 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:59:30,678 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:59:41,487 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 12:59:41,491 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 12:59:41,498 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 13:00:47,974 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:00:48,561 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:00:49,393 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:01:46,698 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:01:46,768 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:01:46,771 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:01:47,514 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost

2018-06-25 13:01:47,517 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:01:48,465 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:01:48,468 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:01:49,158 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:01:49,165 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:01:50,639 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:01:50,642 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:01:53,920 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:01:53,923 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:01:54,178 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:01:54,181 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:01:56,492 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:01:56,494 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 13:01:56,497 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 13:02:00,128 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 13:05:53,566 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:05:54,254 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:05:54,368 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:05:54,426 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:05:57,179 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:06:01,898 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:06:06,007 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:06:06,503 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:06:06,506 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 13:06:06,510 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 13:07:33,533 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:07:33,958 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:07:34,417 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:07:35,644 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:07:35,657 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:07:40,106 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:07:44,526 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:07:54,481 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:07:54,483 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)

2018-06-25 13:07:54,506 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 13:11:01,618 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:11:02,102 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:11:02,850 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:11:04,547 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:11:05,723 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:11:07,982 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:11:07,996 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:11:20,938 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:11:20,947 - backoff - ERROR - Giving up `__forward_ws__(...)` after 8 tries (None)

2018-06-25 13:11:20,955 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 13:12:44,272 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:12:44,355 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:12:45,108 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:14:45,234 - backoff - ERROR - Backing off `__forward_ws__(...)` for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 13:14:45,292 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:14:45,299 - backoff - ERROR - Backing off `__forward_ws__(...)` for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 13:14:45,436 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:14:45,440 - backoff - ERROR - Backing off `__forward_ws__(...)` for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 13:14:46,120 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:14:46,129 - backoff - ERROR - Backing off `__forward_ws__(...)` for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 13:14:47,497 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:14:47,500 - backoff - ERROR - Backing off `__forward_ws__(...)` for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 13:14:48,797 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:14:48,799 - backoff - ERROR - Backing off `__forward_ws__(...)` for 2.6s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 13:14:51,423 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:14:51,426 - backoff - ERROR - Backing off `__forward_ws__(...)` for 3.0s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 13:14:54,444 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:14:54,447 - backoff - ERROR - Backing off `__forward_ws__(...)` for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 13:14:56,993 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:14:56,996 - backoff - ERROR - Giving up `__forward_ws__(...)` after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 13:14:57,000 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 13:16:45,905 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:16:46,840 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:16:47,632 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:16:48,977 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 13:16:50,225 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:16:51,239 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:16:57,588 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:17:00,133 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 13:17:07,210 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:17:07,213 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 13:17:07,219 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 13:18:00,603 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 13:20:11,052 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:11,699 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:12,388 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:48,957 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.4s (error: [Errno 14] Bad address)  
2018-06-25 13:20:49,365 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:49,368 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (error: [Errno 14] Bad address)  
2018-06-25 13:20:50,322 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:50,330 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (error: [Errno 14] Bad address)  
2018-06-25 13:20:50,998 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:51,002 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.0s (error: [Errno 14] Bad address)  
2018-06-25 13:20:52,965 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:52,985 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.5s (error: [Errno 14] Bad address)  
2018-06-25 13:20:54,525 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:54,535 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.9s (error: [Errno 14] Bad address)  
2018-06-25 13:20:56,418 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:56,421 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.4s (error: [Errno 14] Bad address)  
2018-06-25 13:20:56,865 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:20:56,874 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 8.4s (error: [Errno 14] Bad address)  
2018-06-25 13:21:05,317 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:05,322 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (error: [Errno 14] Bad address)  
2018-06-25 13:21:05,358 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 13:21:26,025 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:26,319 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:26,607 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:27,739 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:27,761 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:31,074 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:35,517 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:41,005 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:41,009 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 13:21:41,017 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 13:21:48,486 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:21:48,981 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:49,672 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:49,737 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:52,717 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:55,315 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:21:59,022 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:22:09,519 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:22:09,522 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 13:22:09,530 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 13:23:31,047 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:23:31,636 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:23:32,634 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:23:34,535 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:23:37,257 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:23:39,007 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:23:45,307 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:23:51,592 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:23:51,596 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 13:23:51,606 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 13:25:25,230 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:25:25,450 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:25:25,838 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:25:26,440 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:25:28,188 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:25:29,281 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:26:31,555 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:26:32,510 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:26:32,522 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:26:33,119 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:26:33,138 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:26:33,317 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:26:33,322 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:26:34,175 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:26:34,191 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:26:35,827 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:26:35,835 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:26:38,837 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:26:38,847 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:26:43,120 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:26:43,123 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:26:49,268 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:26:49,275 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 13:26:49,287 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 13:30:44,839 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:30:45,108 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:30:45,488 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:30:45,702 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:30:48,210 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:30:48,807 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:30:54,513 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:30:56,295 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:30:56,298 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 13:30:56,303 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 13:31:56,527 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:31:56,954 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:31:57,626 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:31:57,746 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:32:00,136 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 13:32:00,248 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:32:02,936 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:33:02,167 - octoprint.util.connectivity\_checker - INFO -  
Connectivity changed from offline to online  
2018-06-25 13:33:02,381 - octoprint.plugins.pluginmanager - INFO - Loaded  
plugin repository data from disk, was still valid  
2018-06-25 13:33:05,443 - octoprint.util.connectivity\_checker - INFO -  
Connectivity changed from online to offline  
2018-06-25 13:33:05,456 - octoprint.plugins.pluginmanager - INFO - Looks  
like we are offline, can't fetch notices from network  
2018-06-25 13:33:05,459 - octoprint.plugins.announcements - INFO - Looks  
like we are offline, can't fetch announcements for channel\_blog from  
network  
2018-06-25 13:34:04,882 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:34:05,020 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:34:05,043 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:34:05,588 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:34:05,612 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:34:06,641 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:34:06,652 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:34:06,962 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:34:06,965 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-25 13:34:07,593 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:34:07,615 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:34:09,838 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:34:09,842 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:34:14,384 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:34:14,387 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:34:17,244 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:34:17,266 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:34:17,304 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 13:34:50,983 - octoprint.util.pip - INFO - Using "/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-25 13:34:51,002 - octoprint.util.pip - INFO - Using "/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-25 13:34:51,012 - octoprint.util.pip - INFO - Using "/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-25 13:34:51,126 - octoprint.util.pip - INFO - Using "/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-25 13:34:51,567 - octoprint.util.pip - INFO - Using "/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-25 13:35:32,438 - octoprint.util.pip - INFO - pip installs to /home/pi/oprint/lib/python2.7/site-packages/ (writable -> yes), --user flag needed -> no, virtual env -> yes  
2018-06-25 13:35:32,447 - octoprint.util.pip - INFO - ==> pip ok -> yes  
2018-06-25 13:35:34,637 - octoprint.plugins.softwareupdate - INFO - Saved version cache to disk  
2018-06-25 13:37:39,756 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:37:40,186 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:37:40,198 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:37:40,695 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:37:43,607 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:37:46,466 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:37:49,603 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:37:57,503 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:37:57,507 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 13:37:57,509 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 13:38:04,689 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:38:05,520 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:38:06,468 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:38:08,372 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:38:09,095 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:38:13,389 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:38:21,367 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:38:33,110 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:38:33,114 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 13:38:33,123 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 13:40:25,849 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:40:27,096 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:40:27,520 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:40:28,909 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:40:29,869 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:40:31,433 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:40:33,667 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:41:20,701 - backoff - ERROR - Backing off forward\_ws(...) for 0.1s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 13:41:20,790 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:41:20,797 - backoff - ERROR - Backing off forward\_ws(...) for 0.5s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 13:41:21,340 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:41:21,343 - backoff - ERROR - Backing off forward\_ws(...) for 0.6s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 13:41:21,979 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:41:21,981 - backoff - ERROR - Backing off forward\_ws(...) for 1.1s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 13:41:23,057 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:41:23,075 - backoff - ERROR - Backing off forward\_ws(...) for 0.9s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 13:41:23,992 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:41:23,995 - backoff - ERROR - Backing off forward\_ws(...) for 0.5s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 13:41:24,478 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:41:24,483 - backoff - ERROR - Backing off forward\_ws(...) for 5.9s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 13:41:30,381 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:41:30,383 - backoff - ERROR - Backing off forward\_ws(...) for 4.3s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 13:41:34,687 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:41:34,691 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 13:41:34,693 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 13:43:47,560 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:43:47,600 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:43:48,627 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:43:49,338 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:43:51,140 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 13:43:53,443 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 13:43:56,651 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:43:59,311 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:43:59,314 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 13:43:59,317 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 13:47:00,141 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 13:47:52,172 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:47:52,864 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:47:53,553 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:47:54,631 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:47:55,791 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:48:00,447 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:48:01,316 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:48:04,541 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:48:04,547 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 13:48:04,551 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 13:48:22,838 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:48:23,157 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:48:24,147 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:50:22,181 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:50:23,173 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:50:23,183 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:50:23,496 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:50:23,509 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:50:24,216 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:50:24,220 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:50:25,379 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:50:25,382 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:50:25,403 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:50:25,407 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:50:25,834 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:50:25,841 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:50:27,916 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:50:27,921 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 13:50:29,877 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:50:29,879 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already

closed.)  
2018-06-25 13:50:29,885 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 13:51:09,894 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:51:10,196 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:51:10,743 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:51:12,080 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:51:13,276 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:51:15,369 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:51:15,470 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:51:17,267 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:51:17,308 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 13:51:17,320 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 13:53:44,930 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:53:45,435 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:53:45,543 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:53:46,741 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:53:49,583 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:53:49,682 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:56:57,639 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:56:58,128 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:56:58,133 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:56:58,764 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:56:58,767 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:56:58,993 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:56:58,996 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:56:59,563 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:56:59,566 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:57:01,780 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:57:01,783 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:57:03,893 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:57:03,896 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:57:05,154 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:57:05,163 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 8.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 13:57:13,193 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 13:57:13,196 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 13:57:13,202 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 13:59:04,064 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost

2018-06-25 13:59:04,464 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:59:04,529 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:59:04,573 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:59:06,171 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:59:08,085 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:59:14,220 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:59:20,710 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 13:59:20,713 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 13:59:20,719 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:01:45,750 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:01:45,989 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:01:46,922 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:01:48,807 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:01:51,531 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:01:55,187 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:02:00,154 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 14:02:02,753 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:02:09,402 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:02:09,406 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:02:09,410 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:04:46,885 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:04:47,841 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:04:48,678 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:05:10,349 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:05:10,886 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:05:13,087 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:05:15,650 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:05:16,992 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:05:16,998 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:05:17,009 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:09:16,002 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:09:16,547 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:09:17,504 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:09:18,198 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:09:18,719 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:09:21,951 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:09:28,983 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:09:33,071 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:09:33,074 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:09:33,076 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:12:53,205 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 14:12:53,699 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:12:54,361 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:12:55,940 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:12:58,737 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:13:03,462 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:13:05,784 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:13:06,761 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:13:06,763 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:13:06,769 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:16:37,765 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:16:37,872 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:16:38,843 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:16:40,212 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:16:40,378 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:16:40,736 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:17:00,158 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 14:19:32,273 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:19:32,769 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:19:32,772 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:19:32,882 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:19:32,906 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:19:33,538 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:19:33,544 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:19:35,151 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:19:35,158 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:19:38,110 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:19:38,113 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:19:40,264 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:19:40,267 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 7.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:19:48,037 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:19:48,047 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 12.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:20:01,001 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:20:01,004 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:20:01,006 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:22:27,651 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 14:22:28,512 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:22:28,888 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:22:30,383 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:22:30,404 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:22:33,797 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:22:41,074 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:22:44,777 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:22:44,783 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:22:44,787 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:26:09,381 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:26:09,423 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:26:09,821 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:26:10,272 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:26:11,852 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:26:14,455 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:26:19,833 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:26:22,497 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:26:22,501 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:26:22,504 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:28:56,193 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:28:56,848 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:28:57,615 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:28:58,890 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:29:00,327 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:29:03,422 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:29:05,528 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:29:11,647 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:29:11,651 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:29:11,654 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:32:00,166 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 14:32:24,009 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:32:24,309 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:32:24,752 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:32:26,572 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:32:28,428 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:32:29,476 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:32:36,337 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:32:38,843 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 14:32:38,850 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:32:38,853 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:34:45,954 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:34:46,076 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:34:46,899 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:34:47,687 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:34:50,279 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:34:53,448 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:34:58,067 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:35:30,686 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (error: [Errno 14] Bad address)  
2018-06-25 14:35:31,494 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (error: [Errno 14] Bad address)  
2018-06-25 14:35:32,192 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.7s (error: [Errno 14] Bad address)  
2018-06-25 14:35:33,930 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:35:33,936 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (error: [Errno 14] Bad address)  
2018-06-25 14:35:34,434 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:35:34,446 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (error: [Errno 14] Bad address)  
2018-06-25 14:35:35,077 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:35:35,082 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (error: [Errno 14] Bad address)  
2018-06-25 14:35:35,780 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:35:35,800 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (error: [Errno 14] Bad address)  
2018-06-25 14:35:36,836 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:35:36,840 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.0s (error: [Errno 14] Bad address)  
2018-06-25 14:35:36,863 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:35:36,866 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.3s (error: [Errno 14] Bad address)  
2018-06-25 14:35:38,208 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:35:38,219 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 4.0s (error: [Errno 14] Bad address)  
2018-06-25 14:35:42,229 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:35:42,233 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (error: [Errno 14] Bad address)  
2018-06-25 14:35:42,261 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:36:12,683 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:36:13,102 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:36:13,667 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:36:14,756 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:36:15,368 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:36:16,485 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:38:18,049 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:38:18,396 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 14:38:18,403 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 14:38:19,344 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:19,347 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 14:38:19,931 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:19,940 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 14:38:20,690 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:20,693 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 14:38:21,396 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:21,406 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 14:38:23,899 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:23,903 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 14:38:25,348 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:25,357 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 14:38:27,273 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:27,304 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 14:38:27,334 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 14:38:42,085 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:42,576 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:42,876 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:44,038 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:46,625 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:47,627 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:48,009 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:52,067 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:38:52,070 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 14:38:52,073 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 14:40:52,729 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:40:53,345 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:40:53,663 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:40:55,298 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:40:55,491 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:40:56,260 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:41:02,405 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:41:09,998 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 14:41:10,008 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 14:41:10,017 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection

2018-06-25 14:41:28,937 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:41:28,985 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:41:29,138 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:41:29,565 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:41:30,473 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:41:31,882 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:43:33,301 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (error: [Errno 32] Broken pipe)  
2018-06-25 14:43:33,859 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:43:33,863 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (error: [Errno 32] Broken pipe)  
2018-06-25 14:43:34,325 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:43:34,329 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (error: [Errno 32] Broken pipe)  
2018-06-25 14:43:34,821 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:43:34,830 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (error: [Errno 32] Broken pipe)  
2018-06-25 14:43:36,463 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:43:36,465 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.0s (error: [Errno 32] Broken pipe)  
2018-06-25 14:43:39,440 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:43:39,442 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (error: [Errno 32] Broken pipe)  
2018-06-25 14:43:40,698 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:43:40,708 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.7s (error: [Errno 32] Broken pipe)  
2018-06-25 14:43:44,453 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:43:44,462 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.2s (error: [Errno 32] Broken pipe)  
2018-06-25 14:43:49,621 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:43:49,630 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (error: [Errno 32] Broken pipe)  
2018-06-25 14:43:49,671 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:45:16,818 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:45:17,176 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:45:17,853 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:45:18,491 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:45:20,497 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:45:24,449 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:45:26,750 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:45:31,375 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:45:31,378 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:45:31,380 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:47:00,171 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 14:48:06,345 - tornado.access - WARNING - 403 POST /api/plugin/anywhere (127.0.0.1) 88.97ms  
2018-06-25 14:48:07,210 - octoprint.server.util.sockjs - INFO - New connection from client: 166.170.37.13  
2018-06-25 14:48:09,141 - tornado.access - WARNING - 404 GET /apple-touch-icon-120x120-precomposed.png (127.0.0.1) 83.13ms  
2018-06-25 14:48:09,622 - tornado.access - WARNING - 404 GET /apple-touch-icon-120x120.png (127.0.0.1) 73.54ms  
2018-06-25 14:48:14,799 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from offline to online  
2018-06-25 14:48:14,982 - octoprint.plugins.pluginmanager - INFO - Loaded

plugin repository data from disk, was still valid  
2018-06-25 14:48:39,634 - octoprint.plugins.softwareupdate - WARNING - Could not check anywhere for updates due to a network error  
2018-06-25 14:48:39,697 - octoprint.plugins.softwareupdate - WARNING - Could not check youtubeiive for updates due to a network error  
2018-06-25 14:48:41,326 - octoprint.plugins.softwareupdate - WARNING - Could not check enclosure for updates due to a network error  
2018-06-25 14:48:44,324 - octoprint.plugins.softwareupdate - INFO - Saved version cache to disk  
2018-06-25 14:48:55,279 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:48:56,249 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:48:56,412 - octoprint.plugins.pluginmanager - INFO - Loaded plugin notices data from <https://plugins.octoprint.org/notices.json>  
2018-06-25 14:48:56,607 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:48:58,502 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:49:00,262 - tornado.access - WARNING - 403 POST /api/plugin/youtubeiive (127.0.0.1) 105.18ms  
2018-06-25 14:49:00,504 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:49:03,388 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:49:06,804 - octoprint.plugins.announcements - INFO - Loaded channel\_blog from <https://octoprint.org/feeds/octoblog.xml> in 4.6e+01s  
2018-06-25 14:49:22,541 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 14:49:23,307 - octoprint.plugins.softwareupdate - INFO - Saved version cache to disk  
2018-06-25 14:52:19,431 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:52:20,130 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:52:20,134 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:52:20,784 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:52:20,787 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:52:21,335 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:52:21,343 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:52:23,127 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:52:23,130 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:52:23,911 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:52:23,914 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:52:25,706 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:52:25,711 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:52:28,647 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:52:28,655 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:52:29,962 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 14:52:29,971 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:52:29,974 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:53:48,952 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:53:49,797 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:53:50,736 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:53:51,468 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:53:52,803 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:53:55,964 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:53:57,247 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:53:58,505 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:53:58,508 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 14:53:58,514 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 14:56:34,644 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:56:35,375 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:56:35,652 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:56:37,568 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:57:39,866 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:57:40,308 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:57:40,319 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:57:40,393 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:57:40,395 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:57:40,875 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:57:40,879 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:57:41,937 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:57:41,941 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:57:42,986 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:57:42,989 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:57:47,578 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:57:47,591 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:57:48,891 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:57:48,895 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:57:58,672 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 14:57:58,676 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 14:57:58,684 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:00:17,351 - octoprint.plugins.anywhere - WARNING - Not

```
connected to server ws or connection lost
2018-06-25 15:00:17,754 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:00:18,457 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:00:20,453 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:00:23,225 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:00:25,499 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:00:30,042 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:00:36,362 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:00:36,365 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 15:00:36,368 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 15:02:00,181 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 15:03:15,568 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from offline to online
2018-06-25 15:03:15,666 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin repository data from disk, was still valid
2018-06-25 15:03:16,711 - octoprint.plugins.pluginmanager - INFO - Loaded
notice data from disk, was still valid
2018-06-25 15:03:20,334 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:03:20,828 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:03:21,493 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:03:22,978 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:03:24,680 - octoprint.plugins.softwareupdate - ERROR -
Could not check fullscreen for updates
Traceback (most recent call last):
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 305, in get_latest
    force_base=force_base)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
(3.05, 30))
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-25 15:03:25,050 - octoprint.plugins.softwareupdate - ERROR -
Could not check pushover for updates
Traceback (most recent call last):
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
```

```
File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 305, in get_latest
    force_base=force_base)
File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
(3.05, 30))
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-25 15:03:25,073 - octoprint.plugins.softwareupdate - ERROR -
Could not check octoprint for updates
Traceback (most recent call last):
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 305, in get_latest
    force_base=force_base)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
(3.05, 30))
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-25 15:03:25,164 - octoprint.plugins.softwareupdate - ERROR -
Could not check printhistory for updates
Traceback (most recent call last):
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 305, in get_latest
    force_base=force_base)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
```

```

(3.05, 30))
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPSConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-25 15:03:25,186 - octoprint.plugins.softwareupdate - ERROR -
Could not check dropbox_timelapse for updates
Traceback (most recent call last):
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/__init__.py", line 739, in
_get_current_version
    information, is_current = version_checker.get_latest(target, check,
online=online)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 305, in get_latest
    force_base=force_base)
  File "/home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate/version_checks/github_release.p
y", line 104, in _get_latest_release
    r = requests.get(RELEASE_URL.format(user=user, repo=repo), timeout=
(3.05, 30))
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 72, in get
    return request('get', url, params=params, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/api.py", line 58, in request
    return session.request(method=method, url=url, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 508, in request
    resp = self.send(prepare, **send_kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/sessions.py", line 618, in send
    r = adapter.send(request, **kwargs)
  File "/home/pi/oprint/local/lib/python2.7/site-packages/requests-
2.18.4-py2.7.egg/requests/adapters.py", line 521, in send
    raise ReadTimeout(e, request=request)
ReadTimeout: HTTPSConnectionPool(host='api.github.com', port=443): Read
timed out. (read timeout=3.05)
2018-06-25 15:03:25,763 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:03:26,937 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:03:29,798 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:03:34,262 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:03:34,265 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 15:03:34,279 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 15:03:37,022 - octoprint.plugins.softwareupdate - WARNING -
Could not check anywhere for updates due to a network error
2018-06-25 15:03:37,050 - octoprint.plugins.softwareupdate - WARNING -
Could not check enclosure for updates due to a network error
2018-06-25 15:03:37,054 - octoprint.plugins.softwareupdate - WARNING -
Could not check youtubealive for updates due to a network error
2018-06-25 15:03:38,162 - octoprint.plugins.softwareupdate - INFO - Saved

```

```
version cache to disk
2018-06-25 15:05:13,892 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:05:14,743 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:05:14,801 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:05:16,314 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:05:19,253 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:08:18,939 - octoprint.server.util.sockjs - INFO - Client
connection closed: 166.170.37.13
2018-06-25 15:10:55,569 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.5s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 15:10:56,055 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:10:56,058 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 15:10:56,890 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:10:56,897 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.4s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 15:10:57,280 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:10:57,285 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.3s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 15:10:57,620 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:10:57,622 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 15:10:57,782 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:10:57,802 - backoff - ERROR - Backing off
__forward_ws__(...) for 4.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 15:11:02,643 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:11:02,647 - backoff - ERROR - Backing off
__forward_ws__(...) for 5.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 15:11:08,448 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:11:08,451 - backoff - ERROR - Backing off
__forward_ws__(...) for 6.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 15:11:14,547 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:11:14,550 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-25 15:11:14,557 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 15:13:22,124 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:13:23,023 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:13:23,263 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:13:24,801 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:13:25,365 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:13:27,187 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:13:33,317 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:13:42,387 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 15:13:42,390 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-25 15:13:42,407 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
```

2018-06-25 15:13:53,170 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:13:53,635 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:13:53,691 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:13:55,561 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:13:57,000 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:13:58,697 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:14:02,257 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:15:09,132 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:15:09,929 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:15:09,932 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:15:10,077 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:15:10,083 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:15:11,047 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:15:11,049 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:15:11,639 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:15:11,643 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:15:13,810 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:15:13,813 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:15:18,819 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:15:18,822 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:15:19,489 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:15:19,498 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:15:27,225 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:15:27,230 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:15:27,261 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:17:00,186 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 15:18:18,634 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 15:18:44,407 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:18:44,541 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:18:45,293 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:18:47,195 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 15:18:48,002 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:18:50,344 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:18:51,266 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:19:01,268 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:19:01,278 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 15:19:01,281 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:21:42,311 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:21:42,695 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:21:43,078 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:21:43,192 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:21:43,732 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:22:45,641 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (error: [Errno 14] Bad address)  
2018-06-25 15:22:46,650 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:22:46,653 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (error: [Errno 14] Bad address)  
2018-06-25 15:22:47,547 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:22:47,558 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (error: [Errno 14] Bad address)  
2018-06-25 15:22:48,390 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:22:48,393 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.0s (error: [Errno 14] Bad address)  
2018-06-25 15:22:48,443 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:22:48,450 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.2s (error: [Errno 14] Bad address)  
2018-06-25 15:22:48,624 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:22:48,630 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (error: [Errno 14] Bad address)  
2018-06-25 15:22:49,567 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:22:49,571 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 6.8s (error: [Errno 14] Bad address)  
2018-06-25 15:22:56,405 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:22:56,408 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.6s (error: [Errno 14] Bad address)  
2018-06-25 15:23:00,017 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:23:00,020 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (error: [Errno 14] Bad address)  
2018-06-25 15:23:00,048 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:26:20,258 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:26:20,679 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:26:20,707 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:26:21,028 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:26:23,258 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:26:24,063 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:26:26,874 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:26:34,847 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:26:34,850 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 15:26:34,856 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:27:20,112 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:27:20,567 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:20,881 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:21,130 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:21,879 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:23,746 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:24,499 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:31,619 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:31,633 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (None)  
2018-06-25 15:27:31,637 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:27:47,247 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:48,098 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:48,728 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:49,200 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:50,032 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:54,482 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:27:55,950 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:28:02,207 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:28:02,210 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (None)  
2018-06-25 15:28:02,222 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:29:23,733 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:29:24,583 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:29:24,717 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:29:26,100 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:32:00,193 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 15:33:20,980 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from offline to online  
2018-06-25 15:33:21,086 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid  
2018-06-25 15:33:21,992 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid  
2018-06-25 15:34:44,506 - websocket - ERROR - error from callback <function <lambda> at 0xaf5fcc30>: [Errno 101] Network is unreachable  
2018-06-25 15:34:44,812 - backoff - ERROR - Backing off stream\_up(...) for 0.4s (ConnectionError: timed out)  
2018-06-25 15:34:57,699 - backoff - ERROR - Backing off forward\_ws(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:34:58,465 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:34:58,468 - backoff - ERROR - Backing off forward\_ws(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:34:58,501 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:34:58,504 - backoff - ERROR - Backing off forward\_ws(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:34:58,947 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:34:58,950 - backoff - ERROR - Backing off forward\_ws(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:34:59,484 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:34:59,488 - backoff - ERROR - Backing off forward\_ws(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 15:34:59,900 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:34:59,904 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:35:02,382 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:35:02,385 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:35:05,828 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:35:05,834 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:35:08,842 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:35:08,851 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:35:08,865 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:36:04,652 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:36:04,999 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:36:05,516 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:36:06,589 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:36:06,803 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:36:07,590 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:38:02,191 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:38:02,728 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:38:02,731 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:38:03,499 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:38:03,502 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:38:04,287 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:38:04,291 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:38:05,683 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:38:05,690 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:38:07,577 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:38:07,586 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:38:09,003 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:38:09,005 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:38:15,898 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:38:15,908 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:38:17,467 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:38:17,469 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:38:17,472 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:42:12,579 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 15:42:12,667 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:42:12,861 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:42:14,195 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:42:15,431 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:42:20,006 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:42:21,555 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:45:15,368 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:45:15,713 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:45:15,722 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:45:16,487 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:45:16,490 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:45:16,658 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:45:16,664 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:45:17,058 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:45:17,060 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:45:17,860 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:45:17,864 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:45:19,574 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:45:19,577 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:45:23,512 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:45:23,515 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:45:29,823 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:45:29,826 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 15:45:29,828 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 15:47:00,197 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 15:47:24,416 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:47:24,847 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:47:25,274 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:47:25,759 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:47:25,842 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:47:26,540 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:47:33,569 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:47:35,713 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 15:47:35,717 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 15:47:35,738 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 15:48:41,935 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:48:44,972 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:48:45,261 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:48:45,784 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:48:47,817 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:48:52,423 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:48:53,027 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:48:55,107 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:48:55,132 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)

2018-06-25 15:48:55,151 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 15:52:35,220 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:52:35,421 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:52:36,385 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:52:38,329 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:52:41,230 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:52:44,719 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:52:52,317 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:55:00,964 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 15:55:01,110 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:55:01,113 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 15:55:02,027 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:55:02,032 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 15:55:02,329 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:55:02,332 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 15:55:02,915 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:55:02,919 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 15:55:04,025 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:55:04,035 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 15:55:04,952 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:55:04,955 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 15:55:07,522 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:55:07,525 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 15:55:08,556 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 15:55:08,558 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: socket is already closed.)

2018-06-25 15:55:08,562 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 15:56:49,839 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 15:56:50,410 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:56:50,502 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:56:52,138 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:56:54,540 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:56:57,109 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:56:57,973 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:57:10,918 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:57:10,921 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 15:57:10,923 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 15:59:57,239 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:59:57,839 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:59:58,652 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 15:59:59,104 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:00:01,451 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:00:03,717 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:00:08,137 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:00:15,990 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:00:15,993 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 16:00:15,995 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 16:01:12,679 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:01:13,531 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:01:13,924 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:01:15,278 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:01:18,093 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:01:18,838 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:01:22,697 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:01:23,157 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:01:23,166 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 16:01:23,169 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 16:02:00,207 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 16:04:52,636 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:04:53,201 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:04:53,336 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:04:54,224 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:04:56,682 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:04:58,678 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:12:07,518 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)

2018-06-25 16:12:07,773 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:07,780 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:12:08,438 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:08,442 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:12:08,783 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:08,786 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:12:10,650 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:10,653 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:12:11,237 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:11,248 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:12:14,604 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:14,631 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:12:15,858 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:15,896 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 5.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:12:21,213 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:21,218 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:12:21,222 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 16:12:45,490 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:46,125 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:46,323 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:46,564 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:49,021 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:51,017 - backoff - ERROR - Backing off stream\_up(...) for 1.6s (ConnectionError: timed out)  
2018-06-25 16:12:51,215 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:12:54,682 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:13:05,497 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:13:05,499 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 16:13:05,501 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 16:13:59,222 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:13:59,287 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:13:59,867 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:14:01,076 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:16:26,121 - websocket - ERROR - error from callback <function <lambda> at 0xaf5fcc30>: [Errno 101] Network is unreachable  
2018-06-25 16:17:00,212 - octoprint.server.heartbeat - INFO - Server

```
heartbeat <3
2018-06-25 16:23:23,231 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.6s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:23:23,805 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:23:23,809 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.2s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:23:24,001 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:23:24,004 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.3s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:23:24,265 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:23:24,273 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.5s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:23:24,813 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:23:24,818 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.5s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:23:26,309 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:23:26,312 - backoff - ERROR - Backing off
__forward_ws__(...) for 4.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:23:31,231 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:23:31,234 - backoff - ERROR - Backing off
__forward_ws__(...) for 4.6s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:23:35,886 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:23:35,893 - backoff - ERROR - Backing off
__forward_ws__(...) for 7.3s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:23:43,190 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:23:43,192 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-25 16:23:43,203 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 16:26:11,256 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:26:11,881 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:26:12,118 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:26:13,770 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:26:14,727 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:26:15,120 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:32:00,217 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 16:32:10,643 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:32:10,759 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:32:10,762 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:32:11,452 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:32:11,460 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.4s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:32:11,889 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 16:32:11,892 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 16:32:12,565 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
```

2018-06-25 16:32:12,568 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:32:14,333 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:32:14,335 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:32:16,857 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:32:16,864 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:32:20,376 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:32:20,379 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 12.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:32:32,424 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:32:32,427 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 16:32:32,433 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 16:34:17,100 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:34:17,147 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:34:17,780 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:34:18,179 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:34:19,401 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:34:19,917 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:34:21,824 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:34:33,580 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:34:33,582 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 16:34:33,584 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 16:34:34,417 - tornado.access - WARNING - 403 POST  
/api/plugin/anywhere (127.0.0.1) 194.35ms  
2018-06-25 16:34:35,705 - octoprint.server.util.sockjs - INFO - New  
connection from client: 82.102.30.61  
2018-06-25 16:34:58,051 - tornado.access - WARNING - 403 POST  
/api/plugin/youtubelive (127.0.0.1) 399.92ms  
2018-06-25 16:36:43,691 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:36:44,334 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:36:44,567 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:36:46,176 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:37:20,369 - octoprint.server.util.sockjs - INFO - Client  
connection closed: 82.102.30.61  
2018-06-25 16:38:42,421 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:38:42,926 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:38:42,928 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:38:43,682 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:38:43,686 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:38:44,412 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost

2018-06-25 16:38:44,415 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:38:44,923 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:38:44,928 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:38:47,697 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:38:47,708 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:38:48,704 - octoprint.server.util.sockjs - INFO - New  
connection from client: 82.102.30.61  
2018-06-25 16:38:51,680 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:38:51,683 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:38:54,409 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:38:54,421 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:38:54,853 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 16:38:54,855 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:38:54,859 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 16:40:19,520 - octoprint.server.util.sockjs - INFO - Client connection closed: 82.102.30.61  
2018-06-25 16:42:10,688 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:42:11,104 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:42:11,718 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:42:13,505 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:42:15,138 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:42:17,503 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:42:22,249 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:44:33,148 - octoprint.plugins.discovery - WARNING - Can't determine address to user for client ('192.168.0.130', 60679), not sending a M-SEARCH reply  
2018-06-25 16:44:33,247 - octoprint.plugins.discovery - WARNING - Can't determine address to user for client ('192.168.0.130', 60679), not sending a M-SEARCH reply  
2018-06-25 16:44:33,354 - octoprint.plugins.discovery - WARNING - Can't determine address to user for client ('192.168.0.130', 60679), not sending a M-SEARCH reply  
2018-06-25 16:44:40,842 - octoprint.server.util.sockjs - INFO - New connection from client: 82.102.30.61  
2018-06-25 16:46:14,865 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:46:15,595 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:46:15,609 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:46:15,657 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:46:15,661 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 16:46:16,505 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:46:16,508 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-25 16:46:18,285 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:46:18,289 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:46:20,291 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:46:20,294 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:46:22,649 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:46:22,652 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:46:24,828 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:46:24,831 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:46:28,768 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:46:28,776 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:46:28,802 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 16:47:00,223 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 16:47:53,556 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:47:54,096 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:47:54,183 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:47:55,262 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:47:56,539 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:47:58,186 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:47:58,810 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:48:04,569 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:48:04,574 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 16:48:04,580 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 16:48:27,123 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 16:49:18,548 - octoprint.server.util.sockjs - INFO - Client connection closed: 82.102.30.61  
2018-06-25 16:49:28,679 - websocket - ERROR - error from callback <function <lambda> at 0xaf5fcc30>: [Errno 101] Network is unreachable  
2018-06-25 16:49:35,204 - backoff - ERROR - Backing off stream\_up(...) for 2.6s (ConnectionError: timed out)  
2018-06-25 16:50:49,613 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:50:49,803 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:50:50,488 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:55:00,221 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:55:00,401 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:55:00,410 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:55:00,439 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:55:00,443 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-25 16:55:00,682 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:55:00,688 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:55:01,341 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:55:01,344 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:55:02,195 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:55:02,198 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:55:04,912 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:55:04,922 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:55:05,206 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:55:05,211 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:55:08,413 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:55:08,416 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 16:55:08,428 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 16:56:50,483 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:56:51,113 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:56:51,744 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:56:53,727 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:56:54,577 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:56:57,513 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:57:00,182 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:57:03,428 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:57:03,435 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 16:57:03,439 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 16:58:20,032 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:58:20,148 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:58:21,101 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 16:58:21,262 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:02:00,227 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 17:03:28,311 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from offline to online  
2018-06-25 17:03:28,425 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid  
2018-06-25 17:03:29,638 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid  
2018-06-25 17:03:59,961 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:04:00,581 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:04:00,587 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:04:01,238 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

```
2018-06-25 17:04:00,241 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.3s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:04:01,526 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:01,537 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.6s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:04:02,131 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:02,134 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:04:02,200 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:02,203 - backoff - ERROR - Backing off
__forward_ws__(...) for 3.0s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:04:05,174 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:05,178 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.2s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:04:07,340 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:07,342 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.3s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:04:09,630 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:09,632 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-25 17:04:09,642 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 17:04:18,572 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:19,490 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:20,388 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:21,362 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:22,573 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:25,063 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:04:31,818 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:09:15,382 - backoff - ERROR - Backing off stream_up(...)
for 4.0s (ConnectionError: timed out)
2018-06-25 17:17:00,231 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 17:19:50,544 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:19:51,341 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:19:51,344 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:19:52,290 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:19:52,300 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.5s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:19:52,801 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:19:52,804 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:19:53,560 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:19:53,576 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.7s (WebSocketConnectionClosedException:
Connection is already closed.)
```

2018-06-25 17:19:55,325 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:19:55,336 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:19:56,245 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:19:56,249 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:19:59,413 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:19:59,417 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 10.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:20:09,541 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:20:09,544 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:20:09,546 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 17:21:03,954 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:21:04,507 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:21:05,216 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:21:06,436 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:21:08,097 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:21:11,496 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:29:25,549 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:29:25,700 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:29:25,703 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:29:26,298 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:29:26,301 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:29:26,741 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:29:26,744 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:29:27,702 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:29:27,704 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:29:28,701 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:29:28,719 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:29:33,576 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:29:33,593 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:29:37,787 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:29:37,790 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:29:49,531 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:29:49,534 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:29:49,536 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 17:32:00,234 - octoprint.server.heartbeat - INFO - Server

```
heartbeats <3
2018-06-25 17:32:03,465 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:32:03,777 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:32:04,049 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:32:04,701 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:32:04,729 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:34:53,302 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.6s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:34:53,925 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:34:53,938 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.0s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:34:53,974 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:34:53,978 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.2s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:34:54,225 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:34:54,229 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:34:55,179 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:34:55,206 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.2s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:34:55,455 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:34:55,458 - backoff - ERROR - Backing off
__forward_ws__(...) for 4.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:35:00,240 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:35:00,248 - backoff - ERROR - Backing off
__forward_ws__(...) for 7.2s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:35:07,451 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:35:07,453 - backoff - ERROR - Backing off
__forward_ws__(...) for 8.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:35:16,146 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:35:16,149 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-25 17:35:16,153 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 17:38:53,943 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:38:54,440 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:38:54,656 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:38:55,388 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:38:56,508 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:42:38,278 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:42:38,938 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 17:42:38,955 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 17:42:39,062 - octoprint.plugins.anywhere - WARNING - Not
```

connected to server ws or connection lost  
2018-06-25 17:42:39,070 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:42:39,776 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:42:39,780 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:42:39,861 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:42:39,863 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:42:40,596 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:42:40,602 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:42:41,349 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:42:41,357 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:42:43,009 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:42:43,014 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 12.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:42:55,718 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:42:55,724 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 17:42:55,732 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 17:46:06,824 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:46:07,451 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:46:08,322 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:47:00,238 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 17:53:21,611 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:53:21,721 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:53:21,726 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:53:22,208 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:53:22,211 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:53:22,892 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:53:22,895 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:53:23,468 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:53:23,472 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 17:53:26,189 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 17:53:26,191 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.8s (WebSocketConnectionClosedException:  
Connection is already closed.)

2018-06-25 17:53:32,030 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:53:31,036 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:53:36,008 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:53:36,011 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 8.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:53:44,327 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:53:44,341 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:53:44,352 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 17:54:36,787 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:54:37,370 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:54:37,777 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:54:38,229 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:54:40,243 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:54:43,295 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:55:42,867 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:55:42,889 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:55:42,893 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:55:43,020 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:55:43,023 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:55:43,044 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:55:43,053 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:55:44,214 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:55:44,217 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:55:45,945 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:55:45,972 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:55:47,142 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:55:47,145 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:55:52,506 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:55:52,508 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:56:03,705 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:56:03,709 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 17:56:03,714 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 17:58:22,755 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:58:22,546 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:58:23,336 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:58:24,583 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:58:25,234 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:58:25,599 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:58:27,489 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:58:38,597 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 17:58:38,600 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 17:58:38,606 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 18:01:52,235 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:01:53,099 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:01:53,721 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:01:54,249 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:01:56,326 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:01:57,344 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:02:00,242 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 18:02:03,469 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:02:04,418 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:02:04,425 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-25 18:02:04,450 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 18:05:25,300 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:05:25,821 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:05:26,621 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:05:28,026 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:05:30,280 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:05:32,507 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:06:33,712 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:06:34,520 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:06:34,523 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:06:34,792 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:06:34,795 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:06:34,907 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:06:34,911 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:06:36,459 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:06:36,465 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:06:36,823 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:06:36,826 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.9s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-25 18:06:40,747 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:06:40,750 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:06:42,142 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:06:42,145 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 8.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:06:50,642 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:06:50,646 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:06:50,648 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 18:08:38,843 - backoff - ERROR - Backing off stream\_up(...) for 12.1s (ConnectionError: timed out)  
2018-06-25 18:08:56,631 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:08:57,208 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:08:57,307 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:08:57,694 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:08:58,004 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:08:58,748 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:17:00,244 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 18:26:06,323 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:26:06,998 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:26:07,002 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:26:07,865 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:26:07,868 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:26:08,489 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:26:08,492 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:26:08,726 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:26:08,741 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:26:11,261 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:26:11,263 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:26:14,727 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:26:14,738 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:26:20,318 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:26:20,321 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:26:32,243 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:26:32,251 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:26:32,257 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 18:29:31,766 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 18:29:32,721 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:29:33,426 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:29:33,880 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:32:00,250 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 18:40:23,808 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:40:24,478 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:40:24,483 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:40:25,166 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:40:25,169 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:40:25,502 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:40:25,508 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:40:26,612 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:40:26,615 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:40:29,378 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:40:29,381 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:40:33,332 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:40:33,334 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:40:36,939 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:40:36,941 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:40:38,182 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:40:38,187 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 18:40:38,192 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-25 18:43:37,006 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:43:37,814 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:43:38,260 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:43:38,455 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:43:38,520 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:43:40,466 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 18:47:00,255 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-25 18:48:36,782 - octoprint.util.connectivity\_checker - INFO - Connectivity changed from online to offline  
2018-06-25 19:01:59,455 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 19:01:59,479 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-25 19:01:59,483 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-25 19:02:00,247 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 19:02:00,249 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:02:00,258 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 19:02:00,700 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:02:00,704 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:02:02,270 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:02:02,274 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:02:04,771 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:02:04,787 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:02:09,340 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:02:09,342 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:02:09,648 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:02:09,650 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:02:12,234 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:02:12,237 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 19:02:12,240 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 19:04:23,641 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:04:24,082 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:04:24,417 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:04:24,808 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:04:26,095 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:07:31,949 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:07:32,822 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:07:32,825 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:07:33,323 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:07:33,327 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:07:33,923 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:07:33,926 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:07:34,957 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:07:34,960 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:07:36,103 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:07:36,107 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:07:38,987 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:07:38,992 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:07:41,771 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 19:07:41,782 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:07:46,835 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:07:46,839 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 19:07:46,842 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 19:10:20,811 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:10:21,210 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:10:21,283 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:10:21,587 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:10:23,578 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:10:26,005 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:10:26,618 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:10:38,098 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:10:38,103 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 19:10:38,106 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 19:11:59,228 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:12:00,124 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:12:00,389 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:12:00,787 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:12:03,781 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:12:07,724 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:12:08,079 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:12:08,524 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:12:08,533 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 19:12:08,537 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 19:13:21,934 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:13:22,793 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:13:23,443 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:13:24,621 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:13:26,504 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:13:29,796 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:13:33,671 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:17:00,261 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 19:18:41,704 - octoprint.util.connectivity\_checker - INFO -  
Connectivity changed from offline to online  
2018-06-25 19:18:41,835 - octoprint.plugins.pluginmanager - INFO - Loaded  
plugin repository data from disk, was still valid  
2018-06-25 19:18:42,340 - octoprint.plugins.pluginmanager - INFO - Loaded  
notice data from disk, was still valid  
2018-06-25 19:19:09,674 - octoprint.plugins.announcements - INFO - Loaded  
channel\_important from https://octoprint.org/feeds/important.xml in  
2.6e+01s  
2018-06-25 19:19:14,509 - octoprint.plugins.announcements - INFO - Loaded  
channel\_releases from https://octoprint.org/feeds/releases.xml in 2.9s  
2018-06-25 19:19:27,002 - octoprint.plugins.announcements - INFO - Loaded  
channel\_plugins from https://plugins.octoprint.org/feed.xml in 1.1e+01s  
2018-06-25 19:19:32,175 - octoprint.plugins.announcements - INFO - Loaded

```
channel octoprint. plugins.anywhere in 4.1s
2018-06-25 19:23:17,138 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.5s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-25 19:23:17,689 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:23:17,692 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.0s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-25 19:23:18,682 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:23:18,696 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.1s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-25 19:23:18,758 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:23:18,760 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.4s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-25 19:23:19,189 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:23:19,194 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.0s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-25 19:23:21,241 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:23:21,245 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.9s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-25 19:23:24,145 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:23:24,148 - backoff - ERROR - Backing off
__forward_ws__(...) for 5.2s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-25 19:23:29,386 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:23:29,389 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.0s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-25 19:23:31,363 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:23:31,376 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: socket is already
closed.)
2018-06-25 19:23:31,388 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 19:25:31,006 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:25:31,060 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:25:32,009 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:25:32,798 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:25:34,820 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:25:36,302 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:25:37,423 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:29:37,040 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 19:29:37,749 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:29:37,752 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 19:29:37,893 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:29:37,896 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 19:29:38,681 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 19:29:38,690 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.2s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-25 19:29:39,874 - octoprint.plugins.anywhere - WARNING - Not
```

connected to server ws or connection lost  
2018-06-25 19:29:39,877 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:29:40,672 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:29:40,675 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:29:43,160 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:29:43,179 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:29:43,244 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:29:43,248 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 19:29:50,788 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:29:50,791 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 19:29:50,794 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 19:31:11,290 - backoff - ERROR - Backing off stream\_up(...)  
for 30.8s (ConnectionError: timed out)  
2018-06-25 19:31:16,492 - octoprint.util.comm - INFO - Finished in  
50005.321 s.  
2018-06-25 19:31:16,565 - octoprint.util.comm - INFO - Changing  
monitoring state from "Printing" to "Operational"  
2018-06-25 19:31:16,578 - octoprint.filemanager.analysis - INFO -  
Starting analysis of local:k-q-b-r\_x2 with hole.gcode  
2018-06-25 19:31:16,631 - octoprint.filemanager.analysis - INFO -  
Invoking analysis command: /home/pi/oprint/bin/python -m octoprint  
analysis gcode --speed-x=6000 --speed-y=6000 --max-t=10 --throttle=0.01 -  
-throttle-lines=100 /home/pi/.octoprint/uploads/k-q-b-r\_x2\_with\_hole.gcode  
2018-06-25 19:31:17,807 - octoprint.plugins.pushover - INFO - Event  
triggered: PrintDone  
2018-06-25 19:31:58,741 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:31:59,083 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:31:59,129 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 19:32:00,269 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 19:47:00,274 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 20:01:25,659 - tornado.access - WARNING - 403 POST  
/api/plugin/anywhere (127.0.0.1) 268.10ms  
2018-06-25 20:01:26,221 - octoprint.server.util.sockjs - INFO - New  
connection from client: 82.102.30.61  
2018-06-25 20:01:54,115 - tornado.access - WARNING - 403 POST  
/api/plugin/youtubelive (127.0.0.1) 307.42ms  
2018-06-25 20:02:00,290 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 20:02:51,622 - octoprint.server.util.sockjs - INFO - Client  
connection closed: 82.102.30.61  
2018-06-25 20:17:00,295 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-25 20:18:36,020 - octoprint.plugins.dropbox\_timelapse - INFO -  
Uploading k-q-b-r\_x2\_with\_hole\_20180625053751.mpg to Dropbox...  
2018-06-25 20:19:13,384 - backoff - ERROR - Backing off stream\_up(...)  
for 55.7s (ConnectionError: timed out)  
2018-06-25 20:20:02,817 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 20:20:03,581 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:20:03,584 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 20:20:03,995 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:20:04,004 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 20:20:04,045 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-25 20:20:04,048 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 20:20:04,780 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:20:04,783 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 20:20:06,097 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:20:06,099 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 20:20:07,003 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:20:07,006 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 20:20:10,078 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:20:10,081 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-25 20:20:21,391 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:20:21,395 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-25 20:20:21,414 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 20:20:27,396 - backoff - ERROR - Backing off stream\_up(...)  
for 14.8s (ConnectTimeoutError: (<urllib3.connection.HTTPConnection  
object at 0xad1e0170>, 'Connection to stream.getanywhere.io timed out.  
(connect timeout=<object object at 0xb6c944c0>'))  
2018-06-25 20:20:57,313 - backoff - ERROR - Backing off stream\_up(...)  
for 20.3s (ConnectTimeoutError: (<urllib3.connection.HTTPConnection  
object at 0xad1ae90>, 'Connection to stream.getanywhere.io timed out.  
(connect timeout=<object object at 0xb6c944c0>'))  
2018-06-25 20:21:35,294 - backoff - ERROR - Backing off stream\_up(...)  
for 29.9s (NewConnectionError: (<urllib3.connection.HTTPConnection object  
at 0xabd382f0>: Failed to establish a new connection: [Errno -2] Name or  
service not known)  
2018-06-25 20:22:25,351 - backoff - ERROR - Backing off stream\_up(...)  
for 19.0s (NewConnectionError: (<urllib3.connection.HTTPConnection object  
at 0xa75c23f0>: Failed to establish a new connection: [Errno -2] Name or  
service not known)  
2018-06-25 20:22:30,623 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:22:31,433 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:22:32,156 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:22:33,606 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:22:34,915 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:22:39,120 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:22:43,956 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:22:55,851 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-25 20:22:55,854 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-25 20:22:55,868 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-25 20:23:04,520 - backoff - ERROR - Backing off stream\_up(...)  
for 27.3s (NewConnectionError: (<urllib3.connection.HTTPConnection object  
at 0xabd38d50>: Failed to establish a new connection: [Errno -2] Name or  
service not known)  
2018-06-25 20:23:51,965 - backoff - ERROR - Backing off stream\_up(...)  
for 44.9s (NewConnectionError: (<urllib3.connection.HTTPConnection object  
at 0xa77d0d50>: Failed to establish a new connection: [Errno -2] Name or  
service not known)  
2018-06-25 20:24:52,080 - backoff - ERROR - Backing off stream\_up(...)  
for 15.8s (ConnectTimeoutError: (<urllib3.connection.HTTPConnection  
object at 0xa75e3b90>, 'Connection to stream.getanywhere.io timed out.  
(connect timeout=<object object at 0xb6c944c0>'))  
2018-06-25 20:25:23,062 - backoff - ERROR - Backing off stream\_up(...)  
for 4.7s (NewConnectionError: (<urllib3.connection.HTTPConnection object

at 0xa75c9890>: Failed to establish a new connection: [Errno -2] Name or service not known)

2018-06-25 20:25:42,894 - backoff - ERROR - Backing off stream\_up(...) for 19.8s (NewConnectionError: <urllib3.connection.HTTPConnection object at 0xa75e3b90>: Failed to establish a new connection: [Errno -2] Name or service not known)

2018-06-25 20:26:15,233 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:26:15,563 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:26:16,151 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:26:17,048 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:26:17,808 - backoff - ERROR - Backing off stream\_up(...) for 16.5s (ConnectTimeoutError: (<urllib3.connection.HTTPConnection object at 0xa75c9d90>, 'Connection to stream.getanywhere.io timed out. (connect timeout=<object object at 0xb6c944c0>)''))

2018-06-25 20:26:20,008 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:26:21,774 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:26:26,757 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:26:31,657 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:26:31,661 - backoff - ERROR - Giving up forward\_ws(...) after 8 tries (None)

2018-06-25 20:26:31,671 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-25 20:26:51,454 - backoff - ERROR - Backing off stream\_up(...) for 13.9s (NewConnectionError: <urllib3.connection.HTTPConnection object at 0xabd29e90>: Failed to establish a new connection: [Errno -2] Name or service not known)

2018-06-25 20:27:20,513 - backoff - ERROR - Backing off stream\_up(...) for 56.4s (NewConnectionError: <urllib3.connection.HTTPConnection object at 0xabd38990>: Failed to establish a new connection: [Errno -2] Name or service not known)

2018-06-25 20:28:05,107 - octoprint.plugins.dropbox\_timelapse - INFO - Uploaded k-q-b-r\_x2\_with\_hole 20180625053751.mpg to Dropbox!

2018-06-25 20:28:22,807 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:28:22,962 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:28:23,300 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:28:23,392 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 20:32:00,301 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 20:36:21,396 - octoprint.filemanager.analysis - INFO - Analysis of entry local:k-q-b-r\_x2\_with\_hole.gcode finished, needed 3904.82s

2018-06-25 20:47:00,305 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 21:02:00,316 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 21:17:00,320 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 21:32:00,325 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 21:47:00,329 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 22:02:00,333 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 22:17:00,337 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 22:32:00,342 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 22:47:00,345 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-25 22:54:33,973 - backoff - ERROR - Backing off forward\_ws(...) for 0.7s (error: [Errno 14] Bad address)

2018-06-25 22:54:34,677 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 22:54:34,681 - backoff - ERROR - Backing off forward\_ws(...) for 0.4s (error: [Errno 14] Bad address)

2018-06-25 22:54:35,067 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-25 22:54:35,070 - backoff - ERROR - Backing off forward\_ws(...) for 0.3s (error: [Errno 14] Bad address)

```
2018-06-25 22:54:35,355 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:54:35,357 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.7s (error: [Errno 14] Bad address)
2018-06-25 22:54:37,091 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:54:37,094 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.6s (error: [Errno 14] Bad address)
2018-06-25 22:54:37,676 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:54:37,680 - backoff - ERROR - Backing off
__forward_ws__(...) for 3.1s (error: [Errno 14] Bad address)
2018-06-25 22:54:40,786 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:54:40,790 - backoff - ERROR - Backing off
__forward_ws__(...) for 5.8s (error: [Errno 14] Bad address)
2018-06-25 22:54:46,641 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:54:46,651 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.0s (error: [Errno 14] Bad address)
2018-06-25 22:54:48,608 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:54:48,612 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (error: [Errno 14] Bad address)
2018-06-25 22:54:48,655 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-25 22:55:02,487 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:55:02,829 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:55:03,390 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:55:04,412 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 22:55:04,422 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-25 23:02:00,350 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 23:17:00,354 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 23:32:00,359 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-25 23:47:00,364 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 00:02:00,370 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 00:17:00,374 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 00:32:00,379 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 00:47:00,388 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 01:02:00,392 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 01:17:00,396 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 01:32:00,399 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 01:47:00,404 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 01:50:24,847 - octoprint.util.comm - ERROR - Unexpected error
while reading from serial port
Traceback (most recent call last):
  File "/home/pi/oprint/local/lib/python2.7/site-
packages/octoprint/util/comm.py", line 2417, in _readline
    ret = self._serial.readline()
  File "/home/pi/oprint/local/lib/python2.7/site-
packages/octoprint/util/comm.py", line 4334, in readline
    c = self.read(1)
  File "build/bdist.linux-armv7l/egg/serial/serialposix.py", line 475, in
read
    raise SerialException('device reports readiness to read but returned
no data (device disconnected or multiple access on port?)')
SerialException: device reports readiness to read but returned no data
(device disconnected or multiple access on port?)
2018-06-26 01:50:24,979 - octoprint.util.comm - ERROR - Please see
https://faq.octoprint.org/serialerror for possible reasons of this.
2018-06-26 01:50:25,018 - octoprint.util.comm - INFO - Changing
monitoring state from "Operational" to "Offline (Error: SerialException:
```

```
(device reports redness to read but returned no data (device
disconnected or multiple access on port?))' @ comm.py: readline:2417)"
2018-06-26 01:51:55,134 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.104
2018-06-26 01:52:30,873 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.104
2018-06-26 02:02:00,409 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 01:17:29,691 - octoprint.startup - INFO -
*****
*****
2018-06-26 01:17:29,698 - octoprint.startup - INFO - Starting OctoPrint
1.3.8
2018-06-26 01:17:29,701 - octoprint.startup - INFO -
*****
*****
2018-06-26 01:17:29,897 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from offline to online
2018-06-26 01:17:31,965 - octoprint.startup - INFO - Blacklist processing
done
2018-06-26 01:17:32,258 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-26 02:05:51,024 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-26 02:05:51,464 - octoprint.server.heartbeat - INFO - Starting
server heartbeat, 900.0s interval
2018-06-26 02:05:51,625 - octoprint.server - INFO - Intermediary server
started
2018-06-26 02:05:51,628 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-26 02:05:53,208 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-26 02:05:53,384 - octoprint.filemanager.storage - INFO -
Initializing the file metadata for /home/pi/.octoprint/uploads...
2018-06-26 02:06:01,788 - octoprint.filemanager.storage - INFO - ... file
metadata for /home/pi/.octoprint/uploads initialized successfully.
2018-06-26 02:06:02,356 - octoprint.plugins.softwareupdate - INFO -
Loaded version cache from disk
2018-06-26 02:06:14,324 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-26 02:06:25,419 - octoprint.util.pip - INFO - Version of pip is
9.0.1
2018-06-26 02:06:25,424 - octoprint.util.pip - INFO - pip installs to
/home/pi/oprint/lib/python2.7/site-packages (writable -> yes), --user
flag needed -> no, virtual env -> yes
2018-06-26 02:06:25,426 - octoprint.util.pip - INFO - ==> pip ok -> yes
2018-06-26 02:06:25,442 - octoprint.plugin.core - INFO - Initialized 17
plugin implementation(s)
2018-06-26 02:06:25,512 - octoprint.plugin.core - INFO - 17 plugin(s)
registered with the system:
| Announcement Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/announcements
| Core Wizard (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/corewizard
| CuraEngine (<= 15.04) (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/cura
| Discovery (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/discovery
| Dropbox Timelapse Plugin (0.1.2) =
/home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_dropbox_timelapse
| Enclosure Plugin (4.11) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_enclosure
| Fullscreen Plugin (0.0.4) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_fullscreen
| Logging (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/logging
| OctoPi Support Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/octopi_support
| OctoPrint Anywhere (0.6.3) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_anywhere
| Plugin Manager (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/pluginmanager
| Print History Plugin (1.2) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_printhistory
| Printer Safety Check (bundled) = /home/pi/oprint/lib/python2.7/site-
```

```
packages/octoprint/plugins/printer_safety_check
| Pushover (0.2.1) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_pushover
| Software Update (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate
| Virtual Printer (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/virtual_printer
| YouTube Live (0.4.0) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_youtubelive
2018-06-26 02:06:25,583 - octoprint.environment - INFO - Detected
environment is Python 2.7.9 under Linux (linux2). Details:
  hardware:
    cores: 1
    freq: 1000.0
    ram: 388681728
  os:
    id: linux
    platform: linux2
  plugins:
    octopi_support:
      model: Zero W
      revision: 9000c1
      version: 0.14.0
  python:
    pip: 9.0.1
    version: 2.7.9
    virtualenv: /home/pi/oprint
2018-06-26 02:06:25,629 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/webassets...
2018-06-26 02:06:25,760 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/.webassets-cache...
2018-06-26 02:06:26,786 - octoprint.server - INFO - Shutting down
intermediary server...
2018-06-26 02:06:26,902 - octoprint.server - INFO - Intermediary server
shut down
2018-06-26 02:06:26,908 - octoprint.events - INFO - Processing startup
event, this is our first event
2018-06-26 02:06:26,926 - octoprint.events - INFO - Adding 1 events to
queue that were held back before startup event
2018-06-26 02:06:27,071 - octoprint.filemanager - INFO - Adding backlog
items from all storage types to analysis queue...
2018-06-26 02:06:28,317 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for _http_tcp
2018-06-26 02:06:28,433 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for _octoprint_tcp
2018-06-26 02:06:28,466 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for SSDP
2018-06-26 02:06:28,480 - octoprint.server - INFO - Listening on
http://127.0.0.1:5000
2018-06-26 02:06:28,765 - octoprint.filemanager - INFO - Added 0 items
from storage type "local" to analysis queue
2018-06-26 02:06:28,858 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 02:06:28,930 - octoprint.plugins.enclosure - INFO - Setting
GPIO mode to BCM
2018-06-26 02:06:29,146 - octoprint.server.util.sockjs - INFO - New
connection from client: 127.0.0.1
2018-06-26 02:06:29,184 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 02:06:29,183 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin repository data from https://plugins.octoprint.org/plugins.json
2018-06-26 02:06:29,233 - octoprint.plugins.pushover - INFO - No user key
provided
2018-06-26 02:06:29,467 - octoprint.plugins.youtubelive - INFO -
OctoPrint-YouTubeLive loaded! Checking stream status.
2018-06-26 02:06:29,462 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 02:06:29,642 - octoprint.plugins.announcements - INFO - Loaded
channel _important from https://octoprint.org/feeds/important.xml in 2.4s
2018-06-26 02:06:29,834 - octoprint.plugins.youtubelive - ERROR -
('Connection aborted.', error(2, 'No such file or directory'))
2018-06-26 02:06:30,505 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 02:06:30,532 - octoprint.server.preemptive_cache - INFO -
Preemptively caching / (ui_default) for {'query_string': 'l10n=en',
'path': '/', 'base_url': 'http://192.168.0.119/'}
2018-06-26 02:06:30,776 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
```

2018-06-26 02:06:33,552 - octoprint.plugins.announcements - INFO - Loaded channel \_important from https://octoprint.org/feeds/important.xml in 2.8s  
2018-06-26 02:06:32,788 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from https://plugins.octoprint.org/plugins.json  
2018-06-26 02:06:35,712 - octoprint.plugins.pluginmanager - INFO - Loaded plugin notices data from https://plugins.octoprint.org/notices.json  
2018-06-26 02:06:38,238 - octoprint.plugins.pluginmanager - INFO - Loaded plugin notices data from https://plugins.octoprint.org/notices.json  
2018-06-26 02:06:38,579 - octoprint.plugins.announcements - INFO - Loaded channel \_releases from https://octoprint.org/feeds/releases.xml in 3.1s  
2018-06-26 02:06:39,286 - octoprint.plugins.announcements - INFO - Loaded channel \_releases from https://octoprint.org/feeds/releases.xml in 3.2s  
2018-06-26 02:06:41,475 - octoprint.plugins.announcements - INFO - Loaded channel \_blog from https://octoprint.org/feeds/octoblog.xml in 1.9s  
2018-06-26 02:06:42,017 - octoprint.plugins.announcements - INFO - Loaded channel \_blog from https://octoprint.org/feeds/octoblog.xml in 1.6s  
2018-06-26 02:06:44,161 - octoprint.plugins.announcements - INFO - Loaded channel \_plugins from https://plugins.octoprint.org/feed.xml in 1.6s  
2018-06-26 02:06:45,703 - octoprint.plugins.announcements - INFO - Loaded channel \_plugins from https://plugins.octoprint.org/feed.xml in 2.6s  
2018-06-26 02:06:47,209 - octoprint.plugins.announcements - INFO - Loaded channel \_octopi from https://octoprint.org/feeds/octopi.xml in 1.7s  
2018-06-26 02:06:48,733 - octoprint.plugins.announcements - INFO - Loaded channel \_octopi from https://octoprint.org/feeds/octopi.xml in 1.7s  
2018-06-26 02:07:38,344 - octoprint.server.preemptive\_cache - INFO - ... done in 67.81s  
2018-06-26 02:20:51,474 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 02:35:51,479 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 02:50:09,129 - backoff - ERROR - Backing off stream\_up(...) for 0.8s (ConnectionError: timed out)  
2018-06-26 02:50:51,483 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 03:05:51,487 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 03:20:51,491 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 03:35:51,495 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 03:50:51,506 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 04:05:51,511 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 04:20:51,515 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 04:22:04,425 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 04:22:10,975 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 04:22:20,441 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 04:22:20,444 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 04:22:20,447 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 04:22:20,644 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 04:22:21,154 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 04:35:51,520 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 04:50:51,525 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 05:05:51,530 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 05:11:31,229 - backoff - ERROR - Backing off stream\_up(...) for 0.2s (ConnectionError: timed out)  
2018-06-26 05:20:51,535 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 05:35:51,539 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 05:50:51,543 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 06:05:51,554 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 06:20:51,559 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 06:35:51,563 - octoprint.server.heartbeat - INFO - Server

```
heartbeat <3
2018-06-26 06:50:51,567 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 07:05:51,572 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 07:07:37,259 - tornado.access - WARNING - 403 GET
/api/timelapse?unrendered=true (127.0.0.1) 110.18ms
2018-06-26 07:07:37,320 - tornado.access - WARNING - 403 GET /api/slicing
(127.0.0.1) 43.58ms
2018-06-26 07:07:37,687 - tornado.access - WARNING - 403 GET
/api/printerprofiles (127.0.0.1) 53.75ms
2018-06-26 07:07:37,830 - tornado.access - WARNING - 403 GET
/plugin/announcements/channels (127.0.0.1) 54.23ms
2018-06-26 07:07:37,928 - tornado.access - WARNING - 403 GET
/plugin/softwareupdate/check (127.0.0.1) 83.51ms
2018-06-26 07:07:41,269 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.123
2018-06-26 07:07:46,287 - octoprint.plugins.youtubelive - INFO - Checking
stream status.
2018-06-26 07:07:51,842 - octoprint.util.comm - INFO - Changing
monitoring state from "Offline" to "Detecting serial port"
2018-06-26 07:07:51,992 - octoprint.util.comm - INFO - Changing
monitoring state from "Detecting serial port" to "Opening serial port"
2018-06-26 07:07:52,026 - octoprint.util.comm - INFO - Changing
monitoring state from "Opening serial port" to "Detecting baudrate"
2018-06-26 07:07:52,093 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-26 07:08:01,210 - octoprint.util.comm - INFO - Changing
monitoring state from "Detecting baudrate" to "Operational"
2018-06-26 07:08:03,231 - octoprint.util.comm - INFO - Printer seems to
support the busy protocol, telling it to set the busy interval to our
"communicationBusy" timeout - 1s = 2s
2018-06-26 07:08:08,495 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-26 07:08:08,578 - octoprint.util.comm - INFO - Printer reports
firmware name "Marlin V1.0.2; Sprinter/grbl mashup for gen6"
2018-06-26 07:10:11,394 - octoprint.filemanager.analysis - INFO -
Starting analysis of local:set_of_8_pawns_with_hole.gcode
2018-06-26 07:10:11,433 - octoprint.filemanager.analysis - INFO -
Invoking analysis command: /home/pi/oprint/bin/python -m octoprint
analysis gcode --speed-x=6000 --speed-y=6000 --max-t=10 --throttle=0.0 --
throttle-lines=100
/home/pi/.octoprint/uploads/set_of_8_pawns_with_hole.gcode
2018-06-26 07:10:29,825 - octoprint.util.comm - INFO - Changing
monitoring state from "Operational" to "Printing"
2018-06-26 07:10:29,964 - octoprint.util.comm - INFO - M110 detected,
setting current line number to 0
2018-06-26 07:10:30,033 - octoprint.plugins.pushover - INFO - Event
triggered: PrintStarted
2018-06-26 07:11:29,466 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 07:11:30,415 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:11:30,425 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 07:11:31,380 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:11:31,383 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.0s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 07:11:31,392 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:11:31,395 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 07:11:33,080 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:11:33,094 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 07:11:33,890 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:11:33,894 - backoff - ERROR - Backing off
__forward_ws__(...) for 4.5s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 07:11:38,396 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:11:38,413 - backoff - ERROR - Backing off
__forward_ws__(...) for 5.4s (WebSocketConnectionClosedException:
Connection is already closed.)
```

2018-06-26 07:11:43,791 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:11:43,794 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 10.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:11:54,340 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:11:54,345 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:11:54,366 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 07:11:54,459 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:11:55,076 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:11:55,626 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:11:56,147 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:13:48,012 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:13:48,504 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:13:48,508 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:13:49,044 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:13:49,052 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:13:50,003 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:13:50,013 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:13:51,991 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:13:51,995 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:13:53,545 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:13:53,548 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:13:57,115 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:13:57,119 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:14:00,626 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:14:00,630 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:14:12,221 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:14:12,224 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:14:12,226 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 07:14:12,726 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:14:13,511 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:14:13,588 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:14:14,298 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:14:15,038 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:15:46,136 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.123  
2018-06-26 07:17:21,117 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (error: [Errno 104] Connection reset by

peer)  
2018-06-26 07:17:21,630 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:21,637 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (error: [Errno 104] Connection reset by peer)  
2018-06-26 07:17:21,699 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:21,719 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (error: [Errno 104] Connection reset by peer)  
2018-06-26 07:17:22,044 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:22,046 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (error: [Errno 104] Connection reset by peer)  
2018-06-26 07:17:23,686 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:23,689 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.3s (error: [Errno 104] Connection reset by peer)  
2018-06-26 07:17:25,963 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:25,965 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (error: [Errno 104] Connection reset by peer)  
2018-06-26 07:17:27,806 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:27,815 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.5s (error: [Errno 104] Connection reset by peer)  
2018-06-26 07:17:29,291 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:29,296 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.0s (error: [Errno 104] Connection reset by peer)  
2018-06-26 07:17:36,332 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:36,335 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (error: [Errno 104] Connection reset by peer)  
2018-06-26 07:17:36,357 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 07:17:41,832 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:42,052 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:42,570 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:43,351 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:43,482 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:46,587 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:17:54,369 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:18:05,012 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:18:05,015 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 07:18:05,017 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 07:18:17,525 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:18:18,079 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:18:18,756 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:18:19,914 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:18:22,075 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:18:22,148 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:20:51,576 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 07:21:34,285 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123  
2018-06-26 07:21:56,711 - backoff - ERROR - Backing off

```
__forward_ws__(...) for 0.2s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-26 07:21:56,965 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:21:56,968 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.6s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-26 07:21:57,550 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:21:57,556 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.5s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-26 07:21:58,029 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:21:58,032 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.9s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-26 07:21:58,916 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:21:58,922 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.8s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-26 07:22:01,715 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:01,719 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.3s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-26 07:22:03,002 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:03,010 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.6s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-26 07:22:05,615 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:05,618 - backoff - ERROR - Backing off
__forward_ws__(...) for 9.4s (WebSocketConnectionClosedException: socket
is already closed.)
2018-06-26 07:22:15,011 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:15,013 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: socket is already
closed.)
2018-06-26 07:22:15,017 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-26 07:22:24,219 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:24,258 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:24,435 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:24,525 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:24,753 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:24,781 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:22:53,186 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.123
2018-06-26 07:22:58,096 - octoprint.server.util.sockjs - INFO - New
connection from client: 192.168.0.123
2018-06-26 07:23:04,782 - octoprint.plugins.youtubelive - INFO - Checking
stream status.
2018-06-26 07:35:51,579 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 07:39:04,347 - octoprint.server.util.sockjs - INFO - Client
connection closed: 192.168.0.123
2018-06-26 07:42:07,073 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 07:42:07,812 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:42:07,815 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 07:42:08,702 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 07:42:08,711 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (WebSocketConnectionClosedException:
Connection is already closed.)
```

2018-06-26 07:42:09,399 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:42:09,402 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:42:10,043 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:42:10,047 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:42:11,390 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:42:11,393 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:42:13,546 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:42:13,549 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:42:18,257 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:42:18,268 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:42:19,003 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:42:19,006 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:42:19,009 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 07:43:13,371 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:43:13,712 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:43:13,810 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:43:15,332 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:43:15,367 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:43:16,992 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:48:35,179 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:48:35,805 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:48:35,808 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:48:36,014 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:48:36,018 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:48:36,939 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:48:36,942 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:48:38,342 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:48:38,346 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:48:39,241 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:48:39,247 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:48:43,410 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:48:43,413 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:48:45,061 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 07:48:45,065 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 07:48:56,092 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:48:56,099 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-26 07:48:56,103 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 07:49:17,381 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:49:18,359 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:49:18,731 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:49:19,385 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:49:21,753 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:49:24,864 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:49:30,362 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:49:33,763 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:49:33,775 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-26 07:49:33,807 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 07:50:46,397 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:50:47,200 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:50:47,222 - octoprint.util.connectivity\_checker - INFO -  
Connectivity changed from online to offline  
2018-06-26 07:50:47,221 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:50:48,619 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:50:48,711 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:50:51,583 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 07:56:12,530 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 07:56:12,587 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:56:12,589 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 07:56:13,032 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:56:13,036 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 07:56:13,106 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:56:13,113 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 07:56:14,145 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:56:14,148 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 07:56:15,237 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:56:15,241 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 07:56:17,701 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 07:56:17,711 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.5s (WebSocketConnectionClosedException:  
Connection is already closed.)

2018-06-26 07:56:23,195 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:56:23,205 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 12.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:56:35,224 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 07:56:35,227 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 07:56:35,229 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 08:00:05,493 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:00:05,849 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:00:05,990 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:00:07,256 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:00:07,638 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:00:10,697 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:00:16,875 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:00:24,108 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:00:24,111 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 08:00:24,113 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 08:02:00,958 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:02:01,673 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:02:02,282 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:02:03,849 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:02:06,684 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:02:10,915 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:02:17,429 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:02:21,313 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:02:21,324 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 08:02:21,332 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 08:05:01,455 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:01,936 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:02,108 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:03,628 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:04,187 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:04,744 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:07,446 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:38,198 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:05:38,668 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:38,681 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:05:39,480 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:39,484 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 08:05:40,089 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:40,092 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:05:41,963 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:41,977 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:05:43,235 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:43,245 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:05:44,025 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:44,027 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:05:47,357 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:47,361 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:05:49,047 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:05:49,059 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:05:49,065 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 08:05:51,587 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 08:08:43,353 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:08:44,239 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:08:45,197 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:08:47,138 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:11:02,153 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:11:03,110 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:11:03,114 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:11:03,737 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:11:03,752 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:11:04,684 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:11:04,687 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:11:04,856 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:11:04,859 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:11:06,272 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:11:06,276 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:11:08,632 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:11:08,642 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:11:12,138 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:11:12,144 - backoff - ERROR - Backing off

```
__forward_ws__(...) for 7.1s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 08:11:19,246 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:11:19,248 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-26 08:11:19,251 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-26 08:13:02,501 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:13:02,688 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:13:02,875 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:13:04,463 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:13:05,153 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:13:06,725 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:13:06,841 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:13:10,079 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:13:10,082 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-26 08:13:10,087 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-26 08:16:09,805 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:16:10,763 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:16:10,779 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:16:12,336 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:16:13,950 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:16:14,736 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:16:14,804 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:16:18,526 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:16:18,529 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (None)
2018-06-26 08:16:18,532 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-26 08:19:36,744 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:19:37,208 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:19:37,599 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:19:38,451 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:19:40,763 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:20:51,592 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 08:20:51,879 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from offline to online
2018-06-26 08:20:52,001 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin repository data from disk, was still valid
2018-06-26 08:20:55,139 - octoprint.plugins.announcements - INFO - Loaded
channel _important from https://octoprint.org/feeds/important.xml in 3.1s
2018-06-26 08:20:57,806 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin notices data from https://plugins.octoprint.org/notices.json
2018-06-26 08:20:58,789 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 08:20:59,471 - octoprint.plugins.announcements - INFO - Loaded
channel _releases from https://octoprint.org/feeds/releases.xml in 2.8s
2018-06-26 08:20:59,620 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 08:20:59,622 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.0s (WebSocketConnectionClosedException:
Connection is already closed.)
```

2018-06-26 08:20:59,656 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:20:59,665 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:21:00,086 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:21:00,090 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:21:01,783 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:21:01,788 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:21:02,643 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:21:02,656 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:21:02,830 - octoprint.plugins.announcements - INFO - Loaded channel\_blog from https://octoprint.org/feeds/octoblog.xml in 2.7s  
2018-06-26 08:21:04,734 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:21:04,737 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:21:05,248 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:21:05,252 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:21:07,915 - octoprint.plugins.announcements - INFO - Loaded channel\_plugins from https://plugins.octoprint.org/feed.xml in 4.0s  
2018-06-26 08:21:12,912 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:21:12,917 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:21:12,934 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 08:21:16,855 - octoprint.plugins.announcements - INFO - Loaded channel\_octopi from https://octoprint.org/feeds/octopi.xml in 7.3s  
2018-06-26 08:25:06,250 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:25:06,655 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:25:06,903 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:25:07,441 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:25:07,553 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:25:10,634 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:27:17,006 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (error: [Errno 14] Bad address)  
2018-06-26 08:27:17,807 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (error: [Errno 14] Bad address)  
2018-06-26 08:27:18,473 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (error: [Errno 14] Bad address)  
2018-06-26 08:27:18,783 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (error: [Errno 14] Bad address)  
2018-06-26 08:27:19,097 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.5s (error: [Errno 14] Bad address)  
2018-06-26 08:27:22,604 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:27:22,619 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (error: [Errno 14] Bad address)  
2018-06-26 08:27:22,990 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:27:22,993 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (error: [Errno 14] Bad address)  
2018-06-26 08:27:23,192 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-26 08:27:23,195 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (error: [Errno 14] Bad address)  
2018-06-26 08:27:24,257 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:27:24,260 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (error: [Errno 14] Bad address)  
2018-06-26 08:27:25,071 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:27:25,074 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (error: [Errno 14] Bad address)  
2018-06-26 08:27:25,653 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:27:25,656 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.0s (error: [Errno 14] Bad address)  
2018-06-26 08:27:30,708 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:27:30,713 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.0s (error: [Errno 14] Bad address)  
2018-06-26 08:27:41,762 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:27:41,765 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (error: [Errno 14] Bad address)  
2018-06-26 08:27:41,789 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 08:29:23,423 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:29:23,808 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:29:24,087 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:29:25,608 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:29:28,302 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:35:51,602 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 08:42:05,496 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 08:42:05,550 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:42:05,554 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 08:42:05,639 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:42:05,642 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 08:42:06,168 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:42:06,171 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 08:42:07,123 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:42:07,126 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 08:42:07,747 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:42:07,758 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 08:42:12,654 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:42:12,662 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 08:42:14,559 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 08:42:14,572 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 12.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 08:42:27,522 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-26 08:42:27,525 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:42:27,527 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 08:43:11,522 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:43:11,561 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:43:12,411 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:43:13,462 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:43:16,182 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:43:18,292 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:43:18,305 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:47:49,320 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:47:50,019 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:47:50,022 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:47:50,638 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:47:50,642 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:47:51,125 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:47:51,128 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:47:52,419 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:47:52,422 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:47:52,951 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:47:52,955 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:47:53,345 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:47:53,354 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 4.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:47:58,116 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:47:58,120 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 10.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:48:08,173 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:48:08,178 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:48:08,182 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 08:48:08,977 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:48:09,422 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:48:09,877 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:48:11,029 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:06,078 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 08:50:06,380 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:06,383 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:50:07,321 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:07,325 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:50:07,420 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:07,423 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:50:07,597 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:07,601 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:50:09,586 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:09,589 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:50:12,895 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:12,898 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:50:14,134 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:14,138 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:50:17,865 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:17,868 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 08:50:17,871 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 08:50:24,643 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:25,617 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:26,246 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:27,137 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:29,652 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:29,983 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 08:50:51,605 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 09:01:35,725 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:01:36,728 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:01:36,732 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:01:37,380 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:01:37,383 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:01:38,112 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:01:38,115 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:01:39,347 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-26 09:01:39,360 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.0s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:01:42,333 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:01:42,336 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:01:44,588 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:01:44,602 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:01:48,204 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:01:48,207 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:01:51,291 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:01:51,300 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-26 09:01:51,309 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 09:05:43,762 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:05:44,257 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:05:44,369 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:05:45,502 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:05:47,391 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:05:50,417 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:05:51,609 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 09:05:56,896 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:05:59,123 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:05:59,141 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-26 09:05:59,154 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 09:07:40,536 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:07:41,117 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:07:42,074 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:07:42,296 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:07:44,168 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:07:48,481 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:07:49,923 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:11:38,742 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:11:39,601 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:11:39,607 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:11:40,468 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:11:40,474 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException:  
Connection is already closed.)

2018-06-26 09:11:40,785 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:11:40,791 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:11:42,478 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:11:42,481 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:11:42,977 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:11:42,981 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:11:45,004 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:11:45,008 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:11:52,102 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:11:52,108 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:11:59,545 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:11:59,548 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:11:59,551 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 09:13:35,394 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:13:35,428 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:13:35,672 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:13:37,026 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:13:37,174 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:14:41,781 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-26 09:14:41,872 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:14:41,875 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-26 09:14:42,617 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:14:42,621 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-26 09:14:42,943 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:14:42,946 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-26 09:14:43,472 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:14:43,475 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-26 09:14:45,455 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:14:45,459 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-26 09:14:46,208 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:14:46,211 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.7s (WebSocketConnectionClosedException: socket is already closed.)

2018-06-26 09:14:49,924 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:14:49,943 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.8s (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-26 09:14:59,766 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:14:59,773 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: socket is already closed.)  
2018-06-26 09:14:59,777 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 09:15:10,943 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:15:11,438 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:15:11,686 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:15:11,829 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:15:13,393 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:15:13,967 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:15:17,208 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:15:18,141 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:15:18,144 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 09:15:18,147 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 09:19:01,767 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:19:02,670 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:19:03,340 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:19:04,267 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:19:05,201 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:20:51,613 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 09:26:17,872 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:26:18,465 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:26:18,479 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:26:19,445 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:26:19,448 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:26:19,813 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:26:19,816 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:26:20,148 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:26:20,151 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:26:20,749 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:26:20,751 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:26:22,814 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:26:22,817 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.3s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:26:29,104 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:26:29,107 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:26:31,818 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:26:31,823 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:26:31,833 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 09:29:28,624 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:29:28,721 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:29:28,858 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:29:28,875 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:29:31,246 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:29:36,200 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:29:38,432 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:35:51,618 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 09:37:32,535 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:37:32,628 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:37:32,631 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:37:32,943 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:37:32,947 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:37:33,635 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:37:33,648 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:37:34,256 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:37:34,260 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:37:36,831 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:37:36,834 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:37:41,075 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:37:41,091 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:37:42,915 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:37:42,918 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:37:44,958 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:37:44,961 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:37:44,972 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 09:39:52,350 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-26 09:39:53,111 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:39:53,357 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:39:53,561 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:39:55,761 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:39:57,842 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:29,878 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:41:30,572 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:30,580 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:41:30,931 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:30,938 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:41:31,736 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:31,739 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:41:32,298 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:32,301 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:41:32,471 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:32,482 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:41:35,805 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:35,809 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:41:41,115 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:41,118 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 10.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:41:51,823 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:51,825 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:41:51,828 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 09:41:59,052 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:41:59,252 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:42:00,213 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:43:00,730 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:43:01,435 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:43:01,443 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:43:02,302 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-26 09:43:02,311 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:43:02,932 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:43:02,940 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:43:03,605 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:43:03,608 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:43:05,412 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:43:05,416 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:43:06,528 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:43:06,532 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:43:14,176 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:43:14,179 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 09:43:19,597 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:43:19,607 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-26 09:43:19,610 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 09:46:27,749 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:46:27,912 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:46:28,816 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:46:28,873 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:46:30,337 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:46:30,937 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:46:34,207 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:46:35,106 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:46:35,110 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)  
2018-06-26 09:46:35,112 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 09:49:07,379 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:49:08,075 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:49:08,430 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:49:09,111 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:49:09,544 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:49:09,896 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:49:13,414 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:49:17,190 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 09:49:17,192 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (None)

2018-06-26 09:49:17,195 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 09:50:51,621 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 09:51:32,703 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:51:33,357 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:51:34,207 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:51:34,956 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:51:36,414 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:51:37,380 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:52:59,836 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:53:08,932 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:53:08,935 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 09:53:08,941 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 09:54:35,775 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:54:36,251 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:54:36,381 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:54:36,681 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:54:37,917 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:54:40,359 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:56:47,052 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:56:47,194 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:56:47,205 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:56:47,278 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:56:47,281 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:56:48,137 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:56:48,153 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:56:49,586 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:56:49,589 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:56:51,127 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:56:51,130 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:56:52,476 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:56:52,479 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 5.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:56:57,516 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 09:56:57,520 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 10.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 09:57:07,687 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:57:07,691 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:57:07,693 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-26 09:57:38,079 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:57:38,234 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:57:38,621 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:57:39,058 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:57:39,142 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:57:42,642 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:57:46,252 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:58:52,686 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:58:52,832 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:58:52,838 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:58:52,956 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:58:52,964 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:58:53,903 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:58:53,913 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:58:55,673 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:58:55,675 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.6s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:58:57,232 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:58:57,235 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 4.8s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:59:02,085 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:59:02,087 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.7s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:59:05,754 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:59:05,757 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 7.6s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:59:13,325 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 09:59:13,328 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 09:59:13,331 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-26 10:01:51,872 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 10:01:52,168 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 10:01:53,076 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 10:01:54,873 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 10:05:51,625 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-26 10:18:25,852 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 10:18:26,681 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:18:26,686 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:18:27,477 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:18:27,480 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:18:27,676 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:18:27,679 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:18:27,967 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:18:27,970 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:18:28,273 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:18:28,276 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:18:30,339 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:18:30,351 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:18:31,441 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:18:31,448 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 7.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:18:38,575 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:18:38,579 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:18:38,588 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 10:20:51,629 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 10:22:28,748 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:22:29,084 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:22:29,311 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:22:30,166 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:22:30,342 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:22:35,321 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:22:39,091 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:22:48,262 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:22:48,265 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 10:22:48,268 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 10:24:01,278 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:24:01,881 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:24:02,027 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:35:51,633 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 10:37:55,692 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:37:56,013 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:37:56,016 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 10:37:56,450 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:37:56,452 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:37:56,849 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:37:56,853 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:37:57,940 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:37:57,943 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:38:00,367 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:38:00,371 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:38:00,877 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:38:00,880 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:38:05,185 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:38:05,188 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:38:11,556 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:38:11,560 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:38:11,575 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 10:40:35,977 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:40:36,531 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:40:37,173 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:40:38,636 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:49:44,872 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:49:45,458 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:49:45,461 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:49:45,968 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:49:45,972 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:49:46,269 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:49:46,272 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:49:47,554 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:49:47,557 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:49:48,202 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:49:48,218 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:49:52,076 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 10:49:52,079 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 10:49:52,408 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-26 10:49:52,412 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 10.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 10:50:03,183 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:50:03,188 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-26 10:50:03,192 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 10:50:51,642 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 10:52:13,290 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:52:13,930 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:52:14,886 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:52:15,411 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:59:45,915 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 10:59:46,290 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:59:46,298 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 10:59:47,145 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:59:47,148 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 10:59:47,490 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:59:47,493 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 10:59:49,041 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:59:49,043 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 10:59:49,684 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:59:49,688 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.1s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 10:59:52,784 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:59:52,797 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.8s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 10:59:56,581 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 10:59:56,584 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 9.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 11:00:06,307 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:00:06,317 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-26 11:00:06,324 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 11:00:59,599 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:00:59,855 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:01:00,057 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:02:50,495 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 11:02:51,185 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-26 11:02:51,199 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 11:02:52,127 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:02:52,131 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 11:02:52,403 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:02:52,410 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 11:02:52,586 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:02:52,599 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 11:02:53,770 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:02:53,775 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 11:02:56,245 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:02:56,254 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 6.2s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 11:03:02,453 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:03:02,457 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.6s (WebSocketConnectionClosedException:  
Connection is already closed.)  
2018-06-26 11:03:05,081 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:03:05,087 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...)  
after 8 tries (WebSocketConnectionClosedException: Connection is already  
closed.)  
2018-06-26 11:03:05,098 - octoprint.plugins.anywhere - WARNING - Reached  
max backoff in waiting for server ws connection  
2018-06-26 11:03:32,058 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:03:32,604 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:03:33,333 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:03:34,843 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:03:35,487 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:03:35,549 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:05:18,532 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (error: [Errno 104] Connection reset by  
peer)  
2018-06-26 11:05:18,943 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:05:18,946 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (error: [Errno 104] Connection reset by  
peer)  
2018-06-26 11:05:18,980 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:05:18,983 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (error: [Errno 104] Connection reset by  
peer)  
2018-06-26 11:05:19,611 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:05:19,616 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (error: [Errno 104] Connection reset by  
peer)  
2018-06-26 11:05:19,852 - octoprint.plugins.anywhere - WARNING - Not  
connected to server ws or connection lost  
2018-06-26 11:05:19,855 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.3s (error: [Errno 104] Connection reset by

```
(peer)
2018-06-26 11:05:22,173 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:05:22,176 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.7s (error: [Errno 104] Connection reset by
peer)
2018-06-26 11:05:22,906 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:05:22,913 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.2s (error: [Errno 104] Connection reset by
peer)
2018-06-26 11:05:24,107 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:05:24,110 - backoff - ERROR - Backing off
__forward_ws__(...) for 6.5s (error: [Errno 104] Connection reset by
peer)
2018-06-26 11:05:30,575 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:05:30,588 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (error: [Errno 104] Connection reset by peer)
2018-06-26 11:05:30,634 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-26 11:05:51,647 - octoprint.server.heartbeat - INFO - Server
heartbeat <3
2018-06-26 11:08:31,125 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:08:31,682 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:08:32,271 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:10:34,411 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.0s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:10:34,422 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:10:34,424 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.0s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:10:34,444 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:10:34,447 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:10:35,372 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:10:35,376 - backoff - ERROR - Backing off
__forward_ws__(...) for 1.3s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:10:36,712 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:10:36,721 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.4s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:10:37,095 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:10:37,099 - backoff - ERROR - Backing off
__forward_ws__(...) for 3.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:10:40,891 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:10:40,895 - backoff - ERROR - Backing off
__forward_ws__(...) for 6.6s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:10:47,533 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:10:47,536 - backoff - ERROR - Backing off
__forward_ws__(...) for 5.4s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:10:52,928 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:10:52,938 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-26 11:10:52,953 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-26 11:14:08,124 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:14:08,199 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:14:09,122 - octoprint.plugins.anywhere - WARNING - Not
```

connected to server ws or connection lost  
2018-06-26 11:14:09,920 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:14:10,719 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:14:11,083 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:14:18,352 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:14:24,084 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:14:24,086 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 11:14:24,099 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 11:18:04,930 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:05,456 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:06,424 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:06,599 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:07,683 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:10,248 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:16,591 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:25,574 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:25,577 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 11:18:25,580 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 11:18:27,937 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:28,344 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:18:29,345 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:19:56,446 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:19:57,062 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:19:57,081 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:19:57,582 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:19:57,600 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:19:58,498 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:19:58,501 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:19:58,622 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:19:58,625 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:19:59,231 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:19:59,241 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 4.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:20:03,968 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:20:03,972 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:20:05,156 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:20:05,158 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 9.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:20:14,742 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:20:14,765 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:20:14,767 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-26 11:20:40,461 - backoff - ERROR - Backing off stream\_up(...) for 1.2s (ConnectionError: timed out)

2018-06-26 11:20:51,657 - octoprint.server.heartbeat - INFO - Server heartbeat <3

2018-06-26 11:21:56,321 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:21:57,228 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:21:57,555 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:21:59,414 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:01,999 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:02,512 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:06,747 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:09,617 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:09,620 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)

2018-06-26 11:22:09,623 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-26 11:22:21,696 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:22,313 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:22,747 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:23,725 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:24,900 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:22:26,198 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:27:55,140 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:27:55,519 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:27:55,530 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:27:55,809 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:27:55,832 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:27:56,041 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:27:56,044 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:27:57,414 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:27:57,416 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:27:57,729 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:27:57,738 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.5s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:27:58,204 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:27:58,206 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:27:58,303 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

2018-06-26 11:27:58,306 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.8s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:28:00,110 - octoprint.plugins.anywhere - WARNING - Not

connected to server ws or connection lost  
2018-06-26 11:28:00,113 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:28:00,116 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 11:31:23,310 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:31:23,533 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:31:24,225 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:31:24,408 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:31:25,399 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:32:30,102 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:32:30,374 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:32:30,377 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:32:31,067 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:32:31,071 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:32:31,202 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:32:31,205 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:32:32,628 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:32:32,632 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.5s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:32:35,101 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:32:35,112 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 3.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:32:38,445 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:32:38,448 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 2.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:32:40,806 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:32:40,809 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 4.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:32:45,081 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:32:45,084 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:32:45,086 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 11:35:43,649 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:35:44,397 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:35:45,268 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:35:46,599 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:35:49,597 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:35:51,662 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 11:35:52,226 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:37:55,650 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:37:56,566 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:37:56,570 - backoff - ERROR - Backing off \_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException:

Connection is already closed.)  
2018-06-26 11:37:56,661 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:37:56,666 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:37:57,227 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:37:57,230 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:37:57,979 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:37:57,983 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:37:58,334 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:37:58,338 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:38:01,194 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:38:01,197 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:38:01,880 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:38:01,883 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 11.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:38:13,209 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:38:13,212 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:38:13,215 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 11:39:19,662 - backoff - ERROR - Backing off stream\_up(...) for 2.0s (ConnectionError: timed out)  
2018-06-26 11:39:21,727 - backoff - ERROR - Backing off stream\_up(...) for 4.5s (NewConnectionError: <urllib3.connection.HTTPConnection object at 0xa7da48b0>: Failed to establish a new connection: [Errno -2] Name or service not known)  
2018-06-26 11:39:26,285 - backoff - ERROR - Backing off stream\_up(...) for 8.1s (NewConnectionError: <urllib3.connection.HTTPConnection object at 0xa7d6d7b0>: Failed to establish a new connection: [Errno -2] Name or service not known)  
2018-06-26 11:39:34,451 - backoff - ERROR - Backing off stream\_up(...) for 49.9s (NewConnectionError: <urllib3.connection.HTTPConnection object at 0xa7da4e70>: Failed to establish a new connection: [Errno -2] Name or service not known)  
2018-06-26 11:39:34,811 - websocket - ERROR - error from callback <function <lambda> at 0xb1e538b0>: [Errno 101] Network is unreachable  
2018-06-26 11:39:59,751 - websocket - ERROR - error from callback <function <lambda> at 0xb1e538b0>: [Errno 101] Network is unreachable  
2018-06-26 11:41:39,924 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:41:40,494 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:41:41,099 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:44:47,133 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:44:47,433 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:44:47,436 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:44:47,693 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:44:47,696 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.6s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:44:48,258 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:44:48,264 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)

2018-06-26 11:44:48,341 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:44:48,344 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:44:49,731 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:44:49,744 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:44:52,437 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:44:52,465 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:44:56,267 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:44:56,271 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:44:59,987 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:44:59,996 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:45:00,005 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 11:47:01,405 - backoff - ERROR - Backing off stream\_up(...) for 44.1s (ConnectionError: timed out)  
2018-06-26 11:47:52,459 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:47:53,361 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:47:54,131 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:49:32,639 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:49:33,458 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:49:33,462 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:49:34,462 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:49:34,468 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:49:34,851 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:49:34,854 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:49:35,100 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:49:35,108 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:49:35,496 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:49:35,500 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 4.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:49:40,334 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:49:40,339 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 3.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:49:43,632 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:49:43,636 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:49:45,055 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:49:45,058 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:49:45,060 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection

2018-06-26 11:50:55,673 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 11:51:02,296 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:51:02,467 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:51:02,806 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:52:12,800 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.3s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:52:13,084 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:52:13,088 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:52:13,483 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:52:13,486 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.9s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:52:14,374 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:52:14,379 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:52:15,080 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:52:15,083 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 2.8s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:52:17,935 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:52:17,938 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.2s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:52:18,110 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:52:18,113 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 1.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:52:19,203 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:52:19,205 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 8.7s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:52:27,893 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:52:27,906 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:52:27,916 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 11:53:55,413 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:53:56,243 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:53:56,756 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:53:58,618 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:54:00,044 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:54:04,743 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:55:01,043 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.1s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:55:01,143 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:55:01,158 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.4s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:55:01,581 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 11:55:01,585 - backoff - ERROR - Backing off  
\_\_forward\_ws\_\_(...) for 0.0s (WebSocketConnectionClosedException: Connection is already closed.)  
2018-06-26 11:55:01,617 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost

```
2018-06-26 11:55:00,621 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.6s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:55:02,236 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:55:02,242 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.8s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:55:03,103 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:55:03,106 - backoff - ERROR - Backing off
__forward_ws__(...) for 2.9s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:55:06,030 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:55:06,041 - backoff - ERROR - Backing off
__forward_ws__(...) for 0.3s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:55:06,354 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:55:06,357 - backoff - ERROR - Backing off
__forward_ws__(...) for 7.7s (WebSocketConnectionClosedException:
Connection is already closed.)
2018-06-26 11:55:14,078 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:55:14,084 - backoff - ERROR - Giving up __forward_ws__(...)
after 8 tries (WebSocketConnectionClosedException: Connection is already
closed.)
2018-06-26 11:55:14,091 - octoprint.plugins.anywhere - WARNING - Reached
max backoff in waiting for server ws connection
2018-06-26 11:55:17,566 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:55:18,148 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:55:18,768 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:55:19,833 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 11:55:20,418 - octoprint.plugins.anywhere - WARNING - Not
connected to server ws or connection lost
2018-06-26 13:36:58,395 - octoprint.startup - INFO -
*****
2018-06-26 13:36:58,398 - octoprint.startup - INFO - Starting OctoPrint
1.3.8
2018-06-26 13:36:58,400 - octoprint.startup - INFO -
*****
2018-06-26 13:36:58,586 - octoprint.util.connectivity_checker - INFO -
Connectivity changed from offline to online
2018-06-26 13:37:00,665 - octoprint.startup - INFO - Blacklist processing
done
2018-06-26 13:37:00,884 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-26 13:37:13,658 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-26 13:37:14,103 - octoprint.server.heartbeat - INFO - Starting
server heartbeat, 900.0s interval
2018-06-26 13:37:14,253 - octoprint.server - INFO - Intermediary server
started
2018-06-26 13:37:14,255 - octoprint.plugin.core - INFO - Loading plugins
from /home/pi/oprint/lib/python2.7/site-packages/octoprint/plugins,
/home/pi/.octoprint/plugins and installed plugin packages...
2018-06-26 13:37:15,872 - octoprint.plugin.core - INFO - Found 17
plugin(s) providing 17 mixin implementations, 14 hook handlers
2018-06-26 13:37:16,041 - octoprint.filemanager.storage - INFO -
Initializing the file metadata for /home/pi/.octoprint/uploads...
2018-06-26 13:37:24,575 - octoprint.filemanager.storage - INFO - ... file
metadata for /home/pi/.octoprint/uploads initialized successfully.
2018-06-26 13:37:25,091 - octoprint.plugins.softwareupdate - INFO -
Loaded version cache from disk
2018-06-26 13:37:36,257 - octoprint.util.pip - INFO - Using
"/home/pi/oprint/bin/python -m pip" as command to invoke pip
2018-06-26 13:37:47,139 - octoprint.util.pip - INFO - Version of pip is
9.0.1
2018-06-26 13:37:47,143 - octoprint.util.pip - INFO - pip installs to
/home/pi/oprint/lib/python2.7/site-packages (writable -> yes), --user
flag needed -> no, virtual env -> yes
2018-06-26 13:37:47,146 - octoprint.util.pip - INFO - ==> pip ok -> yes
2018-06-26 13:37:47,163 - octoprint.plugin.core - INFO - Initialized 17
```

```
plugin implementation(s)
2018-06-26 13:37:47,234 - octoprint.plugin.core - INFO - 17 plugin(s)
registered with the system:
| Announcement Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/announcements
| Core Wizard (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/corewizard
| CuraEngine (<= 15.04) (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/cura
| Discovery (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/discovery
| Dropbox Timelapse Plugin (0.1.2) =
/home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_dropbox_timelapse
| Enclosure Plugin (4.11) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_enclosure
| Fullscreen Plugin (0.0.4) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_fullscreen
| Logging (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/logging
| OctoPi Support Plugin (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/octopi_support
| OctoPrint Anywhere (0.6.3) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_anywhere
| Plugin Manager (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/pluginmanager
| Print History Plugin (1.2) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_printhistory
| Printer Safety Check (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/printer_safety_check
| Pushover (0.2.1) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_pushover
| Software Update (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/softwareupdate
| Virtual Printer (bundled) = /home/pi/oprint/lib/python2.7/site-
packages/octoprint/plugins/virtual_printer
| YouTube Live (0.4.0) = /home/pi/oprint/local/lib/python2.7/site-
packages/octoprint_youtubelive
2018-06-26 13:37:47,302 - octoprint.environment - INFO - Detected
environment is Python 2.7.9 under Linux (linux2). Details:
  hardware:
    cores: 1
    freq: 1000.0
    ram: 388681728
  os:
    id: linux
    platform: linux2
  plugins:
    octopi_support:
      model: Zero W
      revision: 9000c1
      version: 0.14.0
  python:
    pip: 9.0.1
    version: 2.7.9
    virtualenv: /home/pi/oprint
2018-06-26 13:37:47,348 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/webassets...
2018-06-26 13:37:47,473 - octoprint.server - INFO - Reset webasset folder
/home/pi/.octoprint/generated/.webassets-cache...
2018-06-26 13:37:48,428 - octoprint.server - INFO - Shutting down
intermediary server...
2018-06-26 13:37:48,817 - octoprint.server - INFO - Intermediary server
shut down
2018-06-26 13:37:48,822 - octoprint.events - INFO - Processing startup
event, this is our first event
2018-06-26 13:37:48,833 - octoprint.events - INFO - Adding 1 events to
queue that were held back before startup event
2018-06-26 13:37:49,016 - octoprint.filemanager - INFO - Adding backlog
items from all storage types to analysis queue...
2018-06-26 13:37:49,099 - octoprint.plugins.pluginmanager - INFO - Loaded
plugin repository data from disk, was still valid
2018-06-26 13:37:50,398 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for _http_tcp
2018-06-26 13:37:50,445 - octoprint.plugins.pluginmanager - INFO - Loaded
notice data from disk, was still valid
2018-06-26 13:37:50,539 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for _octoprint_tcp
2018-06-26 13:37:50,578 - octoprint.plugins.discovery - INFO - Registered
OctoPrint instance "PrusaPi" for SSDP
```

2018-06-26 13:37:50,586 - octoprint.server - INFO - Listening on http://127.0.0.1:5000  
2018-06-26 13:37:50,983 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:37:51,118 - octoprint.plugins.enclosure - INFO - Setting GPIO mode to BCM  
2018-06-26 13:37:51,271 - octoprint.server.util.sockjs - INFO - New connection from client: 127.0.0.1  
2018-06-26 13:37:51,303 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:37:51,382 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:37:51,398 - octoprint.plugins.pluginmanager - INFO - Loaded plugin repository data from disk, was still valid  
2018-06-26 13:37:51,424 - octoprint.plugins.pushover - INFO - No user key provided  
2018-06-26 13:37:51,463 - octoprint.plugins.youtubelive - INFO - OctoPrint-YouTubeLive loaded! Checking stream status.  
2018-06-26 13:37:51,716 - octoprint.plugins.youtubelive - ERROR - ('Connection aborted.', error(2, 'No such file or directory'))  
2018-06-26 13:37:52,539 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:37:52,576 - octoprint.server.preemptive\_cache - INFO - Preemptively caching / (ui\_default) for {'query\_string': 'l10n=en', 'path': '/', 'base\_url': 'http://192.168.0.119/'}  
2018-06-26 13:37:53,229 - octoprint.filemanager.analysis - INFO - Starting analysis of local:set\_of\_8\_pawns\_with\_hole.gcode  
2018-06-26 13:37:53,324 - octoprint.filemanager.analysis - INFO - Invoking analysis command: /home/pi/oprint/bin/python -m octoprint analysis gcode --speed-x=6000 --speed-y=6000 --max-t=10 --throttle=0.01 - --throttle-lines=100  
/home/pi/.octoprint/uploads/set\_of\_8\_pawns\_with\_hole.gcode  
2018-06-26 13:37:53,363 - octoprint.filemanager - INFO - Added 1 items from storage type "local" to analysis queue  
2018-06-26 13:37:54,006 - octoprint.plugins.pluginmanager - INFO - Loaded notice data from disk, was still valid  
2018-06-26 13:37:54,154 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:42:01,472 - octoprint.server.preemptive\_cache - INFO - ... done in 248.88s  
2018-06-26 13:42:05,014 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123  
2018-06-26 13:49:07,227 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:49:14,343 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:49:24,361 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:49:24,364 - backoff - ERROR - Giving up \_\_forward\_ws\_\_(...) after 8 tries (None)  
2018-06-26 13:49:24,377 - octoprint.plugins.anywhere - WARNING - Reached max backoff in waiting for server ws connection  
2018-06-26 13:49:24,557 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:49:24,615 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:49:25,059 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:49:25,142 - octoprint.plugins.anywhere - WARNING - Not connected to server ws or connection lost  
2018-06-26 13:52:14,120 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 13:52:39,622 - octoprint.plugins.youtubelive - INFO - Checking stream status.  
2018-06-26 13:52:56,686 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.123  
2018-06-26 13:53:34,058 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123  
2018-06-26 13:54:48,146 - octoprint.server.util.sockjs - INFO - Client connection closed: 192.168.0.123  
2018-06-26 14:00:57,377 - octoprint.server.util.sockjs - INFO - New connection from client: 192.168.0.123  
2018-06-26 14:01:04,578 - octoprint.plugins.youtubelive - INFO - Checking stream status.  
2018-06-26 14:05:52,282 - octoprint.util.pip - INFO - Using "/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-26 14:05:53,336 - octoprint.util.pip - INFO - Using "/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-26 14:05:54,271 - octoprint.util.pip - INFO - Using "/home/pi/oprint/bin/python -m pip" as command to invoke pip

2018-06-26 14:05:54,340 - octoprint.util.pip - INFO - Using  
"/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-26 14:05:54,505 - octoprint.util.pip - INFO - Using  
"/home/pi/oprint/bin/python -m pip" as command to invoke pip  
2018-06-26 14:07:07,850 - octoprint.util.pip - INFO - pip installs to  
/home/pi/oprint/lib/python2.7/site-packages/ (writable -> yes), --user  
flag needed -> no, virtual env -> yes  
2018-06-26 14:07:07,859 - octoprint.util.pip - INFO - ==> pip ok -> yes  
2018-06-26 14:07:11,472 - octoprint.plugins.softwareupdate - INFO - Saved  
version cache to disk  
2018-06-26 14:07:13,491 - tornado.access - WARNING - 403 GET /api/files?  
recursive=true (127.0.0.1) 185.11ms  
2018-06-26 14:07:13,745 - tornado.access - WARNING - 403 GET  
/api/timelapse?unrendered=true (127.0.0.1) 209.25ms  
2018-06-26 14:07:14,124 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 14:07:14,876 - tornado.access - WARNING - 403 GET /api/slicing  
(127.0.0.1) 214.85ms  
2018-06-26 14:07:15,078 - tornado.access - WARNING - 403 GET  
/api/printerprofiles (127.0.0.1) 166.38ms  
2018-06-26 14:07:15,276 - tornado.access - WARNING - 403 GET  
/api/settings (127.0.0.1) 158.74ms  
2018-06-26 14:07:15,460 - tornado.access - WARNING - 403 GET  
/plugin/announcements/channels (127.0.0.1) 151.06ms  
2018-06-26 14:07:15,669 - tornado.access - WARNING - 403 GET  
/api/plugin/pluginmanager (127.0.0.1) 173.85ms  
2018-06-26 14:07:15,856 - tornado.access - WARNING - 403 GET  
/plugin/softwareupdate/check (127.0.0.1) 154.06ms  
2018-06-26 14:07:16,624 - octoprint.server.util.sockjs - INFO - Client  
connection closed: 192.168.0.123  
2018-06-26 14:07:17,328 - octoprint.server.util.sockjs - INFO - New  
connection from client: 192.168.0.123  
2018-06-26 14:07:35,159 - octoprint.plugins.youtubelive - INFO - Checking  
stream status.  
2018-06-26 14:09:47,773 - octoprint.server.util.sockjs - INFO - Client  
connection closed: 192.168.0.123  
2018-06-26 14:09:47,890 - octoprint.filemanager.analysis - INFO -  
Analysis of entry local:set\_of\_8\_pawns\_with\_hole.gcode finished, needed  
1914.66s  
2018-06-26 14:22:14,127 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 14:37:14,132 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 14:52:14,136 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 15:07:14,141 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 15:22:14,146 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 15:37:14,150 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 15:52:14,155 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 16:07:14,160 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 16:22:14,165 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 16:37:14,168 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 16:52:14,174 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 17:07:14,183 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 17:22:14,187 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 17:37:14,191 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 17:52:14,195 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 18:07:14,199 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 18:22:14,204 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 18:37:14,208 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 18:52:14,213 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 19:07:14,218 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-26 19:22:14,223 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3

2018-06-26 19:37:14,227 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 19:52:14,232 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 20:07:14,237 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 20:22:14,242 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 20:37:14,248 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 20:52:14,251 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 21:07:14,256 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 21:22:14,261 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 21:37:14,265 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 21:52:14,270 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 22:07:14,275 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 22:22:14,279 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 22:37:14,283 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 22:52:14,288 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 23:07:14,292 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 23:22:14,297 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 23:37:14,307 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-26 23:52:14,311 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-27 00:07:14,322 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-27 00:22:14,327 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-27 00:37:14,332 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-27 00:52:14,336 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-27 01:07:14,341 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-27 01:08:17,220 - tornado.access - WARNING - 403 POST /api/plugin/anywhere (127.0.0.1) 83.26ms  
2018-06-27 01:08:17,592 - octoprint.server.util.sockjs - INFO - New connection from client: 166.170.37.43  
2018-06-27 01:08:23,022 - tornado.access - WARNING - 403 POST /api/plugin/youtubelive (127.0.0.1) 68.98ms  
2018-06-27 01:13:03,729 - octoprint.server.util.sockjs - INFO - Client connection closed: 166.170.37.43  
2018-06-27 01:17:51,740 - octoprint.server.util.sockjs - INFO - New connection from client: 166.170.37.43  
2018-06-27 01:22:14,345 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-27 01:28:31,309 - octoprint.server.util.sockjs - INFO - Client connection closed: 166.170.37.43  
2018-06-27 01:37:14,351 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-27 01:43:55,985 - octoprint.server.util.sockjs - INFO - New connection from client: 166.170.37.43  
2018-06-27 01:47:28,408 - octoprint.server.util.sockjs - INFO - Client connection closed: 166.170.37.43  
2018-06-27 01:50:17,960 - octoprint.server.util.sockjs - INFO - New connection from client: 166.170.37.43  
2018-06-27 01:52:14,358 - octoprint.server.heartbeat - INFO - Server heartbeat <3  
2018-06-27 01:54:15,361 - tornado.access - WARNING - 403 POST /api/plugin/anywhere (127.0.0.1) 103.65ms  
2018-06-27 01:54:15,883 - octoprint.server.util.sockjs - INFO - New connection from client: 166.170.37.43  
2018-06-27 01:54:19,209 - tornado.access - WARNING - 403 POST /api/plugin/youtubelive (127.0.0.1) 86.81ms  
2018-06-27 01:54:47,172 - octoprint.plugins.announcements - INFO - Loaded channel important from https://octoprint.org/feeds/important.xml in 2.2s  
2018-06-27 01:54:49,261 - octoprint.plugins.announcements - INFO - Loaded channel releases from https://octoprint.org/feeds/releases.xml in 1.1s  
2018-06-27 01:54:53,965 - octoprint.plugins.announcements - INFO - Loaded

channel\_blog from https://octoprint.org/feeds/octoblog.xml in 4.3s  
2018-06-27 01:54:55,349 - octoprint.plugins.announcements - INFO - Loaded  
channel\_plugins from https://plugins.octoprint.org/feed.xml in 0.99s  
2018-06-27 01:54:58,278 - octoprint.plugins.announcements - INFO - Loaded  
channel\_octopi from https://octoprint.org/feeds/octopi.xml in 2.4s  
2018-06-27 01:56:47,450 - octoprint.server.util.sockjs - INFO - Client  
connection closed: 166.170.37.43  
2018-06-27 01:56:50,552 - octoprint.server.util.sockjs - INFO - New  
connection from client: 166.170.37.43  
2018-06-27 01:56:54,393 - octoprint.plugins.youtubelive - INFO - Checking  
stream status.  
2018-06-27 02:02:13,056 - octoprint.server.util.sockjs - INFO - Client  
connection closed: 166.170.37.43  
2018-06-27 02:03:04,808 - octoprint.server.util.sockjs - INFO - Client  
connection closed: 166.170.37.43  
2018-06-27 02:07:14,363 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-27 02:22:14,378 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-27 02:37:14,412 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-27 02:52:14,448 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-27 03:07:14,452 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-27 03:22:14,457 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3  
2018-06-27 03:29:39,397 - octoprint.server.util.sockjs - INFO - New  
connection from client: 166.170.37.43  
2018-06-27 03:32:07,289 - octoprint.server.util.sockjs - INFO - Client  
connection closed: 166.170.37.43  
2018-06-27 03:32:10,831 - octoprint.server.util.sockjs - INFO - New  
connection from client: 166.170.37.43  
2018-06-27 03:32:13,994 - octoprint.plugins.youtubelive - INFO - Checking  
stream status.  
2018-06-27 03:37:14,462 - octoprint.server.heartbeat - INFO - Server  
heartbeat <3

































































































































































































































































































































































































































































































































